

General Questions			
Question #	RFP Reference	QUESTION	ANSWER
Gen-1	W52P1J-12-R-0115. page 53, L.5.1.5	A JV formed for the purposes of EAGLE cannot have an existing facility clearance. Is it sufficient if the majority member company has a clearance? Is it sufficient if all the member companies have a facility clearance?	In accordance with L.5.1.5, For those Offerors submitting a proposal as a newly formed partnership, joint venture, or limited liability Company, the requirement for a current Facility Clearance at the SECRET level can be satisfied through the submittal of documentation evidencing the fact that the prime or managing partner of a partnership, joint venture, limited liability company, etc., possesses the Facility Clearance.
Gen-2	Solicitation - PWS C-1, page 1, Para 1.1.2	1.1.2 outlines the four primary divisions of the FBGA LRC. Logistics Planning, Support and Execution Division is identified as one of the four areas but is not identified in section C-5 of the PWS. Is there as requirement for the contractor to support this area of the LRC operations?	The contractor is not required to perform under the Planning, Support and Execution Division. Please refer to Transportation, Maintenance and Supply functions of PWS for required tasks.
Gen-3	The EAGLE BOA Step 2 solicitation - page 9	The EAGLE BOA Step 2 solicitation, page 9 of 15, states, "Do not identify subcontractors that are only required to achieve socioeconomic subcontracting goals or other goals not related to capability." If a teammate was identified in our Step 2 proposal for a specific capability, can that same teammate also be proposed in our response for additional capability areas if specifically needed to meet the government's stated socioeconomic subcontracting goals.	Please refer to Amendment 0002, Section A, Paragraph 2.
Gen-4	The EAGLE BOA Step 2 solicitation - page 9	The EAGLE BOA Step 2 solicitation, page 9 of 15, states, "Do not identify subcontractors that are only required to achieve socioeconomic subcontracting goals or other goals not related to capability." Neither the BOA nor the solicitation appears to contain an exception allowing for additional teammates to be bid expressly to meet socioeconomic subcontracting goals. Please provide clarification.	Please refer to Amendment 0002, Section A, Paragraph 2.
Gen-5	Task Order RFP	The Task Order RFP does not identify an estimated contract award date nor a potential transition start date. Will the government provide estimated timelines for these key events?	The Transition-In period is estimated to begin within 15 days of the award date. A formal notice to proceed will be provided to the contractor. It is anticipated that the task order will be awarded in April 2013, however this date is subject to change.
Gen-6	N/A	Please provide the anticipated contract start date.	Please refer to question Gen-5
Gen-7	RFP Section A	For pricing purpose, what is the anticipated award date for this contract?	Please refer to question Gen-5
Gen-8	Task Order RFP	The Task Order RFP does not identify an estimated contract award date nor a potential transition start date. Will the government provide estimated timelines for these key events?	Please refer to question Gen-5
Gen-9	RFP, Section A, page 2, paragraph d)	When is the anticipated start date of the Base Period? This information is required to accurately estimate forecasted rates.	Please refer to question Gen-5
Gen-10	Solicitation Section A	Section A identifies the Period of Performance (POP) days after award to begin and end Transition-in, Base, and Option Years. To properly price the work efforts could the Government provide a start and end of the Transition-in and base year?	Please refer to question Gen-5
Gen-11	General	Will the Government provide an estimated acquisition timeline for this solicitation?	Please refer to question Gen-5
Gen-12	1-H, STEP THREE TASK ORDER REQUEST, Paragraph d)	States "Step Two Offerors were required to demonstrate the capability to perform all three functional areas. That capability may have been achieved with or without teammates. Any approved teammates listed in the Offerors in Attachment 0002 – Team Arrangement, may be utilized to perform any of the functions in Step Three. The Government will verify that the offeror's proposal includes approved teammates by comparing the Offeror's proposal to their BOA Attachment 0002 – Team Arrangement. <u>Question:</u> It is understood that the offeror can use any teammates from Attachment 0002 to perform any portion of a task order that is issued. Could you please clarify this interpretation of the solicitation?	Yes, please refer to Amendment 0002, Section H Paragraph H-01
Gen-13	Solicitation and PWS	We are under the assumption this opportunity should be referred to as FBGA LRC? Is this correct?	This requirement should be referred to as Fort Benning Logistics Support Services.

Gen-14	No reference	If you establish a Surge CLIN, will the Government provide projected surge workload for Transportation, as was done for Supply (projected Special Projects) and Maintenance (MST/UME)?	The Government does not intend to use a Surge CLIN. The CLIN structure is outlined in Attachment 0005.
Gen-15	No reference	Will the government provide a seniority roster for all represented workers to be used in cost calculations?	IAW FAR 22.1020, a seniority list will be provided to the successor contractor at the commencement of the succeeding contract
Gen-16	Amendment 0001	Block 11 states "(a) By completing items 8 and 15, and returning 2 signed copies of the amendments etc.". Will the Government accept 1 signed copy of this amendment as it will be uploaded to the Army Single Face to Industry Bid Response System?	Please refer to Amendment 0003, Section L.1.7
Gen-17	N/A	Will the Government provide any historical estimates on the number of FTEs currently performing the logistics support services at FBGA?	No, the contractor shall use the workload data found in the Tech Exhibits in order to formulate their approach for meeting PWS requirements.
Gen-18	N/A	Amendment 1 posted on 24 October included updated Technical Exhibits (with associated workload data that will change our proposed workforce). Will the Government consider extending the proposal due date to 22 November 2012?	Please refer to Amendment 0003, Section A, 1)
Gen-19	General	Please confirm that the Contractor can invoice monthly for the Firm Fixed Price Transition In CLIN. Also, will the Government provide any documentation (i.e. DD254) to evidence completion of the transition in CLIN or will the end of the 60 day transition-in period satisfy completion?	Yes the Contractor may invoice monthly for the Firm Fixed Price Transition -In CLIN. Please refer to Amendment 0003, Section H, Paragraph H-04. The Government will not provide any documentation to evidence completion of the Transition CLIN.
Gen-20	Award Fee	Request the Government allow the Contractor to provisionally invoice 15% of the quarterly award fee pool each month.	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
Gen-21	Award Fee	We recognize the Government will not allow the unearned award fee to be "roll over" to the following award fee period. However, would the Government allow the unearned award fee to be set aside to be used for cost overrun or to be used as a special incentive. This would allow the government the ability to keep the unearned fee to be used at its discretion at a later time.	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
Gen-22	RFP Section H.3	Will contractor personnel be working with explosives? Is so, what type of explosives.	The contractor will manage issues and turn-ins from the ASP.
Gen-23	RFP Section I	Request that DFAR 252.219-7004 be added for those Contractors that participate in the Small Business Subcontracting Plan (Test Program). This clause is already included in the EAGLE BOA.	This clause will not be added to the RFP. If applicable, it may be awarded at contract award.
Gen-24	General, page 3	Request the Government remove the reference to DFAR 252.204-7008 (Export Controlled Items). There is no requirement to provide OCONUS support and this clause is not applicable to this task order.	This clause will not be removed.
Gen-25	Solicitation - Ref H-01, Step 3 Task Order Requests, page 14.	Can any Teammate included in the offerors BOA Attachment 002 be proposed for any functional area or subtask? For example, if a teammate was proposed in the functional area of Material Maintenance only, can they be proposed in the functional area of Transportation Support?	Yes, for a functional area that a Prime BOA holder demonstrated an organizational capability with teammates, the Prime BOA holder may propose itself, approved teammates or subcontractor(s) for the purposes of meeting the Offeror's Subcontracting Participation Plan.
Gen-26	SF 33, page 1, block 9	As a result of hurricane Sandy and the massive storms that has forced closures of multiple organizations along the East Coast, will the Government consider extending the closing date for solicitations W52P1J-12-R-0112 & W52P1J-12-R-0115?	Please refer to Amendment 0003, Section A, 1)
Gen-27	SF 33, page 1, block 9	As a result of the damage caused by hurricane Sandy and the massive storms that has forced closures of multiple organizations, including the Federal Government, along the East Coast, will the Government consider extending the closing date for solicitation W52P1J-12-R-0115?	Please refer to Amendment 0003, Section A, 1)

Gen-28	SF 33, Block 9	Request for Extension of Submission Date for the Fort Benning Logistics Readiness Center Proposal Solicitation W52P1J-12-R-0115 In view of the recent major destructive storm in the Northeast U.S. and our closure of many of our corporate facilities from October 29 and 30, 2012 and perhaps longer due to safety concerns, continuing power outages, difficulties with computer networks and staff coordination, and the short-term need to allow many of our employees to recover from the storm's damage, we respectfully request an extension for adding submitting our proposal for the Fort Benning Logistics Readiness Center Solicitation by the 15 November 2012 submission date. We request that the submission date be extended to 21 November 2012.	Please refer to Amendment 0003, Section A, 1)
Gen-29	Solicitation SF33 page #1, Para. 9	Given the weather conditions in various areas of the United States, and potential massive electrical outages, will the government issue an extension on the submission date for this proposal?	Please refer to Amendment 0003, Section A, 1)
Gen-30	Amendment 0002, page 2, paragraph Section A. 2)	If an offeror selects a subcontractor for purposes of meeting small business participation goals, does that selected subcontractor need to be considered "major" and therefore given in excess of 20%?	It is not required that subcontractors proposed for the purposes of accomplishing small business participation goals be a "major" subcontractor.
Gen-31	Amendment 0002, page 2, paragraph Section A. 2)	Will this selected subcontractor have to provide past performance with subsequent attachments to the offeror?	The instructions in Past Performance instructions in Section L, paragraph L.5.3 of the RFP also apply to subcontractors provided for the purposes of accomplishing small business participation goals.
Gen-32	General: Waste Streams	Does the USG own the waste? If so, can the waste be turned in to the facility or post HWSA?	Yes, the government owns the waste and can be turned into the facility.
Gen-33	General	We desire to submit a full, detailed critical-path transition schedule for Transition Phase-In as an attachment/appendix to technical approach. Will the Government consider and review a full Critical Path Method (CPM) appendix schedule as part of the total score?	Offeror's must comply with Sections L and M of the RFP.
Gen-34	Section I	Request FAR 52.215-21 be removed, this clause is not applicable under a Cost Plus Award Fee Contract.	This clause will not be removed.
Gen-35	Section I	Request FAR 52.228-5 be removed, this clause is not applicable under a Cost Plus Award Fee contract.	This clause is applicable to the Firm Fixed Price Transition-In CLIN.
Gen-36	Section I	Request FAR 52.232-8 be removed, this clause is not applicable under a Cost Plus Award Fee contract.	This clause is applicable to the Firm Fixed Price Transition-In CLIN.
Gen-37	Section I	Request FAR 52.249-8 be removed, this clause is not applicable under a Cost Plus Award Fee contract.	This clause is applicable to the Firm Fixed Price Transition-In CLIN.
Gen-38	Section I	Request FAR 52.215-21IV be removed, this clause is not applicable under a Cost Plus Award Fee contract.	This clause will not be removed.
Gen-39	Solicitation, Page 2, Section A Narrative, Paragraphs L & M	The Government has responded to questions for Logistics Support Services at Fort Campbell, Kentucky, Solicitation W52P1J-12-R-0112. Per the RFP, the responses are posted on the EAGLE website at: http://www.aschq.army.mil/ac/aisdus/EAGLE.aspx and they include random questions pertaining to both Forts Campbell and Benning. Will the Government post separate responses to the Fort Benning questions onto the EAGLE website in the Fort Benning-designated area as well?	Yes, responses to Fort Benning questions will be posted separately.
Gen-40	Solicitation - Ref H-01, Step 3 Task Order Requests, page 14.	Can any Teammate included in the offerors BOA Attachment 002 be proposed for any functional area or subtask? For example, if a teammate was proposed in the functional area of Material Maintenance only, can they be proposed in the functional area of Transportation Support?	Yes, any approved teammates listed in the Offerors Attachment 0002 Team Arrangement, may be utilized to perform any of the functions in Step Three.

Gen-41	Amendment 3 Section L 5.1.4 SECRET Facility Clearance	With a one page limitation, defined in Amendment 3 L.4.2.1 vii, would a letter from our Facility Clearance Officer providing name, cage code, address and security level suffice as "proof" of a current US Facility Clearance at the SECRET Level which could then be verified by the Contracting Officer in ISFD?	Please refer to Amendment 0004, Section L, paragraph L.4.2.1.vi.
Gen-42	Task Order RFP, pg 52, Section M.4.1.1.i.4	Will the government provide additional information on how it will evaluate this element?	Please refer to Amendment 0004, paragraphs L.5.2.1.1.1(iv) and M.4.1.1(i)(4)
Gen-43	RFP - general	Is the contractor required to provide any contractor-owned/leased equipment?	The facility, vehicles, equipment or services that will be provided as GFE are those listed in the applicable Tech Exhibits. This is a performance based services requirement. As such, it is up to each offeror to determine and propose an approach to satisfy the requirements of the PWS, including vehicles, equipment and personnel.
Gen-44	General	Where should offeror propose costs for additional ODCs not covered under customer provided numbers?	The Government does not intend to allow recovery of those items excluded from the ODC definition.
Gen-45	RFP, Section H-02 (Government Property), page 14	Request the Government include the following statement to clause 4-H. "Contractor shall not be liable for any loss, damage, destruction of theft of Government property as a result of Third Party or Government employee gross negligence or willful misconduct. Under no circumstances will the Contractor's total liability exceed the dollar value of this contract."	This statement will not be included.
Gen-46	RFP, general	Will the government provide a breakout of the workforce by shift?	This information will not be provided. As this is a performance based requirement, it is up to the Offeror to submit a proposal based on its approach to meeting the contract requirements.
Gen-47	Solicitation Section I - Clauses I-159 and I-164, pages 36 and 39	Each of these provisions require the contractor to identify, at the time of proposal submission, hazardous material expected to be utilized for contract performance. Will the government please provide this list (to include the name, national stock number and the relevant Act (I-164)) as we are unable to determine this information from the documents provided in the solicitation.	The Government will not require the contractor to deliver hazardous material. Hazardous material may result from services performed.

L&M Questions			
Question #	RFP Reference	QUESTION	ANSWER
LM-1	Solicitation - page 57, L.5.4.3.5.3, c.	L.5.4.3.5.3, c. states that offerors are to complete a Bill of Materials (BOM) in an Excel file, to include a basis of estimate. Since the government has provided surrogate numbers under L.5.4.3.4 for ODC's/Materials, please confirm that this BOM is not required.	A priced Bill of Material is not required for proposal submission as surrogate values have been provided for Other Direct Costs (ODCs). This paragraph was removed in Amendment 0003.
LM-2	RFP, page 63, M.4.4.1.1; paragraph iii	Paragraph iii states "The Government will evaluate the extent (percentage based on total contract value) to which an offeror identifies and commits to utilizing SB in the performance of the proposed contract as it relate to the goals of:" Are the small business goals stated in paragraph iii based on subcontracted dollars? If not, please clarify what the stated goals are based on.	Per Section L, Paragraph L.5.5.1.1 and Attachment 0006, Contract Participation Matrix, the small business goals are based on the total contract value.
LM-3	RFP, page 58, L.5.5.1.2; paragraph ii	Paragraph ii states "If an offeror proposes substantially different small business participation than provided in response to paragraph L.5.1.2(i) above, then they must explain how they will accomplish this and/or the reason for the higher/lower proposed level." Is paragraph L.5.1.2(i) the correct reference?	No, the correct reference is L.5.5.1.2(i). Please refer to Amendment 0003.
LM-4	RFP, page 57, L.5.4.3.5.1	Paragraph states "Offerors and all proposed teammates and all proposed major subcontractors are required to provide cost information for the Fort Benning LRC requirements." If a teammate is less than the 20% of the total value of the contract, is the prime contractor required to provide cost information for the teammate.	Please refer to Amendment 0003, paragraph L.5.4.3. Offerors and all proposed teammates and all proposed subcontractors are required to provide cost information.

LM-5	RFP, page 47-48, L-9, paragraph b	Paragraph b states "The offeror shall provide with its offer a written plan describing how it will continue to perform the essential contractor services listed in Attachment 0008 Mission Essential Contractor Services..." Where are offerors expected to provide the essential contractor services plan in the proposal? Is the essential contractor services plan in addition to the 9 pages allowed for Mission Capability Narrative?	Please refer to Amendment 0003, paragraph L.4.2.2.i.
LM-6	Task Order RFP, Page 54 of 55, Para M.4.4.1.1.	Our small businesses will perform specific functions on this contract which capitalize on their core competencies. As a result, it could be difficult to maintain the government's SB goal of 39% of total contract dollars, depending on which work centers are surged during the contract POP. Will the government evaluate the offeror's initial submission for compliance with the 39% SB goal and then work with the winning bidder throughout the contract POP, to adjust that goal based on surge requirements?	The Government will evaluate the Offeror's proposed small business participation in accordance with Section M, Paragraph M.4.4.1.1 of the solicitation. The successful Offeror will be awarded a contract based on their final proposal. The approved subcontracting plan will be incorporated and made a material part of the task order.
LM-7	RFP, pages 52, paragraph L.4.2.2 and page 54, paragraph L.5.2.1.1.1	Please verify that the offeror is required to detail an approach to all PWS requirements, address implementation of AIS, provide business processes for the items listed in L.5.2.1.1.1 i through v, and provide a transition plan within a limit of 9 pages?	Please refer to Amendment 0003, paragraph L.4.2.2.i.
LM-8	RFP page 53, Section L, paragraph L.5.1.6.1	Where is the SF 1408 referenced in L.5.1.6.1?	Please refer to Amendment 0003, Attachment 0015
LM-9	RFP page 54, Section L, paragraph L.5.2.1.1.1	RFP paragraph L.5.2.1.1.1 is followed by L.5.2.1.1.1.2; should it be L.5.2.1.1.1.1?	Please refer to Amendment 0003, paragraph L.5.2.1.1.1.1
LM-10	RFP, Page 48, Paragraph L.5.4.3.5.3 c.	The RFP states that a "Priced Bill of Material in Excel format, to include basis of estimate, i.e., competitive quotes, catalog prices, history, etc." is required. However, Attachment 005 provides plug numbers for Other Direct Costs, which according to section L.5.4.3.4 of the RFP includes "material and/or equipment that cannot be acquired through Government supply system". Question: Since the Government has already provided plug numbers for material and/or equipment that cannot be acquired through Government supply system, do we still have to provide a Priced Bill of Material?	A priced Bill of Material is not required for proposal submission as surrogate values have been provided for Other Direct Costs (ODCs). This paragraph was removed in Amendment 0003.
LM-11	RFP L.5.4.3.5.3 (c), pg 57, Indirect Expense Rates, Material	RFP reference states, "The following data shall be provided for all prime and teammates proposals. Material: Priced bill of material in Excel format, to include basis of estimate, i.e., competitive quotes, catalog prices, history, etc." Since CLIN 0005A, Other Direct Costs, is a plugged value on Attachment 0005, COST/Price Matrix, will the Government provide another CLIN or clarify where bidders should post the bill of material costs? Will another CLIN be provided?	A priced Bill of Material is not required for proposal submission as surrogate values have been provided for Other Direct Costs (ODCs). This paragraph was removed in Amendment 0003.
LM-12	RFP, pg 56, L.5.4.3.4 - Cost/Price Factor	This specific section under Section L.5.4 Cost/Price Factor addresses in part Other Direct Costs (ODC) surrogate numbers and defines what ODC items are included in the surrogate numbers. The Government also defines ODC items not included in the surrogate numbers. With the exception of subcontractor labor is it the intent of the Government to allow recovery of the excluded items pursuant to Section I-142(b) Reimbursing costs? If not, will the Government provide an avenue for bidders to price the excluded items since no other ODC CLIN exists except CLIN 0005AA, which contains the surrogate numbers.	No, the Government does not intend to allow recovery of those items excluded from the ODC definition.
LM-13	RFP, Page 47, Paragraph L-9	This paragraph requires the offeror to provide a written Mission Essential Contractor Services Plan with its offer. However, the solicitation does not specify where to include this plan in our offer. Is it acceptable to include this submittal in the General Documents portion of our submittal?	Please refer to Amendment 0003, paragraph L.4.2.2.i.

LM-14	RFP, page 52, Paragraph L.4.2.2	This paragraph assigns 9 pages to our Mission Capability Narrative. The Mission Capability Narrative includes a discussion on a Transition-in Plan (Paragraph L.5.2.1.1.2), which could require several pages of the 9-page section to complete. Since the incumbent contractor does not have to dedicate several pages of their write-up to a Transition-in Plan, it appears that the non-incumbents are at a competitive disadvantage on this procurement. Would the Government consider providing a separate page count for the Transition-in Plan to eliminate this apparent imbalance?	Please refer to Amendment 0003, paragraph L.4.2.2.i
LM-15	RFP, page 58, Paragraph L.5.5.3	This paragraph requires the other than small business offerors to submit a separate Small Business Subcontracting Plan with their proposal. However, the RFP does not define a page limit for this document. Are there any guidelines associated with submitting this plan?	In accordance with L.4.2.1(ix), no page limit applies to the Small Business Subcontracting Plan described in paragraph L.5.5.3. Please refer to FAR 19.7.
LM-16	RFP, Page 63, Paragraph M.4.4.1.1.iii	This paragraph identifies a SB goal of 39% of total contract value. This goal appears to be very high based on recent experience, where 10-15% of total contract value is the norm and current DoD Small Business goal for Subcontracting in FY2012 & 2013 is 36.7% of subcontracted dollars. The current goal is out of proportion to DoD guidance and creates added costs to the contract due to the cost of managing more subcontractors. It also creates a fragmented command and control structure, because of the requirement to meet goals in all of the SB categories. We would suggest a SB goal in alignment with DoD directives. Would you please confirm if the SB goal on this contract is 39% of total contract value or 39% subcontracted dollars?	Per Section L, Paragraph L.5.5.1.1 and Attachment 0006, Contract Participation Matrix, the small business goals are based on the total contract value.
LM-17	RFP, Page 63, Paragraph M.4.4.1.1.iii	Is there a legislative policy that is directing the SB goal of 39% of total contract value on this contract?	No, legislative policy is not directing the SB goal of 39% of total contract value.
LM-18	RFP, Page 63, Paragraph M.4.4.1.1.iii	Can you provide the Offerors with actual data from the incumbent's contract relative to the percent of total contract value being performed by SBs?	No, the Government will not provide this information.
LM-19	RFP, Page 52, Paragraph L.4.1.1, Page 54, Paragraph L.5.2.1.2	Paragraph L.5.2.1.2 requires the Offerors to identify what firm is responsible for performing each of the higher level identified in the PWS on the organization chart. However, Paragraph L.4.1.1 requires the Offerors to remove the Offeror's identifying information from all pages of the Technical Proposal after the cover sheet. Could the Government please provide the Offerors with guidance (e.g., designating the Prime as Company A, Subcontractor #1 as Company 2, etc.) to how we comply with these conflicting requirements?	Please refer to Amendment 0003, paragraph L.4.1.
LM-20	Solicitation, Page 53, Para L.5.1.5	Does the government require our copy of DD FL 381-R as "proof of possession of a current U.S. Facility Clearance" or is there another document the government requires?	The 381-R is Acceptable.
LM-21	Solicitation, page 53, Para L.5.1.6.1	States in part..."An SF 1408 has been attached to this solicitation which contains the specific procedures that are considered part of an adequate system." Could the government, please provide this form?	Please refer to Amendment 0003, Attachment 0015
LM-22	Solicitation, Section L, page 47, Para L-9(b)	Question 1: Is the written plan for performing essential contractor services part of the page count? Question 2: In which section of the proposal does the government want this plan? Question 3: How will this plan be evaluated?	Please refer to Amendment 0003, paragraphs L.4.2.2.i and M.4.1.i.
LM-23	Solicitation, page 53, Para L.4.2.5	We are under the assumption Attachment 0006 is not included in the page count. Is this correct?	Yes, this is correct. Attachment 0006 is not included in the page count of L.4.2.5.ii
LM-24	Solicitation, page 53, Para L.5.1.6.1	We are assuming "current Government approval status" means DCAA and/or DCMA approved. If our assumption is incorrect, please provide clarification as to what is meant by "current Government approval status".	This assumption is correct.

LM-25	Solicitation, Page 47, Para L-9(B)	Paragraph states "The offeror shall provide with its offer a written plan describing how it will continue to perform the essential contractor service ...". What is the page limit for this plan, if any? Is this included within the page limit for other sections? If so, what section?	Please refer to Amendment 0003, paragraph L.4.2.2.i.
LM-26	Solicitation; Page 52 of 64; Paragraph L.4.2.1. v and vi	If approved Step 2 teammates are being used, is there any requirement for the letter of Intent and/or Letters of Consent referenced in these two sections?	No, if Step 2 teammates are being used there is no need to submit these documents.
LM-27	Solicitation; Page 52 of 64; Paragraph L.4.2.3.i	Does the 100 word contract reference requirement apply to the offeror's original Step 2 Attachment 2 (400 word) submissions or does this requirement only pertain to additional contracts not originally referenced in the Step 2 Attachment 2 submission?	The 100 word restriction applies to all contract references provided under L.5.3.1.4(v).
LM-28	Solicitation; Page 47 of 64; Paragraph L.7	The FAR does not limit the amount of the incentive fee under cost-plus-incentive-fee contracts or the amount of either the award fee or the base fee under cost-plus-award-fee contracts. However, DFARS 216.405-2(c)(ii)(2)(B) limits the amount of the base fee under cost-plus-award-fee contracts to 3 percent of the estimated cost. How does the Government intend to set the amount of the remaining award fee and at what level will it be set?	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
LM-29	Solicitation; Page 57 of 64; Paragraph L.5.4.3.5. (Teammate Pricing)	Does the Government intend for all teammates to submit what industry normally refers to as "Unsanitized" pricing in their cost submissions to illustrate how all costs are built up or will "sanitized" pricing suffice, so long as the cost narrative includes the Indirect Expense data called for in Paragraph L.5.4.3.5.3 a?	"Unsanitized" pricing shall be submitted.
LM-30	RFP, page 53, L.5.1.6	Are prime contractors, that hold an EAGLE BOA, required to have a government approval status for all business systems? If a contractor has an approved/adequate accounting system and billing system from DCAA/DCMA but they have not received an approval rating for the remainder of the business systems, will they be allowed to bid?	In order to be eligible for award, a contractor must be found responsible IAW FAR Part 9. In accordance with paragraph L.5.1.6.1, offerors are required to provide, as part of its proposal response, official documentation, from either a successful DCAA audit of the offeror's accounting system or a letter from DCMA documenting its approval/adequacy of the offeror's accounting system.
LM-31	RFP, Page 52, L.4.2.4iii.	What cost & pricing data are contractors required to submit as supporting documentation?	Certified Cost and Pricing Data is not required; however, the format in which Other Certified Cost and Pricing Data must be received shall be in accordance with FAR 15.408, Table 15-2.
LM-32	RFP, Page 56 & 57, L.5.4.3.4	If a contractor has costs for ODCs not included in this paragraph for the plug number, where should we include the costs?	The Government does not intend to allow recovery of those items excluded from the ODC definition.
LM-33	RFP, Page 57, L.5.4.3.5.3	Are non-major subcontractors (less than 20% of work) required to submit the same detailed information?	Please refer to Amendment 0003, paragraph L.5.4.3. Offerors and all proposed teammates and all proposed subcontractors are required to provide cost information.
LM-34	RFP, Section L, Instructions to Offeror's, Para. L.5.4.2.5.3	If a teammate and/or subcontractor has submitted a Forward Pricing Rates Proposal (FPRP) to the Government (DCAA), do they still need to provide items requested in paragraph L.5.4.3.5.3 with their Cost Proposal response?	Yes.
LM-35	RFP, Section L, Instructions to Offerors, L.5.1.3 & L.5.1.4	"In the event that the PRIME BOA holder wishes to subcontract a capability that the PRIME was approved for in its BOA..." Can the government clarify if "capability" refers to a PWS task area or a functional area, such as maintenance, supply, or transportation?	"Capability" refers to a functional area, such as maintenance, supply or transportation.
LM-36	Page 53, Paragraph L.4.2.5	The total page count allotted for this section (and the two subsections) appears to be only 25 pages. However, Section L.4.2.5 ii Past Small Business Participation (Realism) also has 25 pages list next to it. Question: Does the 25 page count allotment only apply to Section L.4.2.5 ii Past Small Business Participation (Realism) or to both sub sections of L.4.2.5?	The 25 page limit applies to Amendment 0003, paragraph L.4.2.5.ii.

LM-37	RFP, page 53, L.4.2.4.iii	states " Supporting Documentation (all cost and pricing data and other than cost and pricing data for prime, teammates and/or major subcontractors)". Does this mean subcontractors with less than 20% Total Contract Value do not need to submit this cost back up data?	Please refer to Amendment 0003, paragraph L.5.4.3. Offerors and all proposed teammates and all proposed subcontractors are required to provide cost information.
LM-38	RFP, page 57, L.5.4.3.5.3	states "The following data shall be provided for all prime and teammate(s)/major subcontractor(s) proposals. The requested data shall be presented in a manner that will allow evaluation of proposed indirect expenses." Does this mean subcontractors with less than 20% Total Contract Value do not need to sub this indirect cost budget data and historical indirect costs listed in subparagraphs i. ii. & iii?	Please refer to Amendment 0003, paragraph L.5.4.3. Offerors and all proposed teammates and all proposed subcontractors are required to provide cost information.
LM-39	RFP, pages 47 & 48, L-9(b) and RPF, pages 52 & 53, L.4.2 thru L.4.2.5	states "The offeror shall provide with its offer a written plan describing..." Where does this plan go in the proposal ? It is not called out in any of the 5 volumes and their contents in Section L.4.2. Please provide instructions where this plan goes in the proposal.	Please refer to Amendment 0003, paragraph L.4.2.2.i.
LM-40	RFP, pages 47 & 48, L-9.(b)	states "The offeror shall provide with its offer a written plan describing..." this specifically calls for a complete detailed plan, not an outline of a plan as L.5.2.1..1.2 states "The Offeror shall outline a Transition-In Plan" Is in fact a complete plan required to be submitted with the proposal addressing all the element in L-9.(b).(2)(i) thru (v)?	Please refer to Amendment 0003, paragraph L.5.2.1.1.2.
LM-41	RFP, pages 47 & 48, L-9.(b)	if a complete plan is required with the proposal a 10 day extension is requested to enable sufficient time to research and write the required detailed plan	Please refer to Amendment 0003, Section A, 1)
LM-42	Solicitation file name 0000, page 57, Reference L.5.4.3.4	Can the government clarify that offerors are allowed to apply fee on the Other Direct Cost (ODCs) CLIN.	Fee is not applicable to ODC.
LM-43	Solicitation file name 0000, page 52, Section L.4.2.3 - Past Performance	Are we to provide a Past Performance Summary (100 word limit) for all past performance being submitted, or only for those additional contracts being submitted (that were not submitted as part of Eagle Step 2)?	Please refer to paragraph L.5.3.1.2, offerors are afforded the opportunity to provide up to one additional past performance contract references for itself and each proposed teammate or major subcontractor, (beyond those provided with Offerors BOA proposal) but are not required.
LM-44	Solicitation file name 0000, page 14, H-01 Step Three Task Order Request and page 63, M.4.4.1.1 Small Business Participation	This section states "Failure to comply with any terms of the Task Orders to include meeting small business subcontracting goals, may result in negative past performance, which could negatively impact an Offerors ability to be successful in future Task Order competitions." To meet both Small Business (SB) and socio-economic goals, can the BOA holder add additional subcontractors in PWS areas for which we have an existing teammate in order to meet all small business socio-economic goals without changing the configuration of the Team on the approved BOA?	Please refer to Amendment 0002, Section H, Paragraph H-01
LM-45	Solicitation file name 0000, page 14, H-01 Step Three Task Order Request and page 63, M.4.4.1.1 Small Business Participation	To meet both SB and socio-economic goals, can the BOA holder add additional subcontractors in PWS (sub-function) areas for which we can self perform in order to meet all socio-economic goals without changing the configuration of the Team on the approved BOA?	Please refer to Amendment 0002, Section H, Paragraph H-01
LM-46	CDRL PM-09 Quality Control Plan; and RFP, page 54, L.5.2.1.1.1 iii	Is the draft Quality Control Plan included in the 9 page technical? If so, does the Section L response meet the requirements of the Quality Control Plan draft?	The Quality Control Plan is a CDRL (PM-09) required from the successful contractor after contract award.

LM-47	Solicitation L.5.3 Page 54	Question: Solicitation allows for offeror to submit up to three additional references for past performance. However there is no provision for updating existing past performance. In this instance page/word limitations precluded us from including all relevant information into the EAGLE BOA 2 submission. The Ft. Benning solicitation calls for specific types of work that we have done under prior contracts but three aspects of this work is not included in the current BOA 2 submission. How can we update the BOA 2 submission or is there a process by which we can post some kind of addendum	Please refer to paragraph L.5.3.1.2, offerors are afforded the opportunity to provide up to one additional past performance contract references for itself and each proposed teammate or major subcontractor, (beyond those provided with Offerors BOA proposal) but are not required.
LM-48	Section L, L-9; page 47 of 64; Section L, L.4 Proposal Structure; CDRLs	L-9 states "The offeror shall provide with its offer a written plan describing how it will continue to perform the essential contractor services shown in attachment 0008...". Section L.4 makes no mention of submitting this with the offerors proposal. Review of the CDRLs provided with the solicitation, indicates only a contingency plan required 60 days after the award of the contract. Is it the Government's intention that the Offeror provide a Continuation of Essential Contractor Services Plan with our proposal response and, if so, where in the proposal response would the Government prefer the Offeror to place it?	Please refer to Amendment 0003, paragraph L.4.2.2.i.
LM-49	Solicitation page 47, paragraph L-9	This paragraph requires the offeror to submit with their proposal a Written Plan for Continuation of Essential Contractor Services, in accordance with DFARS 252.237-7024 and include those services listed in Attachment 0008. Is this meant to be a Continuity of Operations Plan (COOP) covering the services listed in the attachment? If not, please clarify. In which volume of the submission should this plan be included with, as it is not listed anywhere in Paragraphs L.1 through L.5?	Please refer to Amendment 0003, paragraph L.4.2.2.i.
LM-50	Solicitation page 47, paragraph L-9	Solicitation refers to Attachment 8, "Mission Essential Contractor Services", but Attachment 8 was not provided. Did the government intend to refer to Attachment 7, "Mission Essential Services", or will Attachment 8 be provided?	Please refer to Amendment 0003, Section L-2 (b)
LM-51	Solicitation page 52, paragraph L.4.2.1, page 57, paragraph L.5.1	Section L.4.2.1 lists 9 files to be included in the General Documents Volume, including (ix) Small Business Subcontracting Plan. Section L.5.1 (General Documents) does not include the Small Business Subcontracting Plan. Please clarify where the Small Business Subcontracting Plan is to be provided.	Please refer to Amendment 0003, Section L.4.2.1.viii.
LM-52	Solicitation page 52, paragraph L.4.2.3	Is the 100-word contract reference information narrative (L.4.2.3.i) to be included in Attachment 3 (L.4.2.3.ii), or provided in a separate file?	Please refer to paragraph L.5.3.1.4 and L.5.3.6. These are two separate documents.
LM-53	RFP, L-9 Notice of Continuation of Essential Contractor Services, pg. 47	Can the Offeror provide the written plan describing how it will continue to perform essential contractor services listed in attachment 0008 with the General Documents?	Please refer to Amendment 0003, Section L.4.2.2.i.
LM-54	RFP Section L.4.2.1	Is a transmittal letter permitted to be included in the General Documents section?	Information submitted as part of an Offeror's proposal and not requested as specified in the RFP will not be reviewed by the Government.
LM-55	RFP Section L.4.2.1(i)	Is the Government requesting only the signed SF33 and SF 30 or does the Government want to have all the RFP and Amendment Continuation pages included in the General Documents section of the proposal?	The Government is only requesting signed SF33 and SF30 page and the remaining pages of the RFP which would require Offeror fill-in.
LM-56	L.5.2.1.4 (RFP page 54) and Attachment 0002	Because of the complexity of the staffing mix, and since the Offeror cannot alter Attachment 0002 to additionally explain the staffing/labor mix, will the Government consider increasing the page allocation for the BOE from 2 pages to 5 to allow for a comprehensive explanation of the staffing rationale that includes assumptions and/or constraints?	At this time, the Government does not intend to increase the page limit for this requirement.

LM-57	L.5.4.2.6, page 56 of 64	The solicitation states that, "The Offerors complete Cost/Price Proposal shall be submitted into the ASFI BRS system." It appears that the acquisition.army.mil website, which is the host site for ASFI BRS, may not be functioning. Is there a point of contact or email address that we may have to assist in ensuring contractors have access? If ASFI BRS is not expected to be operational by 11/15/12, may prime offerors follow the instructions for major subcontractors later in L.5.4.2.6 that says, "If the proposed teammate(s)/major subcontractor(s) wish to provide its cost information independently to the Government, it shall submit to the EAGLE mailbox: usarmy.RIA.acc.mbx.eagle@mail.mil"?	Please refer to Amendment 0003, Section L.1.7
LM-58	FAR 15.403-1, 15.804-3, page 19 of the RFP I-145 (a) and Page 56, L.5.4.3.1	Page 18, I-145 (a) states certified pricing data submission is not required but L.5.4.3.1 states that pricing data should be submitted in accordance with Far clause 15.408, Table 15-2. We hereby request a waiver of certified cost and pricing data in accordance with 15.804-3 as price competition exists and the requirement of Table 15-2 is not required in our proposal submission.	FAR 15.403-5(b)(2) states, "When required by the contracting officer, data other than certified cost or pricing data may be submitted in the offeror's own format unless the contracting officer decides that use of a specific format is essential for evaluating and determining that the price is fair and reasonable and the format has been described in the solicitation. Certified Cost and Pricing Data is not required; however, the format in which Other Certified Cost and Pricing Data must be received shall be in accordance with FAR 15.408, Table 15-2.
LM-59	RFP, Section L, L.5.4.3.4, page 57	Please clarify what items would be included in "Class I" for ODCs that are not included in CLIN 0005 Other Direct Costs?	"Class I" items are excluded as an ODC. Please refer to Section L, Paragraph L.5.4.3.4.
LM-60	Fort Benning SOL W52P1J-12-R-0115; Section L 5.5.1.2., ii	Would the Government clarify the expression "substantially different" as used in this paragraph, by defining it in terms of a "percentage range" (requested to explain differences in the small business comparison asked for)?	No, the Government will not define this in terms of a percentage.
LM-61	RFP Amend 002; pages 6, 7 and 12; Para L.1.7, L.3.1, and L.5.4.2.6	The referenced paragraph's instruct the offeror to submit its proposal through ASFI BRS system. However L.5.4.2.6 instructs "proposed teammates(s)/major subcontractor(s) wish to provide its cost information independently to the Government, it shall submit to the Eagle Mailbox: usarmy.RIA.acc.mbx.eagle@mail.mil." Please verify that this is correct and subcontractors do not have to use the ASFI BRS system and should sent this data to the EAGLE mail box.	Please refer to Amendment 0003, Section L.1.7
LM-62	RFP, Pg. 53 of 64, Section L.5.1.5	Section L, paragraph 5.1.5 states that Offerors shall submit proof of possession of a current U.S. Facility Clearance at the SECRET level IAW DoD 5220.22, National Industrial Security Program Operating Manual. Please advise if the proof of possession of a current U.S. Facility Clearance at the SECRET level is required for a company facility onsite at Ft. Benning or an off site company facility. Also, is the proof of possession of a current U.S. Facility Clearance at the SECRET level required of our subcontractors as well?	A SECRET facility at Fort Benning is not required. A current U.S. Facility Clearance at the SECRET level is not required of subcontractors.
LM-63	RFP, Pg. 19 of 64, Section I-141 (a) and RFP, Pg. 56 of 64, Section L.5.4.3.1	Section I-141 (a) states that submission of certified cost and pricing data is not required, however, Section L.5.4.3.1 states that The Offeror shall provide a detailed cost element proposal by CLIN submitted electronically in Microsoft Excel format, with working formulas - prepared in accordance with Federal Acquisition Regulation (FAR) 15.408 -- Solicitation Provisions and Contract Clauses Table 15-2, Instructions for Submitting Cost/Price Proposals When Certified Cost or Pricing Data Are Required. Please advise if a certificate of certified cost and pricing data is required for the prime contractor and subcontractors.	FAR 15.403-5(b)(2) states, "When required by the contracting officer, data other than certified cost or pricing data may be submitted in the offeror's own format unless the contracting officer decides that use of a specific format is essential for evaluating and determining that the price is fair and reasonable and the format has been described in the solicitation. Certified Cost and Pricing Data is not required; however, the format in which Other Certified Cost and Pricing Data must be received shall be in accordance with FAR 15.408, Table 15-2.
LM-64	RFP, pg 51, Para L.3.1	RFP requires submission via ASFI, given recent connectivity issues has an alternate/contingency process been established to facilitate timely proposal submissions?	Please refer to Amendment 0003, Section L.1.7
LM-65	RFP Section L, page 53, paragraph # L.4.2.5 and L.4.2.5.ii	Paragraphs L.4.2.5 and L.4.2.5.ii both have page limits of 25 pages. If an offeror submits 25 pages for Past Small Business participation (Realism), there would be no pages available for Attachment 0006 within the 25 pages available under L.4.2.5 Small Business Participation. Please clarify.	Please refer to Amendment 0003, Section L.4.2.5

LM-66	Solicitation page # 52, Para. L.4.2.1.vii	Will a current DSS FL 381-R letter meet this requirement?	The 381-R is Acceptable.
LM-67	General	Will the Government delineate their process for trade off analysis they will use for award selection?	Please refer to Section M, Paragraph M.3.4.
LM-68	General	Will the Government delineate their cost realism process?	Please refer to Section M, Paragraph M.4.3.1.
LM-69	Solicitation, page 52, L.4.2.3, I, and page 56, L.5.3.1.4	Please clarify that the Government does not need "Contract Reference Information" unless the offeror is providing an additional past performance contract for itself, a teammate, or a major subcontractor.	In accordance with L.5.3.1.2, Offerors are afforded the opportunity to provide up to one additional past performance contract references for itself and each proposed teammate or major subcontractor, (beyond those provided with Offerors BOA proposal) but are not required.
LM-70	Solicitation, Page 63, Paragraph M.4.4.1.1 iii	The RFP states that the USG will evaluate the extent to which offeror meets small business goals. Please specify whether each socially economic category is a mandatory minimum requirement or if the percentages listed are overarching EAGLE contract goals.	The goals specified in Section M are specific to the Task Order.
LM-71	RFP Amend 0002, Reference to Para L.5.3.1.2	The RFP reference states that offerors are afforded the opportunity to provide up to one additional past performance contract reference for itself and each proposed teammate or major subcontractor. If an offeror intends to use a major subcontractor for more that one specific area of the PWS, e.g. transportation freight and supply subsistence support, and these PWS areas are performed by the chosen subcontractor on two or more different past/current contracts, will the Government grant an exception to the RFP restricting just one contract citation per subcontractor by allowing the Prime to use the number of citations required to demonstrate that's its selected subcontractor has relevant experience is all PWS areas the Prime is intending to allocate work responsibility to that subcontractor?	No exception will be granted. Offerors are afforded the opportunity to provide up to one additional past performance contract references for itself and each proposed teammate or major subcontractor, (beyond those provided with Offerors BOA proposal) but are not required.
LM-72	RFP, Pg. 54 of 64, Para. L.5.2.1.1.2; Attachment 005 Cost/Price Matrix; and CDRL-PM-06-Transition Plan.	To adequately determine transition costs, key tasks and schedule as required by the references, transition planners need to understand the level of support that will be provided by incumbent contractor. Level of support includes, for example, availability and/or limitations on the use of incumbent employees, access to facilities and data files, and the current plan for identifying backlog during the transition period. To facilitate transition planning, will the Government provide the current Transition-Out Plan (CDRL-PM-06) written by the incumbent LRC contractor at Fort Benning?	This plan will not be provided.
LM-73	Amd 2, page 9, Para L.5.1.4	If subcontractors are used to fulfill subcontractor requirements and by definition are not major subcontractors (i.e. performing less than 20% of work) are written consent letters required?	Letters of Consent only need to be submitted for major subcontractors IAW Section L.4.2.1.v.
LM-74	Solicitation page 52, paragraph L.4.2.2	Must each section of the document, i- iv, be uploaded as a separate file (e.g. Offeror_Name_Organizational_Diagram), or may the offeror combine into a single Volume/file (e.g. Offeror_Name_Technical) that is compliant with upload requirements?	Offeror can submit each document separately or combined into one document for the volume, as long as they are clearly labeled.
LM-75	Amd 2, page 9, Para L.5.1.4	If subcontractors are used to fulfill subcontractor requirements and by definition are not major subcontractors (i.e. performing less than 20% of work) are written consent letters required?	Letters of Consent only need to be submitted for major subcontractors IAW Section L.4.2.1.v.
LM-76	L.5.4.2.6, page 56 of 64	The solicitation states that, "The Offerors complete Cost/Price Proposal shall be submitted into the ASFI BRS system." It appears that the acquisition.army.mil website, which is the host site for ASFI BRS, may not be functioning. Is there a point of contact or email address that we may have to assist in ensuring contractors have access? If ASFI BRS is not expected to be operational by 11/15/12, may prime offerors follow the instructions for major subcontractors later in L.5.4.2.6 that says, "If the proposed teammate(s)/major subcontractor(s) wish to provide its cost information independently to the Government, it shall submit to the EAGLE mailbox: usarmy.RIA.acc.mbx.eagle@mail.mil"?	Please refer to Amendment 0004, Section L, Paragraph L.5.4.2.6

LM-77	Solicitation page #57, Para. L.5.4.3.5.3 a. i. - iii.	The Indirect Expense Rate requirement is for CY information. Can the government please explain what period they are looking for with the CY reference? Our Accounting system is on a Fiscal Year (FY) basis and so providing Calendar Year information would be inaccurate on a Cost Plus contract.	Please refer to Amendment 0004, Section L, paragraph L.5.4.3.5.3.a.
LM-78	Amendment 0003, Page 13, Para. L.3.1 and Page 18, Para. L.5.4.2.6	Para. L.3.1 states, "Offeror shall submit its proposal on CD-ROM in uncompressed files. " Para. L.5.4.2.6 states, "The Offerors complete Cost/Price proposal shall be submitted into the ASFI BRS system...If the proposed teammate(s)/subcontractors(s) wish to provide its cost information independently to the Government, it shall submit its information on a CD-ROM..." Please clarify whether the Offeror also needs to submit the technical proposal into ASFI BRS and whether the prime needs to submit its Cost/Price on CD-ROM as well as ASFI BRS.	Please refer to Amendment 0004, Section L, paragraph L.5.4.2.6
LM-79	Amendment 3, pg. 18,L.5.4.2.6	The offerors complete cost/price proposal shall be submitted into the ASFI BRS system. Is this correct? L.1.7 says that proposals shall be either hand-delivered or mailed.	Please refer to Amendment 0004, Section L, paragraph L.5.4.2.6
LM-80	W52P1J-12-R-0115, MOD 0003,pg 12 Para L.1.7 and page 18 Para L.5.4.2.6	Para L.1.7 discusses hand-delivery or mail of proposals. L.5.4.2.6 discusses submission of Cost/Price file into the ASFI BRS system. Is the cost/price file to be submitted on a CD and also into the ASFI system? Is the cost/price file the only document to submitted into ASFI?	Please refer to Amendment 0004, Section L, paragraph L.5.4.2.6
LM-81	Amendment 3, page 18, Paragraph L.5.4.3.5.3 a. i. - Budgetary data for CY2013, CY2014, CY2015, CY2016, CY2017	Since we are on a FY accounting system, will you accept this data by FY?	Please refer to Amendment 0004, Section L, paragraph L.5.4.3.5.3a.
LM-82	Amendment 3, page 18, Paragraph L.5.4.3.5.3 a. ii. - Year to date data for CY2012	What data are you looking for? Will FY year data be acceptable?	Please refer to Amendment 0004, Section L, paragraph L.5.4.3.5.3a.
LM-83	Amendment 3, page 18, Paragraph L.5.4.3.5.3 a. iii.- Incurred cost Data for CY2010 and CY2011	What type of incurred cost data are you looking for? We submit our Incurred Cost Proposals on a FY basis. Will you accept FY data?	Please refer to Amendment 0004, Section L, paragraph L.5.4.3.5.3a.
LM-84	Amendment 003, Pg. 13 of 24, Para. L.3.1; Amendment 003, Pg. 18 of 24, Para. L.5.4.2.6	Please confirm if the cost/price proposal shall be submitted on CD-ROM and submitted into the ASFI BRS system.	Please refer to Amendment 0004, Section L, paragraphL.5.4.2.6
LM-85	RFP, Page 56, L.5.4.3.1	What is the level of PWS detailed required?	In accordance with L.5.4.3.1, Offerors shall expand the cost detail to encompass the specific level necessary for the PWS costs.
LM-86	Task Order RFP, pg 61, Section M.4.1.1.i.4	Will the government provide additional information on how it will evaluate this element?	Please refer to Amendment 0004, paragraphs L.5.2.1.1.1(iv) and M.4.1.1(i)(4)
LM-87	RFP, Section L, page 49, paragraph L.5.5.1.2(i)	In proving past SB participation, when citing contracts that are still on-going, the use of total contract value, assuming that to be the projected final value, may result in an inaccurate "total SB participation as a percentage of TCV" - offerors would be comparing an actual, non-final number (SB participation to date) to a projected final number (TCV). In circumstances where offerors are citing ongoing contracts, may we substitute "total funds expended to date" for "total contract value"?	No, the Offeror shall submit data based on total contract value as outlined in Section L, Paragraph L.5.5.1.2(i) and Attachment 0006, Contractor Participation Matrix. Past small business participation will be evaluated in accordance with Section M, Paragraph M.4.4.1.2

LM-88	RFP, Section L, L.5.4.3.4, page 57	Please clarify what items would be included in "individual comfort items" for ODCs that are not included in CLIN 0005 Other Direct Costs?	Those items desired by individual employees (excluding medically required items) that do not support the requirements of the effort (i.e. personal fans, foot rests, personal heaters, chair cushions)
LM-89	Solicitation, Page 56-57, Section L.5.4.3.4 CLINs for ODCs; Attachment 0005 Price Matrix	Referencing Attachment 0005, cells B12, B16, and B20 are labeled Labor. The Cost/Price Matrix spreadsheet Labor category does not indicate that ODCs not covered in the plug number can be included in the Labor dollars. Industry is trying to understand where to include ODCs other than what is called out in L.5.4.3.4. Request the Government define Labor to specify if it includes Labor costs and ODC costs not included in the ODC plug numbers.	The Government does not intend to allow recovery of those items excluded from the ODC definition.
LM-90	Solicitation, Page 56-57, Section L.5.4.3.4 CLINs for ODCs; Attachment 0005 Price Matrix	Request the Government provide a detailed listing of what is included in the Other Direct Costs plug numbers for CLIN 0005AA of Attachment 0005. This request is to ensure there are no duplicate costs.	Please refer to paragraph L.5.4.3.4.
LM-91	Solicitation, Page 56-57, Section L.5.4.3.4 CLINs for ODCs; Attachment 0005 Price Matrix	Request the Government advise if the plug numbers in CLIN 0005AA of Attachment 0005 are NTE.	These are plug numbers for the purposes of evaluation only.
LM-92	RFP Section L.5.1.5.1	<p>Section L.5.1.5.1 states "Absent an adequate accounting system, an offeror cannot be determined responsible under FAR part 9.104-5 and will be ineligible for award." ACC-RI issued a "Pre-Award Account System Survey Notice" to all BOA holders requesting submission of the SF-1408 and supplemental information on accounting system by October 24, 2012. The notice indicates "If the government determines that a pre-award survey of the BOA Holder's accounting system is needed to determine adequacy, this office will submit a request to DCAA. DCAA will contact the BOA Holder's task order POC to arrange for the survey." The recent announcement that a majority of Eagle TOs are planned to be cost reimbursable type contracts creates a concern for Limited Liability Company (LLC) BOA holders: 26% of large business are LLCs (10 of 38 awardees) and 32% of small businesses are LLCs (19 of 58 awardees). Industry practice is for newly established LLCs to adopt the policies, procedures, and business systems of an LLC Member in order to meet the requirements under a cost reimbursable contract since newly established LLCs most likely have not undergone either a DCAA accounting system survey or a DCAA accounting system audit. BOA holders cannot control if or when DCAA will complete a survey. Companies may be preparing TO responses and making financial investments under the assumption that the Government will support TO award timeframes through timely review of the SF-1408 submissions, notifications of results, and/or DCAA Accounting Surveys. The Government's first round of EAGLE TOs may limit competition by allowing only a subset of awardees who have previously received a DCAA audit (in support of current cost reimbursable work) or a DCAA Survey (in support of another proposal outside EAGLE) to be eligible for award. We have three questions:</p> <ol style="list-style-type: none"> 1) What is the Government's timeline for reviewing the SF-1408s and notifying the BOA holders if they are eligible for award? 2) What is the Government's timeline for notifying BOA holders if a DCAA Accounting System survey is necessary and if so, the date of DCAA Survey? 3) Will the Government intends delay the award of EAGLE Cost Reimbursable TOs until all BOA Holders' accounting systems are determined adequate through review of the SF-1408s or a DCAA Accounting Survey? 	<ol style="list-style-type: none"> 1) The Government has provided all the SF-1408 submissions it received from BOA Holders to DCAA for determination of need of preaward survey. If a pre-award survey is required, DCAA will be contacting the BOA Holder directly to facilitate the survey. It is the intent of the Government to have all the surveys completed prior to award of this task order. 2) If DCAA does not conduct a pre-award survey it is because the BOA Holder has had a recent DCAA or DCMA review of its accounting system which showed it was adequate. When a pre-award survey is conducted, DCAA will notify the BOA Holder upon completion of the survey of the BOA Holder's accounting system status. 3) Accounting system adequacy is determined via the responsibility determination made by the Contracting Officer prior to task order award. The intent of the DCAA pre-award surveys is to eliminate any task order delays awaiting this determination.
LM-93	RFP Section L.5.4.3.4	This section defines the items that are included in the surrogate numbers for ODCs. Where are we to include our costs for ODCs that are not included in the surrogate numbers (e.g., commercial general liability insurance, annual physicals) since Attachment 0005 Cost - Price Matrix lists labor and fee as the only cost elements?	The Government does not intend to allow recovery of those items excluded from the ODC definition.

LM-94	Task Order RFP, Page 47, Section L-9(b) and PWS, Page C-2-9, Para 1.4.2	Task Order RFP section L-9(b) requires "offeror shall provide with its offer a written plan describing how it will continue to perform the essential contractor services listed in Attachment 0007, Mission Essential Contractor Services, dated 28 Aug 2012, during periods of crisis." PWS Para 1.4.2, addresses CDRL PM-04, Contingency Plan and Mission Essential Personnel. This paragraph states "The complete contingency plan will be submitted to the government for acceptance /approval not later than 60 calendar days after award." In most instances, how mission essential services will be continued are identified in the contingency plan for various scenarios, i.e., weather, strike, major illness/epidemic, etc. Will the government please clarify if these two references are discussing the same plan, and if so, when is the plan due?	Please refer to Amendment 0003, paragraph L.4.2.2.i.
LM-95	Page 62, Paragraph M.4.4.2	To receive a rating of 100%, the Offeror's proposal must meet the requirements and indicate an exceptional approach and understanding of the requirements. Additionally, the strengths must far outweigh any weaknesses and risk of unsuccessful performance must be low. Sections L.4.2.5 and M.4.4.1.2 do not appear to require the Offeror to discuss their understanding, approach or risk in meeting the requirements, but rather call for the Offeror to demonstrate in a simple table the dollar and percent allotted to small business and to discuss actual past performance in achieving small business participation. Question: It does not appear the Government's evaluation criteria matches the requirements for this section. Will the Government consider revising the evaluation criteria to match the requirements discussed in Section L L.4.2.5 and M.4.4.1.2?	Please refer to L.5.5.1.2 for submission instructions relative to Past Small Business Participation (Realism), which corresponds to paragraph M.4.4.1.2.
LM-96	Section L.5.4.3.3	Section L.5.4.3.3 states that the Staffing Matrix (Attachment 0002) shall include both total hours and associated FTE's, however Attachment 0002 only provides one column for FTE Count. Could the government clarify and update Attachment 0002 to add a column for total hours to accommodate this requirement	Paragraph L.5.4.3.3 indicates that the staffing matrix should mirror the staffing detailed within the technical solution in the Offerors Attachment 0002. It does not direct Offeror's to input an hourly rate in Attachment 0002.

PWS SECTION 1-4 QUESTIONS			
Question #	RFP Reference	QUESTION	ANSWER
PWS-1	PWS Paragraph 1.1.1, Section C-1, Page 1.	Will the Government provide a CLIN for contractor estimated travel or provide a "plug" figure? If the contractor must estimate travel, will the Government provide estimated travel (time and locations)?	Please reference Section L, Paragraph 5.4.3.4 for those elements included in Other Direct Costs.
PWS-2	PWS Paragraph 1.1.1, Section C-1, Page 1.	What are the off-site locations and where are they located?	Camp Rudder and Camp Merrill - refer to PWS
PWS-3	PWS Paragraph 1.6.2, Section C-1, Page 16	Will the Government provide current internal SOPs for each of these functional areas or will the contractor be required to develop SOPs?	Please refer to Amendment 0003, Exhibit CC - TE 3-005 Fort Benning External SOPs
PWS-4	PWS Paragraph 1.11.1, Section C-1, Page 22.	Is the contractor responsible for maintaining the STAMIS systems that are used in the maintenance, supply and transportation functional areas?	Yes, refer to Tech Exhibit 3-004.
PWS-5	PWS, Section C-2 page 9, paragraph 1.4.1.2	On average, how many days per year does the Garrison Commander declare the installation "closed" or road condition "red" or "black"?	On average, no more than one per year.
PWS-6	PWS, Section C-2 page 13, paragraph 1.5.3.5 and Section C-2 page 22, paragraph 1.10.10	Will the Government permit contractor use of government-owned computing systems for web-based timekeeping systems?	Yes, as long as no additional plug-ins are required to be installed. Fort Benning utilizes Internet Explorer 7 or 8. No additional equipment will be provided in addition to the GFE listing.
PWS-7	PWS, Section C-2 page 13, paragraph 1.5.3.5 and Section C-2 page 22, paragraph 1.10.10	Will the Government permit contractor to connect contractor-owned computers to the government-owned network for web-based timekeeping systems?	No, only Government provided computers will be allowed in the Government network. The contractor will be responsible for providing their own line for contractor owned computer systems.

PWS-8	PWS, Section C-3 page 7, paragraph 3.9	PWS states Government will provide various containers for recyclables (paper and cardboard, scrap metal, wood). Will the Government provide pick up service of the recyclables or is the Contractor responsible for disposing of the materials?	The contractor is responsible for getting material to recyclable containers provided by the Government.
PWS-9	Attachment 0001 PWS, Section C – 3 Page 1, paragraph 3.1.2	Does this paragraph mean we must conduct the inventory 30 days prior or after the start of the contract?	30 days after the contract award date.
PWS-10	Attachment 0001-PWS, dated 07 October 2012, Section C-2, page 16, paragraph 1.6.2, and PWS Section C-3, page 3, paragraph 3.3.3	Issue: PWS paragraph 1.6.2 states, in part, “All external SOPs shall be made available to customers and the Government electronically.” PWS paragraph 3.3.3 states, in part, “The Government will provide limited access to the existing Fort Benning Local Area Network (LAN) to include limited electronic mail (e-mail) capability. The number of active LAN drops and e-mail accounts required will be determined by the government.” Question: Is it the intent of the Government to have Contactor external SOPs posted to the Fort Benning Local Area Network? If not, will the Government please clarify how the Contractor will comply with the portion of paragraph 1.6.2 requiring “shall be made available to customers and the Government electronically?”	Please refer to Amendment 0003, Exhibit CC - TE 3-005 Fort Benning External SOPs
PWS-11	Attachment 001 PWS, Section C-2 Page 2, Para 1.1.3	"The contractor shall demilitarize or dispose of all unserviceable weapons parts in accordance with governing codes and regulations." Are commercial contracts locally available to melt parts or is this the contractors' responsibility to contract these requirements? Is equipment in place to demil items that are not accepted for melting to meet all small arms disposal requirements?	1) PWS, Para 5.2.2.4 (not Para 5.1.3); The Government established and maintains a "Not Cost" to any party agreement with two foundries, one melts ferris metals, the other melts non-ferris (aluminum metals). 2) Should either (or both foundries) terminate existing agreement, equipment is in place to Demil weapons and all other commodities I/A/W regulations.
PWS-12	Logistics Support Contract Performance Work Statement Para 1.1 Introduction	The PWS introduction lists the Consolidated CONUS Replacement Center (CRC) as an Installation primary activity. Is there any workload specific to the level of effort required of the contractor to support the CRC.	The CRC will not require any contractor support at this time; however, CRC workload will be in direct response to deployment of troops. For proposal purposes the contractor should use zero workload / staffing at this time.
PWS-13	Section C-2, Paragraph 1.1.4	How does the Government define "more serious issue"?	Further information about the Corrective Action Reports (CARs) and Contract Discrepancy Reports (CDRs) can be found in Section H, Paragraph H-05(b) of the solicitation.
PWS-14	Section C-3, Paragraph 3.5.7	Please confirm that the safety and protective equipment will be purchased using the ODC CLIN.	Yes
PWS-15	Section C-3, Paragraph 3.6.4	Please confirm that if the Government withdraws GFE the contractor will not be penalized during the Award Fee evaluation process for delays caused by GFE withdraw and time awaiting government direction on replacement.	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
PWS-16	Attachment_0001_PWS.PDF; Page #20; Paragraph # 1.10.3 Contractor's Equipment Maintenance Program Plan	What LIS does the DOL use to monitor GFE/P that is not in SAMS-1E or PBUSE, that the contractor will have to include in our maintenance plan? Is it a commercial system such as Maximo?	SAMS-1E and PBUSE are currently used. There is no commercial system requirement.
PWS-17	PWS, Section C-3, Page 3, Paragraph 3.3.3	Are non-Government (corporate) computers authorized to connect to this LAN?	No. Corporate computers must have their own Internet connection
PWS-18	Section C-2, Paragraph 1.3.3	Are their specific physical requirements the Government requires or is this the Contractor's judgment?	Specific physical requirements are based on the contractor's judgment.
PWS-19	Section C-2, Paragraph 1.3.11	Please confirm that the random drug screening required after contract award will be an allowable cost to the contract.	No, the Government will not reimburse those items excluded from the ODC definition. Please refer to Section L, Paragraph 5.4.3.4.
PWS-20	Section C-2, Paragraph 1.3.12	Will the Government assist in expediting non key contractor personnel clearances?	No

PWS-21	Section C-2, Paragraph 1.5.6	Request the government include the following statement "The contractors total liability for any lost, unauthorized use or duplication of keys will be limited to the value of the task order."	This statement will not be added to the PWS.
PWS-22	Section C-2, Paragraph 1.7	Please confirm that the Contractor will be entitled to perform an Environmental baseline review during the transition in period and any issues or corrections will be addressed and corrected by the COR/CO prior to the start of the base period.	This is correct.
PWS-23	Section C-2, Paragraph 1.7	To what extent is the Contractor responsible for dispositioning hazardous material? Is there a on site central collection point that the Contractor will take the hazardous material/waste to for Government disposition? Will the Government be transporting hazardous material/waste off base for disposal?	The contractor is only responsible for temporary storage of HAZMAT or HAZWASTE. The contractor is responsible for management of these sites IAW Federal, State, and Army regulations and local policy.
PWS-24	Section C-3, Paragraph 3.1.15	Request the statement "Excessive rates of loss (including damage, destruction or theft) of property or loss of a sensitive item is evidence that the contractor's property management practices are inadequate and may be determine a material breach of contract." The term excessive is ambiguous. If the contractor has a government approve property management system is that adequate?	If a contractor experiences an excessive rate of loss of property or loss of a sensitive item this may be evidence that the contractor's property management practices are inadequate even if the contractor has a government approved property management system.
PWS-25	PWS, Section C-2, Page 23, Paragraph 1.11.2	Is the contractor able to establish their own internet circuit (via private ISP) to establish PMO (corporate) communications? If so, can this be transmitted via wireless bridge to other locations on-camp and what frequency range is preferred?	Yes they can use a commercial ISP. Transmitting via a wireless bridge will depend on the frequency requirements. Frequency will be provided after award.
PWS-26	Section C-3, page 2, paragraph 3.1.8.	Keeping in mind that there is a very robust transition schedule that must be in place to meet the requirement for a full transition of this mission, is there any additional information that has not been provided in the technical exhibits that would make estimating process for assuming this mission clearer? For example, are hand receipts going to be frozen during the inventory process? Is there information available that provides a clearly defined location of the items that are listed on the government provided equipment list? Is the ASL all in one location? Is the contractor required to complete a 100% inventory of the CIF and CIIP?	No additional information will be provided prior to contract award.
PWS-27	Section C-2, Paragraph 1.3.2.1	Is the Occupational Reliability Program and required CDRL Deliverable? What is considered a suitable ORP program? Request the statement "failure to establish and maintain a suitable ORP will be grounds for negative contract actions up to and including termination. " The term suitable is ambiguous given there is no guidance on what an acceptable ORP constitutes.	No, it is not a deliverable. Offerors must determine the requirements of each position (training, education, probity, technical competence, experience requirements) and devise its own program to ensure all employees are meet those requirements.
PWS-28	Section C-3, Paragraph 3.1.15	How will the COR or government property administrator determine if a contractor's property management practices are inadequate? If the contractor has a Government approved property management system is that sufficient?	The Government will utilize FAR clause 52.245-1 to determine adequate property management practices. Contractors must have a management system that properly tracks, reports and safeguards government property using PBUSE.
PWS-29	Fort Benning CDRL PM-09, Quality Control Plan, block 16 (Remarks)	The Government states "Block 12 - Draft with proposal." However, there is no mention of a Quality Control Plan as part of the Offeror's Proposal in Section L of the RFP. Will the Government consider submittal of the Contractor's Quality Control Plan NLT 30 calendar days after contract performance start date?	Please refer to revised CDRLs in Amendment 0005. The Quality Control Plan is a CDRL (PM-09) required from the successful contractor after contract award.
PWS-30	W52P1J-12-R-0115 Performance Work Statement, Section C-2 Page 4, Paragraph 1.3.2.1	In this paragraph, it states that the Government has determined key and essential positions with minimum experience, education and or credential requirements that will be required. It then states that the contractor should identify which positions are key. To maintain consistency with the Government's requirements for known key positions, will the government please identify which positions are considered key?	Please refer to revised PWS in Amendment 0005

PWS-31	W52P1J-12-R-0115 Performance Work Statement, Section C-2 Page 5, Paragraph 1.3.2.1.1	In this paragraph, it states that the Government has determined specified non-key positions with minimum experience and knowledge that will be required. It then states that the contractor should identify specified non-key positions. To maintain consistency with the Government's requirements for known non-key positions, will the government please identify which positions are considered non-key?	Please refer to revised PWS in Amendment 0005
PWS-32	PWS, Section C-2, Page 4, Paragraph 1.3.2.1 and Page 8, Paragraph 1.3.12	Para 1.3.12 of the PWS states that Key positions will possess current SECRET security clearances at the time of award. This is contrary to Para 1.3.2.1 Key Positions that states that contractor personnel that are in or expected to fill a key position will have a Secret security clearance prior to the start of the contract/start of work. Please clarify if key positions must be cleared at time of award or start of work?	Please refer to revised PWS in Amendment 0005
PWS-33	PWS, Page C-1-15, Para 1.6.1	The QCP is due 30 days after start of work. Does "start of work" mean start of transition-in or start of evaluated period of performance?	Please refer to revised CDRLs in Amendment 0005.
PWS-34	Attachment 0001-PWS, dated 07 October 2012, Section C-2, page 17, paragraph 1.6.3	Issue: PWS paragraph 1.6.3 states, in part, "The contractor shall provide responses to the Division Chief / COR within 2 business days after receiving an ICE comment from a supported activity. The contractor shall provide a response to all ICE comments provided to them by the Government or supported activity." Question: Shall the Contractor provide responses to all ICE comments, both positive and negative, or provide response only to negative ICE comments?	Please refer to revised PWS in Amendment 0005
PWS-35	PWS, page 5 Para 1.3.2.1 and PWS, page 8, Para 1.3.12	Para 1.3.2.1 indicates that key positions will have a secret security clearance prior to START OF CONTRACT/START OF WORK. Para 1.3.12 indicates key positions will possess current secret clearance at TIME OF AWARD. Question: Which is correct?	Please refer to revised PWS in Amendment 0005
PWS-36	PWS, Page 8, Paragraph 1.3.12	"The government will not sponsor Interim clearances." Does this statement mean that the government will not allow a person with an Interim SECRET clearance to work in a position requiring a SECRET clearance?	Correct.
PWS-37	Attachment 001 PWS, Section C-2 Page 2, Para 1.1.3	"Referenced publications, regulations, and guidance in this PWS provide specific performance metrics (e.g. AR 750-1: maintenance turnaround time (TAT)); the contractor must adhere to those metrics unless specific relief has been given, in writing, by the Contracting Officer. Failure to meet metrics such as work exceeding the times stated in the Maintenance Allocation Chart may result in a corrective action request (CAR), contract discrepancy report (CDR), loss of fee, cure notice or termination." Will written relief be provided based upon Technical Inspection or when the work is performed?	Please refer to revised PWS in Amendment 0005
PWS-38	PWS; C-2/11; 1.4.7.1	CDRL ITD-01 is called Transportation Monthly Workload Report. However, CDRL ITD-01 is called Monthly Feeder Report on: Page C-2/21; 1.10.6 AND C-5/55; 5.20.3 AND C-5/56; 5.21.10 AND C-5/61; 5.28.2 AND in the RFP page 41; Section J.	Please refer to revised PWS in Amendment 0005
PWS-39	PWS, Section C-2 page 16, 1.6.1	The Government states that "The plan must address how the contractor will achieve ISO compliance within 180 days of start of work." Will it be left up to the Contractor to determine the effective implementation of the ISO 9001:2008 standard requirements or will the Government provide the assessment utilizing certified ISO9001:2008 auditors?	The contractor is responsible for achieving and maintaining compliance to ISO 9001:2008 (certification is not required). The Government retains the right to perform compliance audits throughout the contract period.
PWS-40	PWS Para 1.5.3, sentence #4 on page #12	says: "The contractor will maintain a signed non-disclosure agreement for each employee, available to the government upon request." Does the Government has a pre-approved NDA that it wants each employee to sign that outlines the specifics of the information not to be disclosed?	No.

PWS-41	PWS, Section C-2, Page 8, Paragraph 1.3.13	The requirement states that non-cleared personnel will be processed for a CAC and must receive a Favorable NACI. This will require the completion of an SF85P, Questionnaire for Public Trust Positions and two FD 254s, Fingerprint cards. Will the Government provide the method/procedures for processing the NACI?	This will be provided at contract award.
PWS-42	Performance Work Statement, Page 6, Section C-3, Paragraph 3.8.7	As stated in the RFP: "" The government MAY provide scheduled custodial services....." It is assumed that the government WILL provide all custodial services at all government provided facilities utilized by the contractor in support of this contract. Is that correct?	No, Contractor is responsible for providing custodial services for the facilities operated by the Contractor, with the exception of Buildings 6 and 2411.
PWS-43	Attachment 0001 PWS, Section C – 3 Page 3, paragraph 3.3.3	Can the USG LAN and computers be used to conduct company business?	Yes, as long as no additional plug-ins are required to be installed. Fort Benning utilizes Internet Explorer 7 or 8. No additional equipment will be provided in addition to the GFE listing.
PWS-44	Attachment 0001 PWS, Section C – 2 Page 23, paragraph 1.11.2	Does this paragraph prohibit the installation of a company computer network?	No, but this will be at the Contractor's expense.
PWS-45	Section C-2, Paragraph 1.7	What types of hazardous materials with Contractor personnel be handling? Request the Government provide a listing of the hazardous materials the Contractor will be handling.	Contractor will handle only those hazardous materials required to perform PWS workload.
PWS-46	Section C-3, Paragraph 3.1.1	Please confirm that the Government will be providing working space, equipment, supplies and network access for contractor personnel.	Correct, in accordance with the Government Furnished Facilities, Services and Equipment listings, as referenced in Tech Exhibits 3-001, 3-002, and 3-003. Network access will not be provided for contractor furnished computers.
PWS-47	Section C-3, Paragraph 3.1.3	Paragraph 3.1.3 indicated "The contractor shall accept government provided on-hand Automated Information Systems (AIS) hardware and software without exception." Please confirm that if this government AIS hardware/software is not operational, the government will replace the hardware/software and the contractor will not be penalized for any delay awaiting this replacement AIS hardware/software.	The equipment is operational. If equipment not operational, the contractor will not be penalized for delay as a result of the non-operational status of the GFE provided.

PWS SECTION 5 QUESTIONS			
Question #	RFP Reference	QUESTION	ANSWER
PWS5-1	PWS, Section C-5 page 6, paragraph 5.3.10.1	Is the web-based system an existing government developed system or will the contractor develop it after contract award?	It is an existing Government System.
PWS5-2	RFP page 2, Section A, paragraph c)	Is 60 days the correct Transition period?	Yes, refer to PWS paragraph 1.4.6.
PWS5-3	PWS Paragraph 5.12.4, Section C-5, pg 26, Individual Chemical Equipment Management Program (ICEMP) Warehouse Operations.	ICEMP Workload for this PWS paragraph is not provided. Will the USG provide unique workload for the tasks to be performed from this area of the PWS?	Yes
PWS5-4	PWS, Section C – 5 Page 55, Paras C.5.20.2.1-C.5.20.2.3; Section C – 5 Page 62, Paras C.5.28.9-C.5.28.9.2	Regarding the Contractor requirements at the 3 off-site TMP locations (Sand Hill, Camp Frank D. Merrill and Camp James E. Rudder). Please clarify if the Contractor will be operating and staffing those TMPs or a customer using vehicles and equipment from those locations to support the requirements defined in PWS paras C.5.28.9-C.5.28.9.2?	The contractor will be staffing those TMPs

PWS5-5	Attachment 001 PWS, Section C-5 Page 10, Para 5.8.1.2.1	The contract shall input status updates daily but no later than 1200 each workday. Is the requirement to input the data the same or the following workday?	Status updates must be as close to "real time" as possible, especially in the case of jobs moving from final inspection to ready for customer pickup but, in no case will a status update be delayed beyond 1200 the next day.
PWS5-6	Attachment 001 PWS, Section C-5 Page 1, Para 5.1.3	"The LRC MMD workload is also affected by the various supported programs that require on-site maintenance support such as unit maintained equipment (UME) where the LRC MMD is required to support deployed units within their respective motor pools in order to perform field level maintenance." Please provide the number of Maintenance Support teams required to support this workload.	Maintenance support teams required to support UME is based on equipment location and densities, UME program was very recently established - MMD is not currently supporting any UME requirement but, contractor must be aware this could become a requirement.
PWS5-7	Attachment 001 PWS, Section C-5 Page 2, Para 5.1.3.2	"Additionally, the contractor shall establish customer service centers, which will be described in its external maintenance SOP, for turn-in and pickup of equipment and Work Order status reporting." How many customer service centers are required under this contract?	The number of customer service centers depends on the contractor's approach in order to task organize to achieve efficiency. All MMD shop hours are 0800 to 1630, in addition, CCEP must be able to issue & receipt equipment from 0600 to 1800. For amount of turn-ins and pickups - Please refer to TE 6-016.
PWS5-8	Attachment 001 PWS, Section C-5 Page 6, Para 5.4.4	Does the CCEP do field repair on weapons and Communications-Electronic equipment or is it evacuated to DOL Maintenance? If evacuated are the work orders included in the work orders listed on Final TE 6-013 Material Maintenance Workload Projection?	1) The CCEP is required to complete Field Level Inspections/Repairs on all equipment listed on TE 6-010. During High OPTEMPO periods some equipment can be passed back to the MMD (Mata). 2) Yes - Pass Back (evacuated) work order density is included in TE 6-013
PWS5-9	Attachment 001 PWS, Section C-5 Page 2, Para 5.1.3.2	Per paragraph "Additionally, the contractor shall establish customer service centers, which will be described in its external maintenance SOP, for turn-in and pickup of equipment and Work Order status reporting." How many customer service centers are required, what are operational hours, what is expected amount of turn-ins and pickups, and is this just for CCEP year long tally equipment?	The number of customer service centers depends on the contractor's approach in order to task organize to achieve efficiency. All MMD shop hours are 0800 to 1630, in addition, CCEP must be able to issue & receipt equipment from 0600 to 1800. For amount of turn-ins and pickups - Please refer to TE 6-016.
PWS5-10	PWS, Section C-5	Are all represented workers on this contract members of the Columbus Metal Trades Council Union? If not, will the government provide any other CBAs that could affect bidders' proposals?	The applicable CBA is provided at Attachment 0008.
PWS5-11	PWS 5.2.2.3	PWS States: "Range Support Teams: The contractor shall be able to provide up to 3 Range Support Trucks with Field Level maintenance repairmen from MATA simultaneously on scheduled workdays or nights/non-duty days at customer request when approved by the COR. Personnel providing this range support must be thoroughly familiar and properly trained on the specific type of weapons system they are expected to repair/inspect." What is the projected workload for this requirement, including type system, density, and number of days/week?	Historically; between 1-2 Range Support Teams each work day, with surge capacity to 3 Range Support Teams. Team will be required to support all individual & crew served type weapons.
PWS5-12	PWS 5.2.2.10	The contractor shall repair, store, account for, inspect and transport equipment containing radioactive material. The contractor shall establish and maintain a Radiation Safety Program to include a written SOP to comply with, AR 700-64, DA PAM 385-24, and other applicable ARs, TBs, or OSHA publications for protection and operating procedures within MMD for the proper repair, storage, and transportation of equipment containing radioactive material. What is the projected workload for this requirement?	Workload for radioactive items is not separated from the existing small arms weapons repair workload data. The contractor will be required to properly handle, report and repair items that may contain radioactive material. This is normally within the small arms repair work section.
PWS5-13	PWS 5.11 Supply Support Services Work Scope	Is the contractor responsible for performing full SARSS 2 processing cycles and duties or will the contractor have a Net term to perform expediting and other item management tasks?	No, this is a coordination and execution function only.
PWS5-14	PWS 5.12 CIF Workload	Is the Main Post CIF the only CIF or is there a satellite or remote Forward Issue / Turn-in Point (FITIP)?	Main post only. There are no remote or satellite sites.
PWS5-15	PWS 5.12 CIF Workload	If there is a satellite or remote FITIP, where is it located?	Main post only. There are no remote or satellite sites.
PWS5-16	PWS 5.12 CIF Workload	If there is a remote FITIP, what are its hours of operation?	Main post only. There are no remote or satellite sites.

PWS5-17	PWS 5.12.2 New OCIE Fielding Support Workload	Please provide the workload for the OCIE Fielding Support such as: number of items warehoused, number of new OCIE issued to individuals and in bulk, number of uploads of Rapid Fielding Initiative (RFI) issues and turn-ins, and number of hand receipts maintained for RFI?	Please refer to TE 4-003
PWS5-18	PWS; C-5, Page 7; Paragraph 5.5.1.	The contractor shall perform Allied Trades tasks required for the repair or modification of tactical or commercial equipment and shall be required to make items/materiel used for repair or other purposes. Tasks include but are not limited to welding, machining, equipment painting, and body repair. All repairs must be in accordance with AR 750-1; applicable TM; generally acceptable commercial methods and industry best practices. What is the workload for this allied trades requirement: how many items, by type and scope of work, must be repaired or modified annually?	Please refer to TE 6-013 Allied trades Work Order & Pieces of Equipment
PWS5-19	PWS; C-5, Page 7; Paragraph 5.5.2.	The contractor shall perform welding and welding inspection operations necessary to fulfill maintenance and fabrication requirements on a variety of ferrous and non-ferrous metals to include but not limited to steel, aluminum, cast iron, nickel, brass, sheet metal, and ballistic armor plating of various alloys. The contractor shall ensure welders are qualified and welding inspectors are certified in accordance with American Welding Society (AWS) standards for the equipment and material they are utilizing. What is the workload for this allied trades requirement: how many items, by type and scope of work, must be repaired or modified annually?	Please refer to TE 6-013 Allied trades Work Order & Pieces of Equipment
PWS5-20	PWS; C-5, Page 7; Paragraph 5.5.3.	The contractor shall perform fabrication using metal machining operations including but not limited to the operation of milling machines, shapers, metal brakes, lathes, grinders, shears, and drills in order to machine ferrous and non-ferrous materials such as steel, copper, aluminum, cast iron, nickel, brass, and other alloys. The contractor shall maintain a minimum of one person certified in accordance with ANSI/ASNT CP-189 (Standard for Qualification and Certification of NDT Personnel) to a minimum level of "Limited Level II" in destructive and non-destructive testing. What is the workload for this requirement; how many historical or projected fabrication jobs by types per year?	Please refer to TE 6-013 Allied trades Work Order & Pieces of Equipment
PWS5-21	Attachment 1, PWS Section C-5, page 3, paragraph 5.2.2.5	Will the government provide the workload for this PWS section?	Please refer to TE-013 "COTS Lawn Equipment", also refer to TE 6-019
PWS5-22	Attachment 1, PWS Section C-5, page 3, paragraph 5.2.2.5	Where is this work to be priced or is it priced when Government requests it?	Assuming the question is asking about work ordered repair costs, those are computed and entered into SAMS-IE based on Government approved shop rates.
PWS5-23	Section C-5, Paragraph 5.18	What type of aircraft will the Contractor be performing refueling/defueling? How often will the Contractor be needed to perform fueling and defueling operations? Is the Contractor required to interface with a third party fuel delivery company to get fuel to the base locations?	Please refer to the first tab of TE 4-005.
PWS5-24	Performance Requirements Summary (PRS), Page 15, Section C-5 PRS, PWS paragraph 5.1.4	PRS PWS paragraph 5.1.4 references Technical Exhibits 5-4-010, 5-4-012, and 5-4-013. Please provide Technical Exhibits 5-4-010, 5-4-012, and 5-4-013.	PWS Para 5.1.4 Does not reference any of the TE's mentioned
PWS5-25	PRS, Page 15, Section C-5 PRS, PWS paragraph 5.2.2.2 & 5.3.1	PRS PWS paragraph 5.2.2.2 references Technical Exhibit 5-4-005. Please provide Technical Exhibit 5-4-005.	PWS Para 5.2.2.2 Does not reference TE 5-4-005
PWS5-26	RFP - general	Is workload data consolidated for all sites? For example, the TMP data is one element and there are two TMPs.	Yes

PWS5-27	PWS, Section C-5, Page 7, Paragraph 5.5.4	Chemical Agent Resistant Coating (CARC) Painting - The contractor assumes paint booths currently in place meet all Federal, State, Army, requirements to include proper mechanical ventilation and waste stream collection. Please verify?	Yes - the paint booth is relatively new & meets all requirements. Primary CARC being applied is "Water based".
PWS5-28	PWS, Section C-5, Page 7, Paragraph 5.5.4	Contractor assumes CARC paint booth(s) are equipped with breathing air apparatus to include air hose connection points inside booth. Please verify?	Yes
PWS5-29	PWS, Section C-5, Page 7, Paragraph 5.5.4	Contractor assumes air compressors currently in place provide grade D breathing air as required per OSHA 1910. Please verify?	Yes
PWS5-30	PWS, Section C-5, Page 7, Paragraph 5.5.4	Contractor assumes sand blast facilities currently in place meet all applicable governmental regulations. Please verify?	Yes
PWS5-31	Technical Exhibit 5-008 Post Shuttle Bus	Please clarify sequence in which the shuttle schedule works, top to bottom or left to right?	Top to Bottom, next column to right, Top to Bottom, etc.
PWS5-32	Technical Exhibit 3-003 Government Furnished Vehicle	Technical exhibit 3-003 identifies 128 buses and technical exhibit 5-008 workload data Post Shuttle Bus Service is only for one bus route and Technical exhibit 5-009 workload data Sand Hill Medical Shuttle Stop is a one-bus mission. Will the USG please provide workload data to support the entire bus fleet.	Additional information will not be provided. Please refer to TE 5-002.
PWS5-33	Technical Exhibits 6-013, 6-012 and 06-015	Request the USG please provide historical work order repair times by each major end item.	Historical work order repair times will not be provided.
PWS5-34	Technical Exhibit 6-012 Annual CCEP Tally Workload	TE states 617,175 total pieces of equipment were repaired at a weekly average of 11,869. What repairs were performed and what is the historical work order repair times? Furthermore, please provide an equipment breakdown by type of Commo-Electronic and Accessories, i.e.: # of radios by nomenclature, number of night vision devices, etc. This information is required in order to properly staff this section with the appropriate skill sets.	1) TE 6-012 doesn't articulate any maintenance repairs. It merely presents "Annual" Tally (hand receipt) densities. 2) TE 6-010 should be used to determine equipment commodities and densities in order to determine appropriate skill sets in accordance with the Offeror's approach. 3) Repairs performed is not available.
PWS5-35	Technical exhibit 6-015 Miscellaneous Maintenance Workload Data	Attachment states "the number of MWO's the Materiel Maintenance Activity performed or handled administratively while another activity performed the work was:". Request the USG please provide the total number of MWO administratively processed and also provide the historical workload for the MWO's that were applied by the Materiel maintenance Activity. In order to properly staff the required skill sets and densities it is imperative industry knows the level of effort required to ensure MWO's are properly applied.	TE 6-015 articulates the total magnitude of MWO's that are tracked administratively. The MMD is responsible for the entire "Installation" when reporting/researching/and ensuring compliance with MWO's. From May 2011 thru April 2012, the number of MWO's the Materiel Maintenance Activity actually performed, or handled administratively while another activity performed the work as identified in TE 6-015.

PWS5-36	PWS, Section C-5, Page 9, Paragraph 5.7.1	<p>The requirement states "The contractor shall perform Shop Supply services in order to attain materiel required to support the IMMD mission. Tasks include but are not limited to requisitioning, tracking requisition statuses, conducting follow-up actions, receiving supplies, verifying accuracy of shipments, reporting discrepancies, storing and maintaining accountability of CL II, III, IV, VII, and IX items, performing inventories, and issuing supplies. Perform in accordance with AR 750-1, AR 710-2, AR 735-11-2, AR 725-50, DA Pam 710-2-2, AR 740-1, AR 735-5, AR 710-1, AR 710-3, DA Pam 710-7, AR 710-3, Inventory Management; DA Pam 710-2-1, FEDLOG and LIS user's manual."</p> <p>Request the USG please provide the current shop stock listing for the IMMD.</p>	<p>A Shop stock listing will not be provided.</p> <p>1) MMD Bench Stock Lines: 1307, value \$236.8K 2) MMD Shop Stock Lines: 649, value \$350.9K</p>
PWS5-37	PWS, Section C-5, Page 6, Paragraph 5.4.2	<p>The requirement states: "The Contractor shall maintain 24-hour security to monitor the perimeter and facilities. A closed circuit television system and sensor system is to be used. The security force will be responsible for monitoring and verifying authorization for entry. In the event of an intruder, security will ensure all doors are secure and the PMO, COR and IMMO are notified".</p> <p>Is the closed circuit television system already in place and will it be provided to successful offeror?</p>	Yes and yes
PWS5-38	PWS Section C-5 pg. 26, Para 5.12.5	<p>This Para states; "The Contractor shall receive, store, safeguard, issue, ship, research, and account for all weapons assigned to the Main CIF in accordance with AR 190-11, AR 190-13, AR 190-50, AR 710-2, AR 735-5, and DA Pam 710-2-1." Question: This describes the "Main CIF" is there another CIF that is part of this solicitation? If so are we responsible for it's operation? Where is it? What is it's function? Is there workload data? Please clarify.</p>	There is only one CIF.
PWS5-39	PWS- Section C-5 Page 26, Para 5.12.2	<p>This paragraph states "The contractor shall provide new OCIE Fielding Support services to include: warehousing; conducting or assisting Program Executive Office (PEO) Soldier in issuing new OCIE directly to individuals or in bulk to units; uploading Rapid Fielding Initiative (RFI) issues and turn-ins in ISM and, maintaining hand receipt records". Question: Is there workload data for the RFI program? Will this be provided?</p>	Please refer to TE 4-003. These are included in the total workload numbers. Workload for RFI is 7,500 issues per year. Turn-ins are 6,500.
PWS5-40	PWS Section C-5 Page 26, Para 5.12.4 Individual Chemical Equipment Management Program (ICEMP) Warehouse Operations.	<p>Question: Is there workload data for the ICEMP program? Will this be provided?</p>	This was provided in Amendment 0003, TE 4-029.
PWS5-41	PWS Paragraph 5.5.4, Section C – 5 Page 7	<p>The PWS states to properly prepare and paint supported equipment and components as required to perform materiel maintenance to include sand blasting. Will the Government provide the workload (Historical SAMS data) to estimate this requirement?</p>	Refer to Amendment 0001, TE 6-013A for workload data.
PWS5-42	PWS Paragraph 5.5.1, Section C – 5 Page 7	<p>The PWS states to provide Allied Trades tasks required for the repair or modification of tactical or commercial equipment and shall be required to make items/materiel used for repair or other purposes. Will the Government provide workload (Historical SAMS data) to estimate this requirement?</p>	Refer to Amendment 0001, TE 6-013A for workload data.

PWS5-43	PWS Paragraph 5.16.7, Section C – 5 Page 30	The PWS states that the "contractor shall handle repairable items to include management of receipts of repairable items..." but there is no historical workload that identifies repairable items in the SSA. Repairable items are not included in the TE 4-003 Supply Workload Data. Will the Government provide the historical workload data for these repairable items?	TE 4-003 is inclusive of repairable items.
PWS5-44	PWS Paragraph 5.16.8, Section C – 5 Page 30	The PWS states that the contractor shall operate the vehicle and equipment (Class VII) storage yard for track and wheeled vehicles and other Class VII equipment. Class VII equipment density and type for the storage yard is not included in the TE 4-003 Supply Workload Data. Will the Government provide the historical workload for the Class VII equipment storage yard?	TE 4-003 is inclusive of the Class VII equipment storage yard.
PWS5-45	PWS 5.27	What is the programmed movement requirement, types of cargo to be transported, locations of supported activities, and availability of MHE at customer locations?	The Installation Freight Office does not deliver freight on the installation, except for extremely rare situations. All inbound and outbound freight shipments either come to or leave from by a Commercial Line Haul Vendor. The Freight Office arranges such shipments and can assist in the loading or off-loading of cargo to or from the Commercial Vehicle. It has sufficient MHE to do this. Workload data for the Freight Office is in TE 5-002.
PWS5-46	PWS 5.26	Is there a rail blocking and bracing material summary listing?	No, this is a Unit/ Customer requirement to provide material and bring same to the rail-head. The contractor may advise and sometimes assist in the use of this material.
PWS5-47	PWS 5.21	Are the below buildings in the same location? • 5.21.9 The contractor shall operate, manage, coordinate, and provide support for the Air Deployment/Redeployment Center (ADRC) Complex, buildings 2411, 2409, 2448, and 2424 for departing and arriving flights both military and commercial, and for events and activities directed and/or approved by the PCO.	Yes. Bldg 2411 is the terminal with Bldgs 2409 and 2424 a few hundred feet away. Bldg 2448 is the tiny vehicle scale building and it's a few more hundred feet away from the terminal.
PWS5-48	PWS 5.24	What Materials Handling Equipment (MHE) will be provided as Government Furnished Equipment (GFE)? • 5.24.4 The contractor shall operate, maintain and perform organizational maintenance on MHE as required to reposition or retrieve containers as required.	All GFE is in TE 3-002.
PWS5-49	https://www.benning.army.mil/garrison/dol/	IS the CRC Transportation mission Located at BLDG # 4713, 10480 Elcaney Ave still a requirement or did CRC at Fort Benning close down.	The CRC transportation mission is not a part of this requirement.
PWS5-50	PWS 5.4 Section C-5 pp. 6-7	Question: Is the contractor responsible to provide security/access control to the Crescenz area?	Yes - During normal working hours.
PWS5-51	PWS, Section C.5.28.9, Pg 62; and Final TE 5-002 Transportation Workload Data CY 2011and2012, "TMP" spreadsheet;	The PWS reference states "The contractor shall provide bus/truck and driver support to meet authorized requirements for the Installation and Remote Camps as approved by the PCO, COR or designated representative." Will the Government provide further clarity to the Final TE 5-002 Transportation Workload Data CY 2011and2012, "TMP" spreadsheet, "Number of Scheduled Services Passengers" metric as to mission type (e.g. bus, truck, van), percentage of Contractor-operation, vehicle type (e.g. 24-pax bus, 44-pax bus, 80-pax "Cattle Car", van) and duration (e.g. one-way trips, round trips, all-day dedicated lift)?	This information is not available.
PWS5-52	PWS, Section C.5.28.9, Pg 62; and Final TE 5-002 Transportation Workload Data CY 2011and2012, "TMP" spreadsheet;	Will the Government provide further clarity to the Final TE 5-002 Transportation Workload Data CY 2011and2012, "TMP" spreadsheet, "Vehicles Actually Used for POI Mission Support" metric as to vehicle type (e.g. 24-pax bus, 44-pax bus, 80-pax "Cattle Car", van), percentage of Contractor-operation, and duration (e.g. one-way trips, round trips, all-day dedicated lift)?	This information is not available.

PWS5-53	PWS, Section C.5.28.9, Pg 62; and Final TE 5-002 Transportation Workload Data CY 2011 and 2012, "TMP" spreadsheet;	Will the Government provide further clarity to the Final TE 5-002 Transportation Workload Data CY 2011 and 2012, "TMP" spreadsheet, "Vehicles Actually Used for "Non-POI" Mission Support" metric as to vehicle type (e.g. 24-pax bus, 44-pax bus, 80-pax "Cattle Car", van), percentage of Contractor-operation, and duration (e.g. one-way trips, round trips, all-day dedicated lift)?	This information is not available.
PWS5-54	PWS, Section C-5 Page 6, paragraph 5.4.2	Are the intrusion detection system and closed circuit video system existing GFE systems or will the contractor need to provide them?	No, these are provided. Intrusion protection is part of the facility.
PWS5-55	PWS, Section C – 5 Page 55, Para C.5.20.2.2; Section C – 5 Page 63, Paras C.5.28.14; TE 5-012 Passenger and Cargo Services at Camp James E. Rudder	Will the Government please clarify the Contractor requirements to support the missions at Camp Merrill by providing workload data in a format similar to TE 5-012 Passenger and Cargo Services at Camp James E. Rudder?	Camp Merrill does not have a troop lift mission other than dispatching GSA vehicles and the courier run.
PWS5-56	Attachment 001 PWS, Section C-5 Page 4, Para 5.2.2.8	Paragraph states "The Contractor shall establish and maintain a LIS system to manage maintenance services, repairs, dispatch, and reporting for IMCOM/ASC activities. The Contractor will ensure that all DES Fire and Emergency, DPW, and LRC equipment /vehicles are maintained in the LIS for dispatching and services." May the contractor use SAMS as the LIS system rather than establish its own?	The contractor is provided with adequate Army LIS systems, in this case SAMS-E and will use that system.
PWS5-57	PWS, Page 6, C.5.4.2	C.5.4.2 states, "The contractor shall maintain 24-hour security via installed intrusion detection systems (IDS) and closed circuit video monitoring of the perimeter and facilities." The government's expectation of the contractor is unclear. Is the contractor required just to maintain the systems or does the government expect the contractor to have someone on site monitor the intrusion detection system and closed circuit video 24 hours a day, 7 days a week? Please clarify.	1) The contractor is responsible for maintain the 24-hour video camera systems in an operable condition. The video systems are setup to record to DVR 30-days worth of video. 2) The intrusion detection system is maintained and monitored by Directorate of Emergency Services (DES). 3) If the Intrusion Detection System should malfunction or fail, the contractor will be required to provide someone to monitor the video system until such a time that the IDS becomes operable or until a Government Security Detail can be coordinated.
PWS5-58	Technical Exhibits 6-013, 6-012 and 06-016	Request the USG please provide the type of work orders performed by type of equipment. In order to properly staff the requirements of the maintenance activity, please provide historical types of repairs by piece of equipment or provide historical repair times.	This information is not available, however, 95% of work is "Field Level"
PWS5-59	PWS 5.27	Will we transport material off the post? What are the tonnage requirements, type of cargo, and type or length of hauls?	Generally, no, commercial carriers are used for off post transport.
PWS5-60	PWS 5.3.1	The contractor shall provide on-site Field Level maintenance services on equipment when it is determined by COR and IMMO that on-site repair is more economical than movement of the equipment to the shop for repair. The contractor shall arrange and coordinate Sustainment Level maintenance when required support exceeds Field Level capability. A representative sample of services provided is in Technical Exhibit 5.4-005. What is the projected workload, by equipment type?	Onsite repair is minimal and discouraged by Government due to loss of direct labor capability when traveling to/from off-site location. TE 5.4-005 is superseded by TE 6-019, for workload by equipment type, please refer to TE 6-013 and TE 6-019.
PWS5-61	PWS 5.26 Section C5 page 60	Will the Government provide data on rail maintenance workload?	Please refer to workload data provided in TE 5-002. Please also note that PWS paragraph 5.26.3 has been deleted.

PWS5-62	PWS, Section C-5, Page 8, Paragraph 5.4.2.3	The requirement states "The contractor shall establish and operate a battery maintenance facility in order to perform battery servicing tasks in accordance with TM 9-6140-200-14 and TB 916140-252-13 and applicable safety and environmental guidance (in accordance with OSHA requirement 1910.151 and ANSI Z358.1-2009)." Request the USG please provide the historical workload data for this scope element.	Please refer to revised PWS in Amendment 0005.
PWS5-63	PWS 527	What is the number of Transportation Movement Request (TMR) for Truck Tractor short-haul operation?	TMR workload will not be further subdivided to show this information. Refer to TE 5-002.
PWS5-64	RFP, PWS 5.2.2.4, Section C-5 page 3	For the weapons parts that require demilitarization, please provide the name and location of the facility used in this process?	1) For Ferris steel commodities: West Point industries 2) For Aluminum: Lotts Pattern Shop
PWS5-65	Attachment 1, PWS, page 7-8	Paragraph numbering skips from 5.5.4 to 5.5.8 with the last paragraph in this section 5.4.2.3. We are assuming this is a formatting error. Is this correct?	Please refer to revised PWS in Amendment 0005.
PWS5-66	Performance Work Statement, Page 25, C.5.11.4	C.5.11.4 states, "The Contractor shall implement the Command Supply Discipline Program at Fort Benning to evaluate and ensure compliance with Army supply policy and procedures." There is no performance requirement outlining the standards of this function in the performance requirement summary. Also, AR 710-2, section 1-10(h) states, "The CSDP is designed for implementation by the chain of command," and that the program responsibilities are defined in a-f of the same section. The program responsibilities do not include anyone outside the chain of command, i.e. government contractors. Since contractor personnel have no authority in the chain of command and can not implement change in the command, will the government revise C.5.11.4 to remove "ensure compliance with Army supply policy and procedures." If not, please identify what the government expectation is for the contractor to "ensure compliance with Army supply policy and procedures."	Please refer to revised PWS in Amendment 0005.
PWS5-67	PWS, Page C-5-1, Para 5.1.1; PWS, Page C-5-2, Para 5.3.3	Are all represented workers on this contract members of the AFGE Union? If not, will the government provide any other CBAs that could affect bidders' proposals?	There is only one CBA and it is provided as Attachment 0008. The union represented in the CBA is not the AFGE.
PWS5-68	FT Benning PWS Attachment 001 page C-5 Page 5, paragraph 5.3.1	Para 5.3.1 states "A representative sample of services provided is in Technical Exhibit 5.4-005. It does not appear this Tech Exhibit is provided with the solicitation documents. Question: Will the referenced Technical Exhibit 5.4-005 be provided or is the reference incorrect?"	TE 5.4-005 is superseded by TE 6-019, for workload by equipment type, please refer to TE 6-013A and TE 6-019. Please refer to revised PWS in Amendment 0005.
PWS5-69	PWS, Section C – 5 Pages 58-59, Para C.5.24.1 and C.5.24.5	Will the Government please provide the type and quantities of containers and trailer-mounted lights sets that will be stored and maintained under this section?	Please refer to revised PWS and Amendment 0005, TE 5-004

PWS5-70	PWS, Section C-5, pg 60, Para 5.26.3, Rail Operations	This paragraph states "The contractor shall manage, use, and care for government owned railcars assigned to Fort Benning. The contractor shall maintain railroad equipment and comply with reporting requirements of the Defense Freight Railway Interchange fleet in accordance with DOD 4500.9-R, The contractor shall ensure government owned rail cars on hand are moved a minimum of 100 feet every 90 calendar days." There is no workload data associated with either the use of government owned railcars nor are there any railcars listed as Government Furnished Equipment. Additionally, it is unclear whether the requirement to move Government owned railcars a minimum of 100 feet every 90 days is to be performed using a Government owned locomotive or if the Contractor is to coordinate for a commercial rail line to perform this activity. Two questions follow: (1) Request the Government provide the workload data needed to estimate against this requirement. (2) Request the Government clarify how it wants the Contractor to perform the required movement of Government owned rail cars?	Please refer to revised PWS in Amendment 0005, PWS paragraph 5.26.3 has been deleted.
PWS5-71	Attachment 001 PWS, Section C-5 Page 10, Para 5.8.1.2	The contract shall input labor daily but no later than 1000 each workday. Is the requirement to input the data the same or the following workday?	Please refer to revised PWS in Amendment 0005.
PWS5-72	Attachment 001 PWS, Section C-5 Page 10, Para 5.8.1.2.2	The contract shall input Class IX parts installed daily but no later than 1400 each workday. Is the requirement to input the data the same or the following workday?	Please refer to revised PWS in Amendment 0005.
PWS5-73	PWS 5.26, page 60	Average annual number of railcars staged at Benning?	Please refer to revised PWS in Amendment 0005, PWS paragraph 5.26.3 has been deleted.
PWS5-74	PWS 5.26, page 60	Are the locomotives and locomotive personnel Government or contractor?	Please refer to revised PWS in Amendment 0005, PWS paragraph 5.26.3 has been deleted.
PWS5-75	PWS 5.26, page 60	What constitutes "maintaining" railroad equipment (5.26.3)?	Please refer to revised PWS in Amendment 0005, PWS paragraph 5.26.3 has been deleted.
PWS5-76	PWS 5.26, page 60	Please provide density and type of railroad equipment offer is to maintain (5.26.3)?	Please refer to revised PWS in Amendment 0005, PWS paragraph 5.26.3 has been deleted.
PWS5-77	PWS 5.11 Supply Support Services Work Scope	Is the LSS contractor performing SARSS 1 and SARSS 2 services or just SARSS 1?	Please refer to revised PWS in Amendment 0005.
PWS5-78	PWS 5.12.4 ICEMP Warehouse Workload and TE 4-028 Supply & Services- Hours of Operations	What are the hours of operation for the ICEMP Warehouse? TE 4-028 lists the hours of operation for the other Supply & Services operations but not the ICEMP Warehouse.	Please refer to revised PWS in Amendment 0005.
PWS5-79	PWS 5.12.6 Protective Masks Workload	How many protective masks are turned-in from re-deploying personnel to maintenance on a weekly basis?	Please refer to revised PWS in Amendment 0005.
PWS5-80	PWS 5.13.1.2 Alterations in CIIP Workload	How many alterations are performed on trousers and shirts (same day) and on coats (5 days)?	Please refer to TE 4-003.
PWS5-81	PWS 5.14.1 SSMO Workload; TE 4-003 Supply Workload Data	How many requisitions, receipts, issues, turn-ins, and disposals are required per year? What is the breadth and depth of the stockage?	Please refer to TE 4-003.
PWS5-82	PWS 5.14.1 SSMO Workload; TE 4-003 Supply Workload Data	Can the Government please provide the SSMA ASL?	Please refer to TE 4-003.

PWS5-83	PWS; C-5, Page 8; Paragraph 5.5.8.	What is the workload for this requirement: how many historical or projected carpentry jobs by type per year, including what must be fabricated by type and quantity?	Please refer to revised PWS in Amendment 0005.
PWS5-84	PWS; C-5, Page 8; Paragraph 5.6.1.	The contractor shall perform initial, random, and final inspections on equipment submitted for repair or services and shall determine that all repairs do not exceed maintenance expenditure limits (MEL) established by applicable equipment technical bulletins or by a local policy prior to work being initiated. The contractor shall perform ECOD's as requested. What is the workload for this requirement: how many historical or projected inspections per year by type equipment?	1) All equipment work ordered requires both an initial inspection & final inspection. As far as random (inprocess) - that is a function of the Contractors Quality Management Team to determine. 2) There were 15-ECOD's performed in FY12 that should be used as projected workload data, also refer to TE 6-013A. 3) Please refer to TE 6-013A "pieces of equipment".
PWS5-85	PWS; C-5, Page 8; Paragraph 5.6.2.	The contractor shall provide technical inspection services in support of Fort Benning Supply for all equipment presented for turn-in, serviceability check, lateral transfer, or in-processing of new equipment into the Army inventory and shall perform technical inspections in accordance with AR 750-1 and AR 725-50 to determine condition code. Final disposition Recoverability Codes H or P shall not be made without a valid verification inspection. What is the workload for this requirement: how many historical or projected technical inspections per year by type equipment?	Please refer to Amendment 0005, TE 6-013AA.
PWS5-86	Attachment 1, PWS Section C-5, page 3, paragraph 5.2.2.2 On Site Small Arms Maint Teams	How many teams are required on daily basis and how many are on a team?	Historically; between 1-2 Range Support Teams each work day, with surge capacity to 3 Range Support Teams. As this is a performance based requirement, the Government will not dictate the number of personnel per team.
PWS5-87	Attachment 1, PWS Section C-5, page 3, paragraph 5.2.2.3 Range Support Teams	How many personnel make up Range Support Team?	Historically; between 1-2 Range Support Teams each work day, with surge capacity to 3 Range Support Teams. As this is a performance based requirement, the Government will not dictate the number of personnel per team.
PWS5-88	Attachment 1, PWS Section C-5, page 31, paragraph 5.18.1.3	What are the normal hours of operation at Camp Merrill and Camp Rudder for fuel Delivery Services: For example are they required to be 24/265 or just day shift or day and swing shift Mon to Fri? Please clarify	Please refer to revised PWS in Amendment 0005.
PWS5-89	Attachment 1 PWS, Section C-5, page 55, Paragraph 5.21	Will the government provide workload for Arrival Departure Airfield Control Group, PWS Para 5.21?	Please refer to workload data provided in TE 5-002.
PWS5-90	Attachment 1 PWS, Section C-5, page 58 Paragraph 5.24	Will the government provide workload for Container Yard Operations, PWS Para 5.24?	Please refer to revised PWS and TE 5-004 in Amendment 0005.
PWS5-91	Attachment 1 PWS, Section C-5, page 60, Paragraph 5.26	Will the government provide workload for Rail Operations, PWS Para 5.26 ?	Please refer to workload data provided in TE 5-002.
PWS5-92	PWS, Section C – 5 PRS Page 79	PWS reference states "Operate three (3) on hand Government Owned Locomotives". Will the Government please clarify the requirement for operation and maintenance of three (3) on hand Government Owned Locomotives as they are not listed under GFE?	Please refer to revised PWS in Amendment 0005.
PWS5-93	PWS, Section C – 5 PRS Page 66	Will the Government please clarify the PWS references that are currently marked "Need #" on the Transportation Performance Requirement Summary (PRS)?	Please refer to revised PWS in Amendment 0005
PWS5-94	PWS, Section C – 5 PRS Page 71-72	Will the Government please clarify the PWS references that are currently marked "C.5.19.1" and "C.5.19.5" on the Transportation Performance Requirement Summary (PRS) as those references refer to "Ammunition Supply Services"?	Please refer to revised PWS in Amendment 0005

PWS5-95	PWS page 130 Para 5.28.9.2	The paragraph requires that a medical shuttle bus be provided on a recurring basis as per TE 5-009. then it states that a second sand hill medical bus be provided on a recurring basis that covers selected stops however the hours/days and the pick/stop times are not provided in the TE. Question : Could the government provide the hours/days and pick up times of operation for the second medical shuttle bus?	Please refer to Amendment 0005, TE 5-013
PWS5-96	Section C-5, Paragraph 5.2.2.2 and 5.4.5	What types of weapons and ammunition will the contractor be handling? Will contractor personnel be required to carry a side arm when working in the weapons room? Are the weapons and ammunition stored in the same location or are weapons and ammunition stored in separate buildings? Please confirm that contractor personnel will not be firing weapons.	RE: Para 5.2.2.2 Questions 1) Please review TE 6-010 for types of weapons the contractor will be handling. 2) Contractor will not wear a side arm. 3) Contractor will be working on side arms. RE Para 5.4.5 Questions 1) Weapons and Ammunition are both located in Bldg 9074 2) Contractor will be functionally test firing weapons up to 7.62mm
PWS5-97	PWS, Section C-5 Page 30, Para 5.16.10.	This paragraph states: "The Contractor shall conduct direct exchange of Drill Sergeant Clothing twice per month in accordance with the current Drill Sergeant Direct Exchange Program Standard Operating Procedures (SOP), the same applicable documents listed for the Reclamation Sale. TE 4-024 Drill Sergeant Exchange Program SOP page 2, Para 9a Drill Sergeants must deliver the items they wish to DX to the DX Point, located at Main Post, Building 224, Clothing Turn-In door." Question: Is there workload data to support this program? TE 4-024 states DX point is at BLDG 224. Is this an annex of the Main CIF? If so what is the square footage of this building and where is it located?	SSA workload data is in TE 4-003. The SSA moved from Bldg 224 to Bldg 9057 in 2011. TE 3-001 shows the square footage of this building. The Drill Sgt exchange program occupies approximately 10,000 square feet of Bldg 9057.
PWS5-98	5.28 Motor Pool Operations	Will the Government provide the technical exhibit for Fort Benning Sick Call Medical Shuttle? There are seven buses performing the mission at present in support of the 192nd / 198th BDE.	Please refer to TE 5-013 provided in Amendment 0005.
PWS5-99	Section C-5 page, paragraph 5.4.5	Is this range solely used for test firing weapons that have been repaired by maintenance? Is this range used by personnel other than those working in the maintenance facility? Is the training that is required by the range OIC and range Safety Officer provided by the installation? What are the contractor equivalent in position categories to fulfill these positions?	1)Yes 2) No 3)Yes 4) Gunsmith
PWS5-100	Section C-5, page 62, paragraph 5.28.9	The workload information provided in Technical Exhibit 5-002, Transportation Workload data in the TMP tab provides a roll-up of vehicles by several different categories in the "data description column". As this information is a roll up for the entire mission, is there information available that breaks this data down by location (i.e., TMP on Main Post, TMP on Sand Hill, and the two remote locations) and could this information be provided in order to provide a better estimate for meeting the requirements of the mission?	The categories under Transportation Workload data, Technical Exhibit 5-002 aren't broken out by location. Vendors will have to make their best assessment on requirements.
PWS5-101	PWS, Section C – 5 Page 60, Para C.5.26.3	PWS reference states "The contractor shall manage, use, and care for government owned railcars assigned to Fort Benning. The contractor shall maintain railroad equipment". Will the Government please clarify the definition of "care for government owned railcars assigned to Fort Benning" by providing the level of preventive and scheduled maintenance (services), and accountability required? As there are zero railcars listed under GFE, what type and quantities of government owned railcars assigned to Fort Benning are currently on hand?	PWS paragraph 5.26.3 was deleted in Amendment 0005.
PWS5-102	PWS 5.24, page 58	PWS reference requires in part the offer operate and maintain the container yard, however no data is provided to enable the offer to develop staffing levels. Request the government provide the average weekly or monthly density of containers supported in the yard?	Please refer to TE 5-004 provided in Amendment 0005.
PWS5-103	PWS 5.24, page 58	PWS reference requires in part the offer operate and maintain the container yard, however no data is provided to enable the offer to develop staffing levels. Request the government provide the average weekly or monthly number of container issues?	Please refer to TE 5-004 provided in Amendment 0005.

PWS5-104	PWS 5.24, page 58	PWS reference requires in part the offer operate and maintain the container yard, however no data is provided to enable the offer to develop staffing levels. Request the government provide the average weekly or monthly number of container receipts?	Please refer to TE 5-004 provided in Amendment 0005.
PWS5-105	PWS 5.24, page 58	PWS reference requires in part the offer operate and maintain the container yard, however no data is provided to enable the offer to develop staffing levels. Request the government provide the average weekly or monthly number of container repairs?	Please refer to TE 5-004 provided in Amendment 0005.
PWS5-106	PWS 5.26, page 60	Are rail operations only supported at Fort Benning or is remote site support required? If required please specify location and scope of work.	Rail operations will be performed at the Rail Head approximately one half mile from the ASP. Please note that PWS paragraph 5.26.3 was deleted.
PWS5-107	PWS 5.11 Supply Support Services Work Scope	Is Item Management part of the LSS contractor work scope?	No, item management is inherently governmental. The contractor will coordinate with the Government item manager and execute the required non-inherently Governmental functions.
PWS5-108	PWS 5.14.1.2 SSMO Operational Rations Workload	The PWS requires transporting / delivering MRE, Heat-N-Serve, UGR, UHNT, for other to Fort Benning units or operational exercises. Please provide workload data to reflect type and quantity of food delivered, and to locations for the delivery?	The PWS paragraph does not require transporting/delivery.
PWS5-109	PWS 5.14.1.4 SSMO Monthly Inventory of On-Hand Stocks Workload	How many accounts are closed out manually on a monthly basis?	Refer to SSMO regulations, PWS paragraph 5.14.1.3.
PWS5-110	PWS 5.14.1.4 SSMO Monthly Inventory of On-Hand Stocks Workload	How many line items and what is the inventory depth of the on-hand stocks that must be inventoried monthly?	Please refer to TE 4-003.
PWS5-111	PWS 5.14.1.7 SSMO Supply of Operational Rations Workload	What is the stockage level for each of the operational ration types listed?	Please refer to TE 4-003.
PWS5-112	PWS 5.14.1.7 SSMO Supply of Operational Rations Workload	What is the workload for the number of issues of these rations?	Please refer to TE 4-003.
PWS5-113	PWS 5.15 IPBO Workload	What is the workload for the IPBO such as number of hand receipt holders and number of real property buildings accounted for in the IPBO for Fort Benning?	Please refer to TE 4-003.
PWS5-114	PWS 5.16.1 Installation Supply Support Activity and TE 4-028 Supply And Services Hours of Operations	Is the contractor required to keep SSA staff on standby 24 hour, 7 days a week, to process walk-thru requests for issue or other requests for non-mission capable (NMC) end items in support of garrison or field training exercises (FTXs)?	Please refer to TE 4-028 for hours of operation and PWS paragraph 1.4.1 for deviations to normal duty hours.
PWS5-115	PWS 5.16.2 DODAAC Transactions Workload	How many DODAAC transactions per year?	Please refer to TE 4-003.
PWS5-116	PWS 5.16.2 DODAAC Transactions Workload	How many requests for new, changed, or deleted RIC through LOGSA per year?	Please refer to TE 4-003.
PWS5-117	PWS 5.16.3 Central Receiving Point (CRP) Workload	What is the workload for the CRP (# pallets incoming, 3 pallets outgoing, number of TCN/GBLs per month for the year)?	Please refer to TE 4-003.
PWS5-118	PWS 5.16.4 FEDEX Workload	What is the workload for FEDEX shipments such as number shipped, number received, type?	FEDEX transactions are imbedded within the workload data in line 11 of TE 4-003.
PWS5-119	PWS 5.16.8 Vehicle & Equipment (Class VII) Storage Yard Workload	What is the average monthly receipt and issue of Class VII items?	Please refer to TE 4-003.

PWS5-120	PWS 5.18 Bulk Fuel Work Scope	Is the LSS contractor required to performed or broker laboratory testing on fuels for the airfield and units?	Contractors are required to perform daily aqua glo testing of fuel issued at the airfield. Units send fuel samples to New Cumberland Army Lab for testing. Refer to PWS 5.18.1.2.
PWS5-121	PWS 5.18 Bulk Fuel Work Scope	What is the workload for laboratory testing of fuel such as frequency of testing and sites/equipment to be tested?	Contractors conduct visual testing for all inbound fuel deliveries to Bulk POL facility. Aqua glo test conducted daily. API and conductivity test performed as required. Refer to PWS 5.18.1.2.
PWS5-122	PWS 5.18.1 Refueling Generators Workload and TE 4-005 POL Projected Data	TE 4-005 worksheet titled "Delivery Location 1" lists gallons of fuel delivered to various equipment. Are these gallons per year or per month?	The gallons shown in the 3rd tab of TE 4-005 are typical weekly amounts.
PWS5-123	PWS 5.19 Ammunition Supply Point and TE 4-015 ASP Projected Workload Data	The Government has provided the quantity of rounds supported by the ASP, but it did not identify the types of rounds support. Would the Government provide the types of ammunition associated with the quantities provided in the exhibit?	Utilize information provided in TE 4-015 for proposal preparation
PWS5-124	PWS 5.19 Ammunition Supply Point and TE 4-015 ASP Projected Workload Data	What is the stockage level for each of the types of ammo stored at the ASP?	The ASP is stocked based upon the 60-90 forecasted requirements of the customer units which varies continuously throughout the year.
PWS5-125	PWS 5.14.1 SSMO Workload; TE 4-003 Supply Workload Data	TE 4-003 for the SSMO workload lists 'MRE' and underneath it 'Quantity.' Is the MRE row indicating the quantity demanded and the Quantity indicating the number demands? Also, is the MRE for March accurate at the low level of 13?	TE 4-003 was updated in Amendment 0005.
PWS5-126	PWS; C-5, Page 5; Paragraph 5.3.8.	The contractor shall provide maintenance recovery assistance (i.e., transportation with wrecker or trailer) to units for the purpose of evacuating vehicles to a maintenance operation compound for repair. What is the historical or projected workload for this requirement, specifically, what was or what is the annual projected number of recovery operations?	This information is incorporated within the Work Orders & Pieces of Equipment detailed within TE 6-013: No more than 20 per year as updated in Amendment 0005.
PWS5-127	PWS; C-5, Page 7; Paragraph 5.5.4.	The contractor shall properly prepare and paint supported equipment and components as required to perform materiel maintenance to include sand blasting. The contractor shall mix and apply various types and colors of paints to interior and exterior surfaces of equipment to include but not limited to single color and camouflage pattern painting of chemical agent resistant coating (CARC) in accordance with AR 750-1, TM 43-0139, TB 43-0209, and local directives. In addition, the contractor shall cut stencils and apply letters, numbers, insignias, unit designators, and other markings. Operate and maintain all IMMD paint booths and breathing air machines in accordance with OSHA 29 CFR 1910-107, AR 200-1. What is the workload for this requirement: how many historical or projected paint jobs by CARC and other types per year and on what types of equipment with numbers of each?	Please refer to TE 6-013 Allied trades Work Order & Pieces of Equipment NOTE: 95% of Benning's Painting is "Water Based" CARC
PWS5-128	Attachment 1 PWS, Section C-5, page 57, Paragraph 5.23	Will the government provide workload for Unit movements, PWS Para 5.23 ?	Please refer to TE 5-002
PWS5-129	PWS 5.19 Section C5 pages 31-32	Is there a requirement for security/guards at sites such as the ASP?	Yes, unarmed security is required at the ASP and CCEP/ Mata during duty hours. Please refer to PWS paragraph 5.4.2.

PWS5-130	PWS Section C-5 PRS, page 15 ,	Standards column a. States; "a. Left Behind Equipment (LBE) project reports as shown in Technical Exhibits 5.4-010, Equipment Service Report; 5.4- 011, Equipment Listing Roll-up Report; and 5.4-012, Project Status Report. When this is an ongoing project, these 3 reports comprise a monthly. b. RESET project status report, which identical in format to the LBE project status report shown in Technical Exhibit 5.4-012. When this is an ongoing project, this report comprises a monthly. c. Installation Capability Capacity report as shown in Technical Exhibit 5.4-013. A portion(s) of this report requires a monthly update, and a portion requires a quarterly update. This report, therefore, will be a monthly." Question: The Technical Exhibits (TE 5.4-011, TE 5.4-012, TE 5.4-013) identified in this area of the PWS are not provided with the RFP Attachments and are not listed in Section J of the RFP. Please provide these Technical Exhibits so offerors can fully understand the requirements.	This section of the PRS was removed in Amendment 0006.
PWS5-131	W52P1J-12-R-0115, Attachment 0001 (PWS), paragraphs 5.20.2.2 and 5.28.9.	Technical Exhibit 3-003 has a listing of government furnished vehicles at both remote locations of Camp Rudder and Camp Merrill. TE 5-012 shows vehicle usage data for Camp Rudder. Can you provide a similar TE with vehicle usage data for Camp Merrill?	There is no trooplift mission at Camp Merrill. The transportation workload consists of dispatching and arranging PMCS on a GSA fleet of approximately 50 vehicles and up to 3 courier runs between the camp and Fort Benning. Please refer to PWS paragraph 5.28.14.
PWS5-132	PWS 5.2.2.10, Section C-5, page 4	Can the government provide the Quantity and types of radioactive equipment that the contractor would be required to transport since their reference AR 700-64 is an obsolete publication.	Please see updated AR referenced in Amendment 0006 of AR 700-48: Equipment contaminated as a result of the use or damage of DA-controlled radioactive commodities, such as those identified in the DA Technical Bulletin (TB) 43-0116, containing— (a) Tritium (h-3), for example, the M1A1 Collimator. Transport is limited to equipment movement between repair shops and/or processing new systems or turn-ins to the SSA. For equipment types and densities see TE 6-010.
PWS5-133	PWS 5.12.4 ICEMP Warehouse Workload	Please provide the workload for the Individual Chemical Equipment Management Program (ICEMP) Warehouse Operation such as number of items in the warehouse on the average; number of requisitions; number of receipts per year; number of issues per year?	Please refer to TE 4-029 of Amendment 0003.
PWS5-134	PWS Section C-5 Page 10, Para 5.8.3.3 Completion of Work: And Section C-5 PRS page 22	This paragraph states: "The Contractor shall complete the maintenance request in accordance with AR 750-1, when all work has been completed. Upon the completion of repair or service and final inspection of the item, the Contractor shall notify the customer that the equipment is ready for pickup within one working day. The contractor will annotate who they contacted, date and time of contact on the bottom of the work order". Question: TE 5.4-007 is mentioned in the PRS but is not provided in the RFP will this T.E. be provided?	Please refer to Amendment 0006.
PWS5-135	Attachment 0001 PWS, Section C – 2 Page 1, paragraph 1.1.2 & Section C-5 Page 25, Paragraph 5.11, Attachment 0005 Price Matrix	When naming the four FBGA LRC divisions, the first sentence in paragraph 1.1.2 refers to the "Base Supply Division", the second sentence in that paragraph refers to the same division as the "Installation Supply Division" (ISD), and paragraph 5.1.1 refers to it as the "Installation Supply and Services Division (ISSD)". Attachment 0005 Price Matrix refers to "Installation Supply Division (ISD)". What is the correct title for this division?	Installation Supply and Services Division.
PWS5-136	PWS 5.12.5 CIF Weapons and TE 4-022 CIF Weapons Data	The PWS states the contractor shall receive, store, safeguard, issue, ship, research, and account for all weapons assigned to the Main CIF. TE 4-022 lists the active and inactive weapons and the number of turn-ins. How many weapons are issued per year?	Please refer to TE 6-017.
PWS5-137	PWS 5.16.5 Installation Storage Facilities Workload	What is the workload for the installation storage facilities such as number of facilities, number of out-shipments requiring packing and processing, number of evacuations and items sent for repair, number of sensitive item transports to IMD?	Please refer to TE 4-003.

PWS5-138	PWS 5.16.7 Repairable Items Workload	How many repairable items are received through the SSA? How many repairable items are shipped through the SSA to maintenance? How many repairable items are returned to stock in the SSA?	Please refer to TE 4-003.
PWS5-139	PWS 5.12 CIF Workload and TE 4-003 Supply Workload Data	The PWS states the requirement to requisition and to process e-order fittings. TE 4-003 does not list number of requisitions or e-order fittings. How many requisitions and how many e-order fittings are processed by the CIF?	E-Order fittings are not broken out separately and are on as needed basis.
PWS5-140	PWS, Section C-5, Page 4, Paragraph 5.2.2.10 and Page 30, Paragraph 5.16.6	Based on the performance work statement, a contractor-provided Radiation Safety Officer is needed for the project. The requirement (5.16.6) states that the contractor shall perform wipe test of radioactive items that are to be shipped, coordinate with the Installation Radiation Protection Officer (RPO) and ship with all related paperwork. Additionally, the requirement (5.2.2.10) states that the contractor shall repair, store, account for, inspect and transport equipment containing radioactive material. Furthermore, the contractor shall establish and maintain a Radiation Safety Program to include a written SOP to comply with, AR 700-64, DA PAM 385-24, and other applicable ARs, TBs, or OSHA publications for protection and operating procedures within MMD for the proper repair, storage, and transportation of equipment containing radioactive material. Will the Government provide radioactive source and mass / source strength information and number of annual wipe tests?	Tritium - 1 annual wipe test for Mata, 1 annual wipe test for CCEP, IAW PWS paragraph 5.16.6 and page 76 of the PRS for 5.1.5, 5.1.5.1 and 5.1.5.2.
PWS5-141	PWS 5.2.2.4	PWS States: " Demilitarization of Unserviceable Weapons Parts: The contractor shall demilitarize or dispose of all unserviceable weapons parts in accordance with governing codes and regulations. The current method is to melt all such parts at a commercial facility and abandon the residue there. The COR or representative shall maintain a "chain of custody" throughout the entire process, witness all actions, and sign the memorandum certifying the demilitarization and disposal of the materiel. For disposal of items not accepted for melting by commercial vendors, the Contractor shall either demilitarize/dispose in-house or turn-in specific items by NSN." What is the projected workload for this requirement, including type weapons and density of each?	1) The Government established and maintains a "No Cost" to any party agreement with two foundries, one melts ferris metals, the other melts non-ferris (aluminum metals). 2) Should either (or both foundries) terminate existing agreements, equipment is in place to Demil weapons and all other commodities I/A/W regulations, such as band saws, hand saws, chisels and torches. 3) Workload relating to this "Demil" averages between 1,000 to 3,000 Lbs of either Aluminum or Ferris Steel, 5-trips per year to the foundry, each trip can be accomplished in a regular 8-hour day. The Government provides a GSA stake bed truck, the round trip mileage is 124 miles for each trip.
PWS5-142	PWS 5.3.3	The contractor shall provide support for the planning and fielding of new equipment to include technical evaluations, review of maintenance requirements, New Equipment Training (NET), Test Measurement and Diagnostic Equipment (TMDE), repair parts, shop space, and staffing level analysis. What is the projected workload for this requirement, including type equipment	Minimal NET training is required, the most significant Net requirement is for 3-DES Fire Trucks.

Attachment Questions			
Question #	RFP Reference	QUESTION	ANSWER
Att-1	Solicitation - Attachment 005, Ft. Benning Price Matrix	The identified CLINs do not include a CLIN for PMO support. Are offerors to allocate PMS expenses across all CLINS or will the government establish a separate CLIN for this support?	The Government does not intend to establish a separate CLIN for PMO support. It is up to the Offeror to allocate its PMO costs to the appropriate Labor CLIN.
Att-2	Task Order RFP Attachment 0005	In what CLIN do we account for PMO costs during the contract period of performance?	The Government does not intend to establish a separate CLIN for PMO support. It is up to the Offeror to allocate its PMO costs to the appropriate Labor CLIN.
Att-3	Task Order RFP Attachments 0009 and 0012	Are bidders who do not have a negotiated agreement with the union required to bid CBA rates?	Yes, IAW FAR 22.1002-3, Wage Determinations Based on Collective Bargaining Agreements

Att-4	Task Order RFP, Attachment 0009	Will the government provide a seniority roster for all represented workers to be used in cost calculations?	IAW FAR 22.1020, a seniority list will be provided to the successor contractor at the commencement of the succeeding contract
Att-5	Task Order RFP, Attachment 0009	Will the government please advise if offerors are to use the 2012 or 2013 rates in their price proposal?	It is anticipated that the task order will be awarded in April 2013, however this date is subject to change.
Att-6	General	Will the government provide the current CBA	Attachment 0008 is the current CBA.
Att-7	Attachment 0008, CBA	Request the Government confirm that the Attachment 0008, CBA (between ITT Corporation, Systems Division and Columbus Metal Trades Council) current CBA and all amendments to the CBA, including (titles and rates) that was released with the solicitation is the current CBA in place on the current contract.	Attachment 0008 is the current CBA.
Att-8	Attachment 0005 Price Matrix	Cells D18, F18, G18, and H18 are blue cells, indicating the offeror must provide input, yet these cells are not editable. Please correct.	Please refer to Amendment 0003, Attachment 0005
Att-9	Solicitation - Attachment 005, Ft. Benning Price Matrix	The MS Excel file provided includes password protected cells D18, F18, G18 and H18 where bidders are to enter Award Fee values (E18 is unlocked). Will a revised version of Attachment 0005 be provided with these cells unlocked or should bidders recreate the format in its entirety with all cells unprotected?	Please refer to Amendment 0003, Attachment 0005
Att-10	Attachment 0011 Award Fee Plan, page 5, paragraph 5.2.1	Attachment 00, 11 Paragraph 5.2.1 says that the Maintenance section is worth 27 points, but in the description it says we can earn 26 points. This makes us only able to receive 99% of the award fee in a perfect situation. Please correct this apparent inconsistency.	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
Att-11	Attachment 0011, AWARD FEE PLAN, Paragraph 5.2.1	Paragraph 5.2.1 states that the list of Maintenance Contract Requirements is in the attached Performance Review Summary (PRS), however, there is no attachment provided. Please provide the PRS attachment.	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
Att-12	Attachment 0002	Will the Government provide the current SCA for the labor classes represented on this attachment?	Please refer to Attachment 0008 - CBA and Attachment 0010 - DOL Wage Determination.
Att-13	Attachment 0008 CBA	Will the Government please advise what the proposed start date of contract is so that the proper CBA rates can be used?	It is anticipated that the task order will be awarded in April 2013, however this date is subject to change.
Att-14	CBA, Attachment 0008	Please confirm that the Offeror should use the current CBA rates for bidding the CBA positions for the base and each option period. Should the Offeror assume a specific escalation rate for each option year?	It is anticipated that the task order will be awarded in April 2013, however this date is subject to change.
Att-15	CBA, Attachment 0008	Please confirm that all offerors should use the current CBA rates for bidding purposes. Is there a specific escalation rate offerors should use for escalation or should all offer use the current CBA rates for the base and each option year?	It is anticipated that the task order will be awarded in April 2013, however this date is subject to change.
Att-16	Solicitation - Attachment 0008, CBA and Attachment _010 - _DOL_Wage_Determination	Reference 29 CFR 4.163 - Section 4c of the Act, subparagraph g, and considering that both a CBA and Wage Determination have been included as part of the solicitation, can the government please confirm which of these (the CBA or WD) covers the greatest portion of the work, and would therefore govern all similar positions?	The PWS as applied against the CBA and Wage Determinations provided as attachment 0008 and 0010 respectively, should inform the Offeror how to propose.
Att-17	Solicitation - Attachment 0008, CBA and Attachment _010 - _DOL_Wage_Determination	Can the government confirm our understanding that if the CBA governs the greatest portion of work, then employees for any work at Fort Benning that requires the same labor classifications would be paid at the wage rates and fringe benefits in the CBA?	The PWS as applied against the CBA and Wage Determinations provided as attachment 0008 and 0010 respectively, should inform the Offeror how to propose.
Att-18	Fort Benning- Columbus Metal Trades Collective Bargaining Agreement	Will the government provide any documented jurisdictional work agreements between the various Unions which are signatory to the Ft. Benning Collective Bargaining Agreement?	No, all information available has been provided with the solicitation
Att-19		We understand there is a CBA in place. Will the government provide a copy?	The CBA was provided as Attachment 0008 and was emailed to BOA Attachment 0003 POCs.

Att-20	Attachment 0008	The current CBA was provided however, the CBA did not include position description narratives. Request position description be provided for each CBA identified labor position.	No additional descriptions are available.
Att-21	Attachment List, Section J	The Award Fee Plan is not included in the attachments to the RFP. Please provide as an attachment.	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
Att-22	Attachment List, Section J	The Award Fee Plan is not included in the attachments to the RFP. Please provide as an attachment.	Please refer to Amendment 0003, Section A, paragraphs 3) and 4)
Att-23	Attachment 8	Please verify that there is only one CBA for this proposal.	There is only one CBA and is provided at Attachment 0008.
Att-24	Attachment 0008 - CBA, Page 23	on page 23 of the CBA the Heavy Vehicle Mechanic (no additional designator) and the Heavy Vehicle Mechanic (FL-R) are the exact same pay rate. No where else in the CBA are the Ft Benning pay rates the same as those designated (FL-R). Are the pay rates for Heavy Vehicle Mechanic at Fort Benning in fact the exactly same rates that are used at Camp Ruder at Eglin AFB? Please clarify, this is needed for proper pricing of cost proposals.	Offerors shall use the CBA rates and Wage Determinations included in the RFP when preparing their proposal.
Att-25	W52P1J-12-R-0115 Attachment 0002, Staffing Labor Mix	Our review of solicitation Attachment 0002, the applicable CBA, and the SCA Area Wage Determination(AWD) reveals that there are very few labor categories in Attachment 0002 that match the CBA and the AWD. Instructions in Attachment 0002 are that we should add labor categories as we deem necessary. However, this will result in a substantial number of labor categories being added. Has the Government considered revising Attachment 0002 to more closely match the Ft Benning CBA and AWD? Or would we proceed with adding a large number of labor categories to Attachment 0002? Please clarify the Government's intent.	The labor categories provided in Attachment 0002 are provided for reference only. Offerors will need to submit with labor categories applicable to their approach for fulfilling the PWS requirements.
Att-26		Reference 29 CFR 4.163 - Section 4c of the Act, subparagraph g, and considering that both a CBA and Wage Determination have been included as part of the solicitation, can the government please confirm which of these (the CBA or WD) covers the greatest portion of the work, and would therefore govern all similar positions?	The PWS as applied against the CBA and Wage Determinations provided as Attachment 0008 and 0010 respectively should inform the offeror how to propose.
Att-27		Can the government confirm our understanding that if the CBA governs the greatest portion of work, then employees for any work at Fort Benning that requires the same labor classifications would be paid at the wage rates and fringe benefits in the CBA?	The PWS as applied against the CBA and Wage Determinations provided as Attachment 0008 and 0010 respectively should inform the offeror how to propose.
Att-28	Attachment 0010, WD	The WD provided does not include all counties (i.e. Florida and Georgia) covered by the solicitation. Is there another WD the government would like us to use?	Offerors shall use the CBA rates and Wage Determinations included in the RFP when preparing their proposal.
Att-29	Attachment 9 - DD254	Page 1 of the DD254 references Ft Benning which is contrary to Page 2, Section 13, Ref 11a, which references Ft Bragg. Will the Government provide a corrected page 2 for this DD254?	This will be corrected in the "Final" DD254.
Att-30	Attachment 9 - DD254	Page 2, Section 13, Ref 10.j references an attached Appendix 3. Appendix 3 is not attached. Will the Government provide Appendix 3?	This will be provided in the "Final" DD254.
Att-31	Attachment 9 - DD254	Page 2, Section 13, Ref 11e states that classification guidance needed will be provided by the contractor. Should this read: "classification guidance needed will be provided by the Government"?	This will be corrected in the "Final" DD254.

Att-32	Attachment 9 - DD254 and PWS, Section C-2, Page 15, Paragraph 1.5.12	Page 1, Section 11j OPSEC requirements is marked "No". This is contrary to the PWS Para 1.5.12 which states that the contractor will develop an OPSEC plan. Will the DD254 be marked "yes" or will Para 1.5.12 be removed?	This will be marked "yes" in the "Final" DD254.
Att-33	Collective Bargaining Agreement	Can the government provide the job/duty descriptions meet the requirements of the positions that are listed in the CBA?	No additional descriptions are available.
Att-34	Attachment 0008, Collective Bargaining Agreement Between ITT Corporation, Systems Division and Columbus Metal Trades Council.	A Collective Bargaining Agreement was included in the solicitation for ITT Corporation, Systems Division and the Columbus Metal Trades Council. <u>Question:</u> Since there is an established CBA for ITT Corp., is there a CBA between Honeywell Technology Solutions, Inc. and a local union also? If yes, shouldn't the Government provide this CBA for this solicitation?	The applicable CBA that will be used is provided as Attachment 0008. A CBA is not applicable to the Honeywell contract, W911SE-07-D-0006-2B01.
Att-35	Attachment 0008 CBA	Please confirm that DOL Rule 29 CFR 4.163-Section 4(c) applies to the CBA incorporated in this TO; specifically the clause stating: The obligation of the successor contractor is limited to the wage and fringe benefit requirements of the predecessor's collective bargaining agreement and does not extend to other items such as seniority, grievance procedures, work rules, overtime, etc.	The PWS as applied against the CBA and Wage Determinations provided as Attachment 0008 and 0010 respectively should inform the offeror how to propose.
Att-36	Attachment 0008 CBA and Attachment 0010 DOL Wage Determination	As the CBA supersedes the DOL Wage Determination and offerors cannot reference the DOL Directory of Occupations, please provide job descriptions for the positions identified in the CBA.	No additional descriptions are available.
Att-37	Attachment 0002 Staffing Labor Mix	The Attachment 0002 staffing template directs offerors to add labor categories as needed. However, none of the 43 SCA Labor Categories listed tie to the 81 CBA categories that must be used by offerors. Can we replace all of the SCA categories rather than adding 81+ lines to the spreadsheet?	Offerors shall comply with the instructions provided at L.5.2.1.3.
Att-38	Attachment 0010, WD	The WD provided does not include all counties (i.e. Florida and Georgia) covered by the solicitation. Is there another WD the government would like us to use?	Offerors shall use the CBA rates and Wage Determinations included in the RFP when preparing their proposal.
Att-39	Attachment 0008 - CBA, Page 23	On page 23 of the CBA it lists four (4) types of Heavy Vehicle Mechanics. One just as Heavy Vehicle Mechanic, one as Heavy Vehicle Mechanic (FL), one as Heavy Vehicle Mechanic (GA-M), and one as Heavy Vehicle Mechanic (FL-R). We assume, and please correct if this is in error, that the plain (no designator) Heavy Vehicle Mechanic is for Ft. Benning proper, Heavy Vehicle Mechanic (GA-M) is for use at Camp Merrill, and Heavy Vehicle Mechanic (FL-R) is for Camp Ruder at Eglin AFB. But what is Heavy Vehicle Mechanic (FL) for? Please Clarify.	No additional descriptions are available.

Exhibit Questions			
Question #	RFP Reference	QUESTION	ANSWER
Ex-1	TE 6-013, Material Maintenance Workload Projection, Maintenance Work Order Summary	TE 6-013 only provides the number of Work Orders and Vehicle Density. Will the Government Provide STAMIS workload data for FY 2012 to include; Job #, LIN, Model, Malfunction Description, Shop Code and Man Hours?	This information will not be provided.

Ex-2	Final TE 6-013, Material Maintenance Workload Projections	TE 6-013 list the Maintenance Workload by work orders and pieces in broad categories, i.e., Wheeled Vehicles, Tactical and Combat Vehicles. In order not to give the current contractor an unfair advantage request government provide details on types of equipment and direct maintenance hours required to perform each work order.	This information will not be provided. TE 6-013 provides sufficient equipment information. As this is a performance based requirement, it is up to the Offeror to submit a proposal based on their approach to meeting the contract requirements.
Ex-3	TE 6-014 IMCOM Equipment Densities	Are the field repair work orders for equipment on TE 6-014 IMCOM Equipment Densities included in the work orders listed on Final TE 6-013 Material Maintenance Workload Projection? If not how many and what are the numbers of hours for work orders to repair to TM 10/20 for this equipment?	Yes, they are included.
Ex-4	TE 6-014 IMCOM Equipment Densities	Are the PMCS work orders for equipment on TE 6-014 IMCOM Equipment Densities included in the work orders listed on Final TE 6-013 Material Maintenance Workload Projection? If not how many and what are the numbers of hours for work orders to perform PMCS for this equipment?	Yes, they are included.
Ex-5	Technical Exhibit 4-028 Supply and Services - (Hours of Operation) ITEM 4. Central Issue facility(CIF), Monday through Friday, (0800 - 1630) Except Holidays. Sunday (0900-1500)	Will the Government please provide the projected level of effort for Sunday operations for the CIF and explain the mission operation(s) this effort supports?	CIF operations are normally provided to redeploying soldiers. There is no anticipated Sunday work at this time for the CIF.
Ex-6	TE 6.012 thru 6.015	The Technical Exhibits provide number of work orders and the pieces of equipment, but it does not provide the hours per work order. What is the projected hourly work load for the equipment?	As this is a performance based requirement that relies upon the experience of knowledgeable contractors to employ innovative techniques necessary to deliver successful work plans, staffing strategies and management approaches, no hourly workload will be provided.
Ex-7	TE 4-003 Supply Workload Data and TE 4-027 Annual Workload Data for CIIP and Main Post CIF	TE 4-027 lists 65,000 issue and turn-in transactions for the Main Post CIF. TE 4-003 lists a total of 81,566 for same (total of individual and bulk issues and turn-ins). Which is accurate?	Main post only. There are no remote or satellite sites.
Ex-8	TE 6-013	The maintenance order summary shows the yearly numbers of work orders and a lump sum of equipment associated with the work orders. The numbers appear to be inconsistent and are not one for one (1 WO to 1 piece of equipment). Please clarify the data and the details behind the inconsistency of the ratio of WOs to pieces of equipment.	TE 6-013 has been superseded by TE 6-013A shall be considered as a full years worth of maintenance projected workload. The reason for the disparity between the number of work orders and the pieces of equipment is that non-serialized equipment can be processed with more than 1-item on a work order, as an example - Protective Masks
Ex-9	Final TE 6-013, Material Maintenance Workload Projections, TE 6-010 CCEP Equipment Density, and TE 6-009 CCEP Policy (Para 13.a)	TE 6-013 lists the Maintenance Workload by work orders and pieces in broad categories and TE 6-010 lists the CCEP Equipment Density. TE 6-009 CCEP Policy requires the CCEP to conduct full Quarterly and Annual Preventive Maintenance Checks and Services (PMCS) and minor repairs during each unit's training cycle breaks. Are these PMCS checks and minor repairs of CCEP equipment performed in the unit's area included in the work order data in TE 6-013 or should the PMCS requirements for the CCEP items be calculated in addition to the work order data in TE 6-013?	CCEP PMCS requirements may be calculated using equipment densities listed in TE 6-010. None of the workload performed in the unit areas during cycle breaks are included in TE 6-013 workloads.
Ex-10	Exhibits AJ and AL, TE 6-011a and TE 6-013A	Are the weapons listed in TE 6-13a in addition to the weapons in TE 6-011a or they the same?	TE 6-011a references Training Units Approved for Year Long Tally's & Density of Weapons Authorized. TE 6-013a is maintenance workload.

Ex-11	Amendment 0001 Technical Exhibit 6-013A, Material Management Workload Projection	Please verify the workload provided by Technical exhibit 6-013A is accurate. In many cases the # of work orders is the same as the pieces of equipment. Fire trucks and busses for example normally have several scheduled maintenance actions and several breakdown maintenance actions annually, while TE 6-013 indicates there are 231 work orders and pieces of equipment for COTS (includes fire trucks and busses). Will the Government provide workload in hours by shop rather than by work order so that all offerors may propose staffing based on a clearly defined workload.	In addition to TE 6-013A, refer also to TE 6-014 for specific breakout of IMCOM equipment. As this is a performance based requirement, hours will not be provided.
Ex-12	Work Load Data	Can the Government provide the workload data for the CIF/SSA/ASP/IPBO/ICEMP/CIIP operations?	Please refer to TE 4-003.
Ex-13	Work Load Data	Does the workload data provided include the Crescenz Consolidated Equipment Pool (CCEP)?	Offeror is to calculate maintenance workload based on equipment densities detailed in TE 6-010.
Ex-14	Technical Exhibit 6-015 Miscellaneous Maintenance Workload Data	Please provide adequate detail on the modification work orders to allow offers from other than the incumbent to estimate the work involved. For example this exhibit identifies 6 Modification Work Orders were ordered for 896 items but fails to describe what modifications were completed or the hours required to modify the 896 items. This lack of detail gives the incumbent an unfair advantage over all the other competitors.	TE 6-015 articulates the total magnitude of MWO's that are tracked administratively. The MMD is responsible for the entire "Installation" when reporting/researching/and ensuring compliance with MWO's. From May 2011 thru April 2012, the number of MWOs the Materiel Maintenance Activity actually performed, or handled administratively while another activity performed the work as identified in TE 6-015.
Ex-15	Technical Exhibit 6-012 Annual CCEP Talley Workload and Amendment 0001 Technical Exhibit 6-013A Material Management Workload Projection	Please clarify if the 617,175 pieces of equipment identified in Technical Exhibit 6-012 Annual CCEP tally workload are also shown in Amendment 0001 Technical Exhibit 6-013A.	No. Only a fraction of the 617,175 pieces in TE 6-012 are included in TE 6-013A if work ordered as a pass back to Mata. The weapons pool manages its own workload. If the weapons pool gets behind they transfer back to MATA to perform maintenance. TE 6-013A is workload data for Mata and Mizener. TE 6-012 is an equipment listing.
Ex-16	Amendment 0001 Technical Exhibits	The Government states in "Amendment 0001" that the amendment includes "updated Tech Exhibits per Amendment 0001..." These "updated Tech Exhibits per Amendment 0001" haven't been incorporated in Amendment 0001 or even the most recent Amendment 0002 on FedBizops. Will they be incorporated in a future amendment as the staffing numbers from the initial exhibits to the changed exhibits have increase by 100%. Since these exhibits haven't been incorporated into the RFP in Amendment 0001 or 0002, which staffing numbers are to be used in the preparation of the proposal as the numbers have a huge impact on the staffing of the project. Also, will the new staffing requirements be incorporated into the solicitation via amendment, correct?	The applicable updated Tech Exhibits were emailed to BOA holders' Attachment 0003 POCs.
Ex-17	Technical Exhibit 4-003 Supply Workload Data Technical Exhibit 4-027 Workload data for CIIP and Main Post CIF	Both of these Technical exhibits have workload data for the CIIP and Main Post CIF facilities? Data on these TE don't match, Question: Which data is correct for CIIP and CIF? Which TE should be used for CIIP and CIF workload?	Please use 4-003. TE4-027 has been deleted in Amendment 0005.
Ex-18	Technical Exhibit 4-028 Supply and Services hours of operations.	TE 4-028 shows a 2nd Shift night time issue for CIIP. Question: TE 4-003 Has no workload data to support TE 4-028 night shift. Will workload data for night shift be provided?	Please refer to revised PWS in Amendment 0005
Ex-19	Technical Exhibit 4-003 (Supply Workload Data)	The 123 local purchases reflected in TE 4-003 appears low. Does the local purchase historical workload in TE 4-003 include; engines, filters, batteries, seals, tires, lubricants, PPE, bench stock, office supplies and boxes?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.

Ex-20	CIF Section of TE 4-003 Supply Workload Data. Lateral Transfers	The workload data for Lateral Transfers was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-21	CIF Section of TE 4-003 Supply Workload Data. Maintain suspense file for Temporary Loans	The workload data for Temporary Loans was not provided. Does the information exist, Is the workload data provided in another document, or should we assume this function is not performed at FTBGA?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-22	CIF Section of TE 4-003 Supply Workload Data. Maintain a record of active OCIE records including DA Form 3645-1	The workload data for maintaining a record of active OCIE records including DA Form 3645-1 was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-23	CIF Section of TE 4-003 Supply Workload Data. ICMEP PWS C.5.12.4	The workload data for ICEMP was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Please refer to TE4-028
Ex-24	CIF Section of TE 4-003 Supply Workload Data. Prepare and submit administrative Adjustment Reports (AAR)	The workload data for processing AAR's was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-25	CIF Section of TE 4-003 Supply Workload Data. Weapons PWS C.5.12.5	The workload data for Weapons was not provided and is not addressed in the PRS. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Please refer to TE 4-022, weapons listing.
Ex-26	CIF Section of TE 4-003 Supply Workload Data. Protective Mask PWS C.5.12.6	The workload data for Weapons was not provided and is not addressed in the PRS. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Please refer to revised PWS in Amendment 0005
Ex-27	SSMO section of TE 4-003 Supply Workload Data. Receive, inspect, inventory and warehouse subsistence items from commercial carriers.	The workload data for processing commercial vehicles was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-28	SSMO section of TE 4-003 Supply Workload Data. Process subsistence requisitions.	The workload data for processing subsistence requisitions was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-29	SSMO section of TE 4-003 Supply Workload Data. Process Invoices.	The workload data for processing invoices was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.

Ex-30	SSMO section of TE 4-003 Supply Workload Data. Process turn-ins after Vet Inspections.	The workload data for processing turn-ins after Vet Inspections was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-31	SSMO section of TE 4-003 Supply Workload Data. Store and Safeguard.	The workload data for Storing and Safeguarding Subsistence was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-32	SSMO section of TE 4-003 Supply Workload Data. Issue Subsistence to customer.	The workload data for Issuing Subsistence was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in revised TE 4-003 in Amendment 0005 for proposal preparation.
Ex-33	SSMO section of TE 4-003 Supply Workload Data. Complete Required Inventories.	The workload data for completing required Subsistence inventories was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in revised TE 4-003 in Amendment 0005 for proposal preparation.
Ex-34	SSMO section of TE 4-003 Supply Workload Data. Manually close out all accounts monthly.	The workload data for closing out all accounts manually each month was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-35	Installation Property Book section of TE 4-003 Supply Workload Data.	The final draft omitted processing FLIPLs, turn-ins, Found on Installation, Administrative Adjustment Reports (AAR), Lateral Transfers, Customer reconciliations and duplicated suspense files, completed transaction files, printing customer hand receipts, and processing requisitions. Was this omission and duplication intentional and should we address the omitted areas? If we are to address the omitted areas the workload data is needed.	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-36	Installation Supply Support Activity. TE 4-003 Supply Workload Data	The workload data for the following areas was not addressed. Please clarify the following: Found on Installation (FOI) DLADS withdrawal documents, turn-in documents for DLADS (5.16.1), excess CLVII transactions, DODAAC transactions, Turn-In documents (5.16.5.1), FedEx (5.16.4), Arms Storage Facility (C.16.5), Repairable Items (C.5.16.7), and CI VII (C.5.16.8),	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-37	Technical Exhibits Workload Data; TE 4-003 Supply Workload Data, Page 2, Section Central Issue Facility (CIF)	Workload data received in the Technical Exhibits provided by the Government appear grossly inaccurate. For example, TE 4-003 Supply Workload Data provides workload data for the CIF calculating to single-digit FTE totals. However, during the site visit on 29 OCT, there were double-digit FTEs working in the CIF. With data collected from the provided TEs, the site visit, and overall operational knowledge of the DOL, the discrepancies prevent an accurate calculation for cost estimating and pricing. Request the Government provide revised TEs with more accurate workload data (all TEs, not just specific to the CIF).	Additional information is not available. Offerors shall use information in TE 4-003 of Amendment 0005 for proposal preparation.
Ex-38	General: Solicitation Files, Attachments, Exhibits and CDRLS	Upon review of the Attachments, Exhibits and CDRLS for the solicitation, TE's I and O appear to be missing. Please confirm that Technical Exhibits I and O do not exist for this solicitation.	This is correct.

Ex-39	Technical Exhibit 6-013 Material Maintenance Workload Projection Maintenance Work Order Summary	Question: What does the term CPAC mean?	Please refer to revised PWS in Amendment 0005
Ex-40	TE 6-009 CCEP Policy, Para 13a(20)	Are the contact maintenance Direct Support Team (DST) teams referenced in TE 6-009 the same as the "On-site Unit Level Support Teams" in TE 6-011, paragraph 2 and the Small Arms Maintenance Teams in PWS, paragraph 5.2.1.2? If not what is the difference between these three teams?	Yes - reference to "Direct Support Teams" in TE 6-009 and "On-Site Unit Level Teams" in TE 6-011 and in revised PWS, Para 5.2.2.2 (not 5.2.1.2) are the same.
Ex-41	PWS, Page 62, Section C-5, paragraph 5.28.9 and TE 5-012 Passenger and Cargo Service at Camp James E. Rudder	Paragraph 5.28.9 states "The contractor shall provide bus/truck and driver support to meet authorized requirements for the Installation and Remote Camps as approved by the PCO, COR or designated representative. Technical Exhibit 5-012 shows this type of workload data at Camp James E. Rudder, and Eglin Air Force Base, Florida." Technical Exhibit 5-012 only shows work at Camp James E. Rudder for a 18 day period but does not indicate if this 18 day period occurs only once annually and does not address any other remote sites such as Camp Frank D Merrill. Technical Exhibit 5-012 provides start times for vehicle availability but fails to indicate how long the vehicle is required in many instances. Will the Government define the hours required for this work clearly enough so offerors other than the incumbent can determine the hours required/expected for this work.	Normally this is performed 11 times per year. Camp Merrill does not have a similar requirement at this time. End times are dictated by the training events
Ex-42	TE 6.012 thru 6.015	The current data provided does not provide the type of equipment for the work orders given, thus not allowing for an accurate evaluation of the maintenance required and the level of effort. Please provide the types of equipment that the work orders represent to better perform the evaluation.	Please refer to Amendment 0003, TE 6-019.
Ex-43	PWS 5.3.1, TE 5.4-005, C-5, pg5	This PWS reference show a Technical Exhibit that was not released to the offerors. Is the reference a typographical error, or was the release of the technical exhibit an oversight?	TE 5.4-005 is superseded by TE 6-019, for workload by equipment type, please refer to TE 6-013A and TE 6-019. Please refer to revised PWS in Amendment 0005
Ex-44	Technical Exhibit 4-003 Supply Workload Data and Technical Exhibit 4- 027 Workload Data for CIIP and CIF	The workload provided by these documents have different quantities. TE 4-027 provides the following workload 1. CIIP – Approximately 30,000 Night Issues, 28,000 Phase 1 Issues, 25,000 Phase 2 issues, and 23,000 Quartermaster Refits for Initial Entry Trainees annually. 2. Main Post CIF –65,000 issue and turn-in transactions. While TE 4-003 provides the following workload 1. CIIP – phase 1 customer service 26,542 Phase 1 Issues, 23,718 Phase 2 issues, and 23,718 Final fit inspections annually. Main Post CIF –79,993 receipts processed 35,298 individual issues, 41,309 turn in by individuals. Please clarify which Technical Exhibit is correct.	Please use 4-003. TE4-027 has been deleted in Amendment 0005.
Ex-45	TE 4-003 Supply Workload Data and TE 4- 027 Annual Workload Data for CIIP and Main Post CIF	TE 4-027 lists CIIP workload at 28,000 Phase 1 Issues and 25,000 Phase 2 Issues. TE 4-003 lists 26,542 Phase 1 Issues and 23,728 Phase 2 Issues. Which is accurate?	Please use 4-003. TE4-027 has been deleted in Amendment 0005.
Ex-46	CIF Section of TE 4-003 Supply Workload Data. Notify the commander of delinquent accounts.	The workload data was not provided for the number of delinquent accounts. Does the information exist, Is the workload data provided in another document, or should we assume this function is not performed at FTBGA?	This information is not available.

Ex-47	CIF Section of TE 4-003 Supply Workload Data. Sizes are not available from wholesale system	The workload data was not provided for the number of special measurement items. Does the information exist? Is the workload data provided in another document, or should we assume this function is not performed at FTBGA?	This information is not available.
Ex-48	CIF Section of TE 4-003 Supply Workload Data. Process Financial Liability	The processing of FLIPL under this particular section was addressed in the draft PWS, but omitted in the final PWS. Was this an oversight or intentional? If this was an oversight, the workload data for FLIPL processing was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	This information is not available. Offerors should not rely on any information supplied in the draft PWS when preparing its proposal.
Ex-49	Technical Exhibit 5-012, Final TE 5-012 Passenger and Cargo Services at Camp James E Rudder.xlsx	Technical Exhibit 5-012 shows an 18 day training schedule for TMP supplement for motor vehicles and operators in support of the 6th Ranger Battalion. How often does the schedule run, i.e. monthly or quarterly, and are there periods when the schedule overlaps with previous schedules or upcoming schedules? Understanding that other remote locations exist for this contract, are there similar requirements for Camp Merrill?	Normally this is performed 11 times per year. Camp Merrill does not have a similar requirement at this time. Please refer to updated TE 5-012.
Ex-50	PWS, Page 61, Section C-5, paragraph 5.28.3 and TE 5-002 Transportation Workload	Paragraph 5.28.3 states the contractor shall conduct shuttle/courier services and DLADS Transport to Remote Camps in accordance with TRADOC TC 21-305-100 and FM 21-305 and TE 5.2 identifies number of scheduled services passengers of nearly 200,000 passengers monthly. Are all of the nearly 200,000 monthly passengers traveling just between sites on Fort Benning or are some traveling to remote sites? How many, if any, of the 200,000 monthly passengers are traveling between Fort Benning and Camp James E. Rudder, between Fort Benning and Camp Frank D Merrill, or between Camp James E. Rudder and Camp Frank D Merrill. Who provides the drivers for the nearly 200,000 scheduled services passengers monthly identified in TE 5.2? Are they all military drivers?	Yes, the estimate is specific to FBGA with the contractor providing the drivers.
Ex-51	TE 6.012 thru 6.015	The Technical Exhibits provide number of work orders and the pieces of equipment, but it does not provide the level of maintenance. Please provide detailed the maintenance level of effort for the equipment (Field or sustainment) for the Technical Exhibits.	Approximately 95% of the work is Field level, see "note" added to TEs 6-012 - 6015 in Amendment 0005.
Ex-52	TE 3-004 SASMO System	The TE does not list the system(s) to be used for property accountability (PBUSE, DPAS, or other)? Which Government system will be used for property accountability?	PBUSE is required as per PWS paragraph 3.1.5
Ex-53	TE 2-001 Logistics Support Element, Item 6	In item 6, the Government states "Global Command and Control System-Army - plan and develop timelines for the training and execution of GCCS-A fielding to FBGA installation and customer units (FY14)." Did the Government intend to reference the Global Combat Service Support System-Army (GCSS-A)? In other words, The GCSS versus the GCCS? It is our understanding that the contractor would be greatly involved in the GCSS (workload for the contractor) and not in the GCCS (no workload for the contractor).	GCSS-A is the correct system.
Ex-54	Tech Exhibit 6-013 and site visit	TE 6-013 shows WO#/Pieces of Equip: Tactical wheeled 405/405, buses 66/66, combat veh 188/188 yet during the site visit no combat veh were in any maintenance shop or parked in awaiting area other than M-88s. Are combat veh maintenance done at another shop not shown during the site visit or is combat vehicle not done on the contract?	The site visit gave you an indication of what was on the ground on one particular day. There are no other LRC shops.
Ex-55	Exhibit B, TE 2-001	Exhibit B, "TE 2-001" is mentioned and supplied. Where does it apply in the PWS as there is no reference we can find?	TE 2-001 was deleted in Amendment 0005.
Ex-56	Exhibit B, TE 2-001	Is it the government's intention that the offeror should staff and price this?	TE 2-001 was deleted in Amendment 0005.

Ex-57	TE 3-005, Ft. Benning External SOPs, Paragraph 8	Paragraph 8 in TE3-005 issued with Amendment 3 includes the SOP for operations of the CONUS Replacement Center (CRC); however, no workload data has been provided. Is the contractor responsible for CRC support operations and will workload data be provided?	The contractor is not responsible for CRC support Operations.
Ex-58	CIIP section of TE 4-003 Supply Workload Data. Semi-inventory Adjustment Reports (IAR)	The workload data for processing IAR's was not provided. Does the information exist or should we assume this is not being performed at the CIF? Is the workload data provided in another document?	Inventory Adjustment Reports shall be completed in accordance with 735-5, AR 710-2 and DA PAM 710-2-1.
Ex-59	General: Solicitation Files, Attachments, Exhibits and CDRLS	Upon review of the Attachments, Exhibits and CDRLS for the solicitation, the following A/E items appear to be missing: TE 4-002, TE 4-007, TE 4-010, TE 4-011, TE 4-017, TE 4-020, TE 4-021, TE 4-023, TE 5-001, TE 5-004, TE 5-005, TE 5-006, TE 5-007, TE 5-010, TE 5-011, TE 6-001, TE 6-002, TE 6-003, TE 6-004, TE 6-005, TE 6-006, TE 6-007, TE 6-008, CDRL IMD-02, CDRL IMD-03, CDRL IMD-06, CDRL PM-10, CDRL PM-21, and CDRL PM-22. Please confirm that these Attachments/Exhibits do not exist for this solicitation.	TE 5-004 was added in Amendment 0005 CDRL PM-10 was added in Amendment 0006. The remaining items do not exist.
Ex-60	Te 3-003 & TE 5-002	The number of personnel required to run the DOL appears to be significantly less than experience indicates. For example, TE 3-003 indicates a large number of buses that have no corresponding workload in TE 5-002. Will the Government provide additional workload data to clarify?	TE 3-003 is the Government Furnished Vehicles listing. TE 5-002 is the Transportation Workload Data for the requirement.
Ex-61	TE 3-004 SASMO System	Is the contractor required to provide full SASMO support to all listed systems, to include SCP/ICP deployment; customer assistance office (CAO) support; and functional, technical, and training support?	Refer to TE 3-004 and PWS paragraphs 1.11.1 - 1.11.5 for the full requirement.
Ex-62	TE 4-003 Supply Workload Data Format	Please confirm that rows 67-83 and rows 85-91 should be blank in column A of this exhibit.	Please refer to updated TE 4-003 of Amendment 0005 for the workload requirements.
Ex-63	TE 4-003 Supply Workload Data Format	Please confirm that the data in rows 67-83 is workload supporting SARSS II work and Bulk Fuels, respectfully. Please confirm.	Please refer to updated TE 4-003 of Amendment 0005 for the workload requirements. Refer to PWS paragraphs under 5.11 and 5.16 for SARSS requirements.
Ex-64	Exhibit AB, TE 4-028	TE 4-028, "Supply Services Hours of Operations", does not provide the average number of customers on Sunday; will the government provide?	This number could be any number between 50 and 150. The customers are the redeployment personnel that fly into Atlanta and the Government transports to Fort Benning on Commercial buses. Sunday is when the customers turn-in their OCIE to CIF.

CDRL Questions			
Question #	RFP Reference	QUESTION	ANSWER
CDRL-1	CDRL-CD-02, CDRL-CD-03, CDRL-CD-04, CDRL-CD-05.	We note that the IPMR report is included in CDRL-CD-02, CDRL-CD-03, CDRL-CD-04, CDRL-CD-05. This is typically a Earned Value Management System (EVMS) requirement. Please confirm that this CDRL is required in which case the bidders will need to include costs for an EVMS department.	Normally, efforts of this size are required to implement and report EVMS data; however, due to the nature of the services provided under EAGLE and Fort Benning in particular, a waiver of the full EVMS requirement has been granted. The CDRLs identified in the RFP will be required in lieu of the full EVMS. The CDRLs are Not Separately Priced (NSP)
CDRL-2	CDRL PM-10	We noted that PM-10 External SOP was excluded from the listing. Is the intentional on the Government's part?	Please refer to Amendment 0003, Exhibit CC - TE 3-005 Fort Benning External SOPs
CDRL-3	CDRLs	Please confirm that if the Government does not provide acceptance of the CDRL items within the approval timeframe identified on each CDRL document, then the CDRL is deemed accepted. This will eliminate any confusion on what deliverables have been accepted.	This is not correct. When a CDRL is approved the contractor will receive written notice from the Government.

CDRL-4	CDRL PM-09, Block 12 and PWS, Attachment 001, page 16, Para 1.6	PM-09 States in part ..."Draft with proposal. The Government will review and approve the draft copy within 15 days after phase-in begins." PWS States in part..."The contractor shall provide the complete Quality Control Plan no later than 30 calendar days after start of work for Government review and approval." Question 1: Is the draft Quality Control Plan outside the page count? Question 2: In which section of the proposal does the government want the draft Quality Control Plan. Question 3: How will the QCP be evaluated?	The Quality Control Plan is a CDRL (PM-09) required from the successful contractor after contract award.
CDRL-5	CDRL PM-09 (DD Form 1423) and PWS 1.6.1 (Section C-2 page 16), RFP Section L.4.2 (pages 52 & 53)	The submittal dates are confusing between the CDRL form and PWS text. Please Clarify. CDRL form (DD Form 1423) says "Block 12 – Draft with proposal. The Government will review and approve the draft copy within 15 days after phase-in begins " Section L make no mention of submitting a Draft QC Plan with the proposal. Also PWS 1.6.1 says "The contractor shall provide the complete Quality Control Plan no later than 30 calendar days after start of work for Government review and approval" these various dates inconsistent. Also please clarify if a Draft QC Plan is to be submitted with the proposal and if it is we request an extension.	Please refer to revised CDRLs in Amendment 0005. The Quality Control Plan is a CDRL (PM-09) required from the successful contractor after contract award.
CDRL-6	CDRL PM-16 (DD Form 1423)	Block 12 in CDRL just says "30 days after contract.", it is unclear if this is 30 days after contract award, Contract start date, or contract transition start date, all are different. Please clarify.	Please refer to revised CDRLs in Amendment 0005
CDRL-7	CDRL PM-17 (DD Form 1423)	Block 12 in CDRL just says "30 days after contract.", it is unclear if this is 30 days after contract award, Contract start date, or contract transition start date, all are different. Please clarify.	Please refer to revised CDRLs in Amendment 0005
CDRL-8	CDRL PM-14, Block 16	The Block 12 instructions say the draft copy is due "within 30 days of contract performance start date" and the final copy is due "on contract performance start date." Is the draft copy due 30 days prior to contract performance start date?	Please refer to revised CDRLs in Amendment 0005
CDRL-9	CDRL PM-16, Block 16	The Block 12 instructions say the first report is due "30 days after contract." Is the report due 30 days after contract award or contract performance start date?	Please refer to revised CDRLs in Amendment 0005
CDRL-10	CDRL PM-17, Block 16	The Block 12 instructions say the first report is due "30 days after contract." Is the report due 30 days after contract award or contract performance start date?	Please refer to revised CDRLs in Amendment 0005
CDRL-11	CDRL- PM-09 Quality Control Plan, Page 1, Block 16	Block 16 of CDRL PM-09 Quality Control Plan states "Block 12 – Draft with proposal.". Question: Is the offeror required to provide the draft QC Plan with our proposal submission? There is not a requirement in Section L or Section M for submission of a draft QC Control Plan. If required is there a page limit for the plan and should this be submitted under the "General Documents" heading? Please clarify this requirement.	The Quality Control Plan is a CDRL (PM-09) required from the successful contractor after contract award. There is no page limit for CDRLs.
CDRL-12	CDRL PM-02 - Personnel Qualification/Certification Report	Block 12 states, "Draft copy shall be submitted 15 days after contract performance start date. Govt will review and approve the Draft copy within 15 days. Final copy, with changes in response to Govt comments, shall be submitted on contract performance start date." Will Government please provide correct due dates for Draft and Final reports?	Please refer to revised CDRLs in Amendment 0005
CDRL-13	CDRL PM-17	Would the Government please clarify when PM-17 Occupational Health Hazard Plan is submitted? Block 12 states only, "30 days after contract."	Please refer to revised CDRLs in Amendment 0005
CDRL-14	CDRL PM-25	PM-25 OPSEC Plan states the draft is due 90 days after contract award. The Phase-In is 60 days. Does the Government intend to have the plan submitted prior to or after contract start date?	Please refer to revised CDRLs in Amendment 0005
CDRL-15	PWS; C-2/6; 1.3.2.4	CDRL PM-02 is called Personnel Qualification and Certification Report. However, CDRL PM-02 is called Project Manager Designation on page C-2/11; 1.4.5	Please refer to revised CDRLs in Amendment 0005
CDRL-16	PWS; C-2/12; 1.5.1	CDRL PM-08 is called Security Plan. However, CDRL PM-08 is called Contractor Security Plan on page C-2/16; 1.5.12.2	Please refer to revised CDRLs in Amendment 0005

CDRL-17	Fort-Benning CDRL PM 17 Occupational Health Hazard Plan, Blocks 12 and 16	Block 16 states the first submission is "30 days after contract." Is this contract award or contract start?	Please refer to revised CDRLs in Amendment 0005
CDRL-18	Fort-Benning CDRL PM 09 Quality Control Plan, Blocks 12 and 16	Block 16 states the first submission of the Quality Control Plan is "draft with proposal." Section L does not appear to require a draft Quality Control Plan. Please clarify.	Please refer to revised CDRLs in Amendment 0005. The Quality Control Plan is a CDRL (PM-09) required from the successful contractor after contract award.
CDRL-19	Fort-Benning CDRL PM 16 OSHA 300/OSHA 300A Reporting, Blocks 12 and 16	Block 16 states the first submission is "30 days after contract." Is this contract award or contract start?	Please refer to revised CDRLS in Amendment 0005
CDRL-20	Exhibit K - PM CDRLs	There is inconsistency and resulting confusion between the terms "after transition-in begins," "after contract performance start," "after contract award date," and "after contract start date." Will the Government define each of these terms, along with "start of work," so offerors can properly sequence the deliverables?	Please refer to revised CDRLs in Amendment 0005
CDRL-21	CDRL PM-17, Block 12	Block 12 indicates date of submission is 30 days after contract. Does this refer to contract award or contract start date?	Please refer to revised CDRLs in Amendment 0005
CDRL-22	CDRL PM-25, Block 12	Block 12 indicates the draft copy is submitted NLT 90 Calendar days after contract award date with the Govt reviewing the draft copy within 15 days after transition-in begins. When is the OPSEC Plan due to the Govt?	Please refer to revised CDRLs in Amendment 0005
CDRL-23	Section C-2, Paragraph 1.8	The Draft submission of the Safety Plan indicates "Draft copy shall be submitted 30 days before contract performance start date." Should this be changed to read "30 days after contract award" or "30 days prior to the start Base Year start date"?	Please refer to revised CDRLs in Amendment 0005
CDRL-24	CDRL PM-04	Did the Government intend to number the Contingency Plan PM-0 (on the CDRL) or as listed in the file name as PM-04?	This should read PM-04.