

Topic	RFP Reference	Question	Response
Att - 01	Attachment 0002	The Staffing-Labor Matrix shows the Labor Category for WD positions. As there is a CBA, should not the Matrix reflect those positions or should the Contractor add all the CBA positions under **Additional Labor Category** ?	The labor categories provided in Attachment 0002 are provided for reference only. Offerors will need to submit with labor categories applicable to their approach for fulfilling the PWS requirements.
Att - 02	Attachment 0005 - Cost-Price Matrix	All cells appear to be protected. Question: Would the government please unprotect the cells?	The Offeror shall populate the highlighted blue cells which are not protected.
Att - 03	Attachment 0007 - Fort Lee DOL CBA	Attachment 007 contains the Collective Bargaining Agreement between Genco Infrastructure Solutions, Inc. (GIS) and Transport Workers Union of America, AFL-CIO. Is there a similar agreement between Dellew Corporation and either the Transport Workers Union of America, AFL-CIO or another unnamed union for their work at the Central Issue Facility?	No.
Att - 04	Attachment 0007 - Ft. Lee DOL CBA, Page 22, Schedule A, Wage Schedule	Will the Government separate DOL labor categories listed in the CBA?	No.
Att - 05	Solicitation W52P1J-12-R-0114, Attachment 7, Collective Bargaining Agreement (CBA)	Does the wage schedule included as "Schedule A" on page 30 of the CBA depict all job classifications currently employed under the GENCO contract?	The CBA provides information as to those positions covered under the CBA. Those positions not under the CBA fall under the Dept. of Labor Wage Determination provided as Attachment 0010.
Att - 06	Solicitation W52P1J-12-R-0114, Attachment 0007, CBA and Attachment 0010, SCA	The government provides the referenced attachments to assist in cost estimates. Is it the government's intent to have the vendor price the first year of the POP using the CBA and the option years using the SCA?	The Government's intent of providing the CBA is to inform Offeror's of those positions under agreement with the Transport Workers Union of America. The purpose of providing the DOL Wage Determination is to inform offerors of the prevailing wages for positions not falling under the CBA between the incumbent and the union.
Att - 07	Attachment 0002 - Staffing-Labor Mix	To what work center or task level do we need to provide the information for the spreadsheet, e.g., at a high level by Supply, Maintenance, and Transportation functional roll up or down to the specific function task level?	Down to the specific function task level.

Att - 08	Solicitation W52P1J-12-R-0114, Attachment 0007, Ft Lee DOL Collective Bargaining Agreement (CBA)	The government has provided Attachment 0007 to support contractor cost estimates. The Wage Schedule shows a 2% increase per year thru 1 Oct 2012. Should offerors assume continuation of this 2% increase during the option years of this RFP?	It is up to the offeror to develop a realistic labor forecast for the base year PoP and subsequent options the Government may exercise.
Att - 09		Are there any positions currently not under the CBA?	Yes, there are employees not covered by the CBA. A listing of noncovered employees will not be provided.
Att - 10	Solicitation, Attachment 5 Price Matrix, CLIN0001	Does the Government expect the current contract with the incumbent contractor(s) to overlap all positions during the 60 day transition-in period? If yes, does the Government expect that the incumbent contractor will be providing union workers and management during the transition period AND that the incoming contractor will also be providing management support to facilitate the transision of personnel and systems onto the new contract?	No, the successful offeror will not begin full performance until completion of the 60 day transition. The successful offeror will be required to ensure a complete and successful transition within those 60 days in coordination with the encumbent.
Att - 11	Attachments 0001 and 0007	1. Does Attachment 0007 Ft. Lee DOL CBA cover all positions currently operating under this contract? 1a. What positions are not covered by the CBA? 1b. What PWS elements are not covered by the CBA? 1c. Does the SCA apply to positions not covered by the CBA?	It is up to the offeror to determine it's approach and proposed labor categories. It is possible to have a contract employee that is covered by the SCA but not the CBA.

Att - 12	RFP, Page 58, M.4.3.4; Attachment 0007 and Attachment 0010	M.4.3.4. The Government will evaluate the offeror's side-by-side comparison of its proposed labor categories and applicable DOL Wage Determination or CBA labor categories/occupation code in accordance with FAR clause 52.222-41(c)(1) and 52.222-41(f). Sub-paragraph (f) of the referenced FAR clause states that "...neither the Contractor nor any subcontractor under this contract shall pay any service employee performing any of the contract work (regardless of whether or not such employee was employed under the predecessor contract), less than the wages and fringe benefits provided for in such collective bargaining agreement, to which such employee would have been entitled if employed under the predecessor contract, including accrued wages and fringe benefits and any prospective increases in wages and fringe benefits provided for under such agreement." In addition, the SCA and CBA documents require wage and benefits to be based on employment with the predecessor contractor. The evaluation criteria and the SCA Wage Determination and CBA documents appear to require the bidders to consider the seniority status of CBA and SCA covered	The Government will not provide the current personnel's length of service.
Att - 13	Attachment #0007 CBA, Page 21 and 22 and again on pages 30 and 31	The position table on page 28 and Tabel A onpages 30 and 31 of the CBA identifies at least 8 positions with "****" which page 21 and page 30 says "****" means 'Requires special technical certifications'. Yet no where in the CBA does it identify what the technical certification are and who issues them. Please clarify	Offeror's shall refer to the PWS to determine which requirements require licensing or certification.
Att - 14	Attachment #0007 CBA, Page 21 and 22 and again on pages 30 and 32 and Attachment #0001 PWS, Page C-5 #4 Para 5.5.2	PWS, Page C-5 #4 Para 5.5.2 specifically says "welders are qualified and welding inspectors are certified in accordance with American Welding Society (AWS) standards" yet the CBA does not have "****" on the welder position denoting special certification required. Please clarify	Not all labor categories identified in the CBA are applicable to this requirement.
Att - 15	Attachment 0007 Ft Lee DOL CBA	What are the position descriptions and responsibilities for the job titles listed in the CBA?	This information is not available.
Att - 16	Attachment 2, Staffing Labor Mix	X0001 Breaker/Switcher and X0002 Locomotive Operator are not in either the SCA or CBA lists. Are there specified SCA and CBA positions used for these two labor categories? Alternatively, are they not an SCA or CBA positions?	As stated in paragraph L.5.2.1.3 "The labor categories identified in Attachment 0002 are only provided as a sampling and should not be considered all-inclusive."

Gen - 01	General Question	What is the current Contractor Furnished Equipment?	The Government does not have access to this information. It is up to each offeror to assess and propose the CFE the believe is needed for this performance based requirement.
Gen - 02	General Question	Is work performed using overtime included in the workloads provided and if so, what is the overtime estimate for each workload area?	Overtime is included in the workload data. Cannot provide estimate of OT.
Gen - 03	General Question	Are all trucks or busses required GSA or provided by the Government?	Government provides vehicles; they are GSA leased.
Gen - 04	General Question	How many trucks are currently in use and by what type, e.g., heavy, light, box trucks, etc?	Vehicles were identified on the GFE exhibit. Trucks, with drivers, are only used when requested by the customers.
Gen - 05	General Question	Is the contractor required to provide any vehicles, e.g., vehicle for the PM or other key staff which require a vehicle for their mission; other mission vehicles such as cars, vans, or trucks?	The only facilities, vehicles, equipment, or services that will be provided for use under this contract are those listed in the Solicitation. Everything else required in the performance of this contract is to be provided by the contractor. This is a performance based service requirement. As such it is up to each offeror to determine and propose an approach to satisfy the requirements of the PWS (Attachment 0001), including any additional facilities, vehicles, equipment, and the personnel required to perform the services required. The Government will not provide any information about the current contractor's assets or operation. To do so would suggest that it is the only acceptable or the most preferred solution. This is not necessarily the case. The Government cannot mitigate any natural advantage that may accrue to a contractor by virtue of its being an incumbent. GAO has held incumbency does not constitute an unfair advantage.
Gen - 06	General Question	Have we asked the Govt or do we have negotiated job descriptions for the positions at Ft Lee?	This information is not available.

LM - 01	Solicitation Document , page 49, paragraph L.5.1.4	SECRET Facility Clearance. If the prime contractor has a facility clearance at the time the proposal is submitted, does the BOA Step 2 named subcontractors need a facility clearance at the time the proposal is submitted.	Please refer to paragraph L.5.1.4. "This SECRET level clearance requirement applies to affiliates, team members, subcontractors, etc., that will require access to classified information." The prime and any subcontractors requiring SECRET facility clearance must have clearance at the time of proposal submission.
LM - 02	RFP, L.5.1.4 page 49	Is the prime and all SUBs required to have a SECRET Facility Clearance or will it suffice if "only" the Prime has it?	Refer to paragraph L.5.1.4. "This SECRET level clearance requirement applies to affiliates, team members, subcontractors, etc., that will require access to classified information." The prime and any subcontractors requiring SECRET facility clearance must have clearance at the time of proposal submission.
LM - 03	RFP, Page 44, L-13; RFP, Page 47, L.3; RFP, Page 52, L.5.4.2.6	While L-13 allows for hand-delivery, L-3 specifies uploading via ASFI BRS. Please clarify whether L-13 permits delivery of price/cost, technical and general documents, or is hand-delivery limited to CDs from subcontractors as noted in L.5.4.2.6. In summary, the instructions related to the turn in method appear contradictory?	Proposals are required to be submitted via ASFI BRS, the exception to this are CDs with cost/pricing information as specified in the RFP.
LM - 04	RFP; page 50; L.5.3.1.3	If we do not intend to submit additional Past Performance information do we have to re-submit those past performances that were submitted (Attachment 0002) during step two	No.
LM - 05	RFP; page 57; M.4.2.1	If the Prime or any subs submit an additional past performance for consideration, will an additional questionnaire be required besides Attachment 3. If so no template was provided on the downloaded documents.	No, Attachment 0003 Performance Questionnaire is the only questionnaire required from the Offeror.
LM - 06	Solicitation Document, page 47, paragraph L.3.2	In BOA Step 2 , if a prime contractor proposed certain functional areas for a named subcontractor in attachment 0002, will the government allow that named subcontractor to perform services in other functional areas as long as the additional reference is submitted in the proposal. For Example: Company XYZ was submitted as a subcontractor for Supply and Transportation in BOA Step 2. Now for Step 3 can company XYZ provide one additional reference and be assigned to perform work in Maintenance.	An additional reference is not required for this to occur, approved subcontractors as a result of Step 2 may be utilized in any functional area.

LM - 07	FT LEE Solicitation Document, page 47, paragraph L.2.11	Instructions state that font size used shall be "No smaller than 12-point (smaller fonts are acceptable for graphics, figures, tables, footnotes and legends)". Because no minimum font size is specified, can the Government specify a minimum size of 8 point font for graphics, figures, tables, footnotes and legends, as this is typically the smallest sized font that allows for readability?	No, as this information in graphics, figures, tables, footnotes, and legends is to supplement information found in the narrative - it does not replace lanaguage which should be found in the narrative.
LM - 08	Solicitation Document, Page 48, Paragraph L.4.2.2 (i)	Please clarify the total number of pages for the Mission Capability section in the technical. At L.4.2.2 (i) it states "Mission Capability Narrative (7 pages Narrative; 2 pages Transition-In Plan; 2 pages Mission Essential Contractor Services Plan. Page limits excludes cover page; table of content; glossary of abbreviations and acronyms)." Does the 7 page total for the narrative include the 2 pages for the Transition-in Plan and 2 pages for the Mission Essential Contractor Services Plan, or are these in addition to the 7 page total?	As stated in L.4.2.2: 7 pages are allowed for the Narrative; 2 pages are allowed for the Transition-In plan; and 2 pages allowed for the Mission Essential Contractor Services Plan.
LM - 09	W52P1J12R0114.pdf, Page 48, Paragraph L.4.2	In paragraph L.4.2 there is a sentence that states "The following is a listing which portrays all the documents that shall be included with the Offerors proposal and their page limits." Does that mean that each proposal volume will have more than one document or can all documents be merged together as one?	Offerors may choose to combine documents into one file for upload (i.e., all general documents i. through vii.; however, Offerors should pay attention to the ASFI BRS file upload limitations as noted in the RFP. Offerors should not combine files (i.e., merge General Documents under L.4.2.1 with Technical documents under L.4.2.2).

LM - 10	W52P1J12R0114.pdf, Page 47, Paragraph L.2.8	In paragraph L.2.8, the first sentence states "Digital file names shall include the respective Offeror name and file name from paragraph L.4 below, i.e. Offeror_Name_Attachment_0001.xlsx." It is understood how to name the attachments, but the confusion is with naming all the documents that shall be included with the Offerors proposal. Please help.	An Offeror should submit files with digital names that communicate the company and file name. For an example only, a company could submit all documents in one file for L.4.2.1 General Documents titled "CompanyA_GeneralDocuments.pdf". They could also break them up by document while maintaining the company name and the file in which it belonged: CompanyA_GenDocs_SF33(1of2).pdf ; CompanyA_GenDocs_SF33(2of2).pdf; CompanyA_GenDocs_SectI.pdf ; CompanyA_GenDocs_SectK.pdf ; CompanyA_GenDocs_ASSISTPOCs.doc; CompanyA_GenDocs_LOCs.pdf ; CompanyA_GenDocs_SecClearance.pdf; CompanyA_GenDocs_BusSys.pdf
LM - 11	Solicitation W52P1J-12-R-0114, Page 53, para L.5.4.3.7	Dellew has not entered into a Collective Bargaining Agreement. Does the side-by-side requirement apply to the CIF portion of the contract that is currently operated by Dellew?	As stated at L.5.4.3.7 The offerors shall provide a side by side comparison detailing all proposed labor categories that are applicable to the Service Contract Act and either the Section J Attachment 0010 Department Of Labor Wage Determination 13-JUN-2012 or Attachment 0007 Ft. Lee DOL Collective Bargaining Agreement labor categories/ occupation code. This is inclusive of the CIF portion.
LM - 12	RFP, Page 43, L-10; RFP, Page 50, L.5.2.1.1.3	The Government requests a written plan be submitted by the contractor with its offer regarding performance of essential contractor functions during emergencies as listed in Attachment 0007. Please clarify whether is plan is in addition to the two-page narrative required in L.5.2.1.1.3, and if so, whether it has page limits.	L-10 252.237-7024 incorrectly referred to the Mission Essential Contractor Services as Attachment 0007. As indicated in RFP Section J, The Mission Essential Contractor Services is provided as Attachment 0006 -- see Amendment 0002. The page limit for the Mission Essential Contractor Services Plan is 2 pages -- see paragraph L.4.2.2.i.

LM - 13	Page 2 of 58 (Paragraph L.5.4.3.5.1) vs Page 12 of 58 para. d)	<p>Can you further clarify the relationship between these two portions of the RFP:</p> <p>Page 2 of 58 reads "A 'major subcontractor' is defined as a proposed subcontractor expected to perform in excess of 20% of the total value of the contract or whose performance is considered critical. For purposes of this Task Order RFP, major subcontractors are not considered those teammates identified in the Offeror's BOA Attachment 0002 - Team Arrangement. Note: Paragraph L.5.4.3.5.1 requires Offerors and ALL proposed teammate(s) and ALL proposed subcontractor(s) (regardless if they are major subcontractors or not) to provide cost information for this requirement."</p> <p>Page 12 of 58 para. d) says, "Step Two Offerors were required to demonstrate the capability to perform all three functional areas. That capability may have been achieved with or without teammates. Any approved teammates listed in the Offerors Attachment 0002 - Team Arrangement, may be utilized to perform any of the functions in Step Three. The Government will verify that the Offeror's proposal includes approved teammates by comparing the Offeror's proposal to their BOA Attachment 0002 - Team Arrangement."</p> <p>It seems that we are allowed to use subcontractors that were not part of Step 2 in the first instance, but may not (and, in fact, must</p>	<p>An Offeror's BOA Attachment 0002 - Teaming Arrangement informs offerors of whom they may propose for what functional area. For example, an Offeror who was able to demonstrate capability without the inclusion of teammates in Step 2 is allowed to propose subcontractors in Step 3 for all three functional areas. Offerors should refer to their BOA Attachment 0002.</p>
LM - 14	L.5.4.2.6, page 52	<p>Could the government publish it's holiday schedule to allow timely delivery of the CD with cost information from teammates.</p>	<p>The Government is closed 24 Dec 2012 and 25 Dec 2012 for the Holiday and reopens 26 Dec 2012.</p>
LM - 15	Solicitation Document, Page 57, Paragraph M.4.2.1	<p>In M.4.2.1 it states that "The Government intends to assess the Contract Reference Worksheets provided in the Offerors Step Two BOA proposal" may offerors include the Contract Reference Worksheets from Step Two with our proposal for this solicitation?</p>	<p>There is not a requirement in this RFP for Offerors to resubmit information they have already provided to the Government.</p>

LM - 16	Solicitation, Page 48, Section L.4.2.2(i)	Does the 7 pages of mission capability narrative include the 2 pages of transition plan and 2 pages of Mission Essential Contractor Services or is it separate (i.e. total of 11 pages)?	The Mission Capability Narrative has a total page limit of 11 pages (7 pages for Narrative; 2 pages for Transition-In Plan; 2 pages Mission Essential Contractor Services Plan)
LM - 17	Solicitation, Page 48, Section L.4.2.3 (ii)	Does the Government want new contract references in EAGLE BOA Proposal contract reference attachment 0002 format or is there a difference format requirement for the addition of a contract reference?	Offeror's are required to provide information outlined in paragraph L.5.3.1.4 when submitting an additional contract reference. There is no required format for this information.
LM - 18	Solicitation, Page 48, Section L.4.2.3 (ii)	The EAGLE BOA contract reference was word count limit was 400 words. The limit given in the task order is 100 words. Do the offerors need to change their contract references originally submitted with the BOA proposal to conform to 100 words?	No, Offerors do not need to change their contract references provided in Step Two. There is no requirement for the Offeror to re-submit that information. Offerors are afforded the opportunity to provide up to one additional reference for itself and each proposed teammate or major subcontractor but are not required. Paragraph L.5.3.1.4.v requires a brief narrative (up to 100 words) of how and why the reference is relevant.
LM - 19	Solicitation, Page 48, Section L.4.2.3 (ii)	The EAGLE BOA contract reference was word count limit was 400 words. The limit given in the task order is 100 words. Can the word count be changed to 400 words?	No. See LM -18.
LM -20	Solicitation Page 49, Section L.5.1.3	Do offerors need to submit consent letters for the contract references that were submitted with the BOA proposal or is this requirement for new past performance submissions only?	This requirement was updated in Amendment 0002, see paragraph L.5.1.3. The Offeror shall provide a consent letter for each major subcontractor and teammate using the Letter of Consent template provided in Attachment 0004.
PWS - 01	PWS, Section C-1, Paragraph 1.7	Please confirm that the Contractor will be entitled to perform an Environmental Baseline Review during the transition?in period and any issues or correction will be addressed and corrected by the COR/CO prior to the start of the base period.	This is correct.
PWS - 02	Attachment 0001 - PWS, Section C-1, Page 8, Paragraph 1.4.1	Are there any specified shifts and if so, in what areas?	Standard duty hours for DOL activities will be 0730 to 1600. However, other shifts and overtime will be required IAW mission requirements.

PWS - 03	PWS Section 5, Page 4, Paragraph 5.4.2.4	Para 5.4.2.4 states in part, "The contractor shall maintain and modify, as required, Fort Lee Installation emergency vehicles (e.g. police, fire, medical) by providing the proper number of Automotive Society of Engineers (ASE) and Emergency Vehicle Technician (EVT) certified personnel ..." Request clarification: Is this asking for an Automotive Service Excellence (ASE) certification (for servicing equipment) or a Society of Automotive Engineers (SAE) member (who develops technical standards)?	This is asking for ASE and EVT certified staff for servicing equipment.
PWS - 04	Solicitation W52P1J-12-R-0114, PWS, para 5.1.3.1	The paragraph specifies that the contractor will insure recovery efforts will begin no more than one hour after notification. If our proposal chooses to contract this support to an outside towing company, will this be an acceptable ODC?	Per L.5.4.3.4 on ODC's, subcontractor labor is excluded.
PWS - 05	Solicitation W52P1J-12-R-0114, PWS, para 5.3.6	The paragraph specifies that contractor security system personnel shall be available for service calls 24/7. Response time is within 1 hour during normal duty hours and 2 hours after duty hours. If our proposal chooses to contract this support to an outside repair company, will this be an acceptable ODC?	Per L.5.4.3.4 on ODC's, subcontractor labor is excluded.
PWS - 06	Attach 0001 PWS, Section C-1, page 12, Para.1.5.3.1	Classified Storage - This speaks to classified storage, but the is nothing on the DD254 referencing this. Will the Government sponsor the contractor, if storage is required?	Yes
PWS - 07	PWS, Section C-5, Page 6, Paragraph 5.7.2	Due the recency of the GCSS-A fielding, will the Government provide training on GCSS-A?	Since the GCSS-A has already been fielded there will be no Gov provided training for the contractor.
PWS - 08	PWS 1.2.2.1 and CDRL PM-26	The PWS states that the Key Positions are due upon contract award but the CDRL states that they are due NLT 10 days after the start of transition. Which one is correct?	Both are correct. Key positions resumes (CDRL 26) are due 10 days after transition start date. List of all key personnel is due upon contract award (PWS para 1.3.2.1)

PWS - 09	PWS Section C-1, Page 22, Paragraph 1.10.13	The paragraph indicates that the contractor will need to provide custodial services for the areas assigned to it. Please provide approximate square footage of areas to be cleaned and the number of rest rooms and break areas to be maintained along with their approximate square footage.	Basic custodial services are provided - contractor will not need to provide custodial services.
PWS - 10	PWS Section C-5, Page 7, Paragraph 5.9	This paragraph requires the contractor to "...maintain a technical reference library capability in accordance with AR 25-30 and DA PAM 25-30 that is adequate to support management and technical requirements of all materiel maintenance functions." Will a similar Technical Library with the same data be made available to the bidders either during or after the site visit?	Current Technical library will be turned over to new contractor.
PWS - 11	Performance Work Statement; page Section C-1, page 23, 1.11.5	The contractor shall provide one MA certified systems administrator. What doe MA stand for?	Microsoft Administrator.
PWS - 12	PWS, Section C-1, Page 23, Paragraph 1.11.5	If the Government is providing all required operational support to government furnished ADPE, systems, telecommunications, and networks, then why is there a requirement for a systems administrator?	Requirement is to add SCPs to logistics STAMIS, document changes are networky, etc.
PWS - 13	PWS, Section C-1, Paragraph 1.10.11	PWS, Section C-1, Paragraph 1.10.11	See Gen-05
PWS - 14	Attachment 0001 - PWS, Section C-5, Page 2, Paragraph 5.3.3	Will the Government please clarify this paragraph, e.g., what is the specific workload, what is the frequency, and what is the magnitude of this task? Further definition and information is required in order to develop a cost for this task.	For each work order, there is a defined turn around time based on the priority of the work order as outlined in AR 750-1; however, when performing repairs on LBE, Reset, etc. equipment, the turn around time varies based on the program which usually does not correspond with the TATs in AR 750-1.
PWS - 15	PWS, Para 5.26.1, page 48	In PWS paragraph 5.26.1, Movement Control Team (MCT), there is a reference to TE 5-006 Workload data. In Exhibit C Transportation workload data there is no workload for this area and TE 5-006 was not provided with the RFP. Question: In order to properly staff the MCT PWS requirement we need past workload data. Please provide TE 5-006 or other workload data for this PWS paragraph.	The MCT will consist of one Government person and contractor staff to operate RTCH.

PWS - 16	PWS Section 5.3.4, p C.5-3	The Government requires the potential of lead maintenance personnel at on-site unit maintenance facilities. For purposes of providing defined parameters that all bidders may evaluate and propose equally on, would the Government give guidelines on the staffing level at which it believes such lead personnel will be required?	No
PWS - 17	PWS Section 5.4.2.1, p. C.5-4	Are load testing weights for supported equipment testing provided by the Government as GFE, or will the Contractor be required to provide such weights as part of its Other Direct Costs?	GFE
PWS - 18	PWS Section 5.14.8, p. C.5-25 and P. C.5-40	The former reference states that the Materials Distribution and Supply Services section will ensure that repairs are performed on forklifts and associated equipment, while the latter states that this section will perform repairs and scheduled preventive maintenance. Is it the intent of the Government that the Installation Supply Division maintain its own repair shop for repairs for forklifts, and if so, will the Government provide an estimated workload for performing such repairs and maintenance under this section?	The Supply Division is responsible for scheduling and ensuring repairs and preventive maintenance on forklift fleet and associated equipment on site and in shop is performed.
PWS - 19	PWS Section 5.15.5.1, p. C.5-25 and C.5-41	The Government has provided workload in terms of volume of fuel received and issued; however, no workload has been provided in terms of the number of fuel receipts and issues, which also affects staffing requirements. Will the Government provide an estimated workload in terms of the number of fuel receipts and issues?	No
PWS - 20	PWS Section 5.16	The Government has provided workload in terms of the number of issues, receipts and turn-ins of ammunition; however, workload in terms of the volume of issues, receipts and turn-ins of ammunition is not included. For purposes of evaluating and proposing suitable staffing, will the Government provide volume of issues, receipts and turn-ins of ammunition?	No
PWS - 21	PWS Section 5.23	For purposes of evaluating and proposing suitable staffing, is it the responsibility of the Contractor to perform track repairs and remove foliage/debris, or only to coordinate such activities twice per month? Is it the responsibility of the Contractor to perform annual track inspection and certification?	Contractor is not responsible for track repairs, inspection and certification.

PWS - 22	PWS, page 61, para 3.6.3	Will the government provide all necessary equipment to perform the ASP operations, such as forklifts, pallet truck, pallet lifts, etc.?	Yes
PWS - 23	PWS, page 96, para 5.16.1 Ammunition Turn In	Will the government provide QASAS support for the inspection and condition coding of munitions, residue, and components during the turn-in process?	Yes
PWS - 24	PWS, page 96, para 5.16.1 ASP Functions	Is the government providing all of the materials and supplies to support the operation and ASP activities, to include lumber, nails, banding steel, seals, etc.?	Yes
PWS - 25	PWS, page 96, para 5.16.1 Inventory	What is the current inventory?	Inventory fluctuates.
PWS - 26	PWS, page 96, para 5.16.1 Inventory	Is the inventory being assisted by LMP, radio frequency tags, or any other types of electronic readers or transmitting equipment that will be turned over to the contractor?	Yes
PWS - 27	PWS, page 96, para 5.16.1 Fire Mitigation / Prevention	Does Fort Lee provide fire protection, i.e. deluge systems, in the ammunition maintenance areas?	Yes
PWS - 28	PWS, page 96, para 5.16.1 ASP Operations	Will the government provide the necessary hand tools, i.e. stretchers, crimpers, etc. peculiar to the ammo operations?	Yes
PWS - 29	PWS, page 113, para 5.16.1 Demil Selected Ammo Residue	Is the government providing any equipment to support the demilitarization process?	If there is a requirement, the Government will provide the necessary equipment.
PWS - 30	PWS, page 113, para 5.16.1 Demil Selected Ammo Residue	Will the contractor be required to demilitarize any types of live ammunition or components?	No
PWS - 31	PWS, page 96, para 5.16.2 SAAS-MOD / TAMIS	Will the government provide all necessary computers and programming to access and operate the SAAS-MOD / TAMIS systems?	Yes
PWS - 32	PWS, page 96, para 5.16.2 SAAS-MOD / TAMIS	Will the government provide all SAAS-MOD and TAMIS system upgrades?	Yes
PWS - 33	PWS, page 96, para 5.16.1 ASP Operations	Will the government provide all necessary forms, storage cards, and placards for the ASP operation?	Yes
PWS - 34	PWS, page 96, para 5.16.1 ASP Operations	How many computers and administrative equipment is the government providing for the planning activities at the ASP?	All GFE has been identified.
PWS - 35	PWS, page 96, para 5.16.1 ASP Operations	Will internet access be provided?	Yes, for official use only.

PWS - 36	PWS, page 96, para 5.16.1 Employee Training AMC Reg 350-4	Would an equivalent in-house training program for employees be acceptable to the government (approved by QASAS Office) for ASP employees at Fort Lee?	No
PWS - 37	PWS, page 14, para 1.4.1 hours of Operation	Will the ASP operate during normal business hours or will it be required to operate out-side of normal hours?	Typically the ASP will be operated during normal duty hours; however, ASP operations may be required outside of the normal duty day. Advanced notice of operations required outside of these hours will be provided as early as possible.
PWS - 38	PWS, Section C – 6 Page 48, para 5.23 Rail Operations	Is there a requirement for Rail operations? In spite of the inactivation on 15 Sept 12 of the 49th QM Group and the 530th CSSB Bn.	Yes
PWS - 39	PWS Section C-1 page 7 para 1.3.12; Section 5.1.4.2	Are the Weapons and Electronics repair facilities combined or collocated?	No
PWS - 40	PWS Section C-5 page 3 para 5.4.2.2	What type of air conditioning / refrigeration maintenance / repair services are conducted and where are they conducted?	In maintenance shop on vehicles
PWS - 41	PWS Section C – 5 Page 1 para 5.1; Section C – 5 Page 2 para 5.2; Section C – 5 Page 4 para 5.5	Are tactical and commercial equipment repaired in the same facilities?	Yes
PWS - 42	PWS Section C – 5 Page 6 para 5.7; Section C – 5 Page 7 para 5.8	Are the Maintenance Production Control and Shop Supply stand alone organizations within Maintenance and what are their designations?	Part of the maintenance operations - administration & supply functions for maintenance.
PWS - 43	PWS Section C – 5 Page 5 para 5.5.9	Is the tire changing operations separate or collocated with the maintenance section?	In maintenance shop
PWS - 44	PWS Section C – 5 Page 5 para 5.5.9	Does the tire changing operations have a tire cage?	No
PWS - 45	Attachment #0001 PWS, Section C-5 page 26, Paragraph 5.16 thru 5.16.6 and Attachment #001 PWS, Section C-1 page 13, paragraph 1.5.5	It is unclear if the LSS Contractor has to provide physical guard security 24/7-365 for the ASP. Does the LSS contract provide this ASP guard security or is it provided by another contractor/Army personnel as alluded to in PWS paragraph 1.5.5? Please clarify.	No

PWS - 46	Attachment #0001 PWS, Section C-5 page 4, Paragraph 5.5.4	Please specifically clarify the level of expertise, education required by the statement " perform prototype design" is this a degreed engineering task? Please clarify the level of design work anticipated and any education and profession certifications or experience requirements to meet the expected design work requirements.	This requirement is for basic fabrication and does not required an engineering degree or certification.
PWS - 47	PWS, multiple pages and paragraphs, primarily in Section C-5 para 5.1 thru 5.9 and Slide 10 of the Program Overview Briefing slides	Para 5.1 through 5.9: Nowhere within the MMD portion of the PWS or the associated PRS is there mention of a requirement to provide range maintenance, however it is listed as one of the requirements on slide 10 of the Program Overview Briefing slides presented during the site visit. Please clarify the nature of this requirement.	Although not specifically called out in PWS or Workload data, it is included as repair services.
PWS - 48	PWS, Section C – 5 Page 2, para 5.3.4	Para 5.3.4 addresses contractor requirements for providing maintenance support teams to unit maintenance facilities. Please provide the historical frequency and duration of visits.	This information is not available.
PWS - 49	PWS, Section C – 5 Page 3, para 5.4.2.2	Para 5.4.2.2 requires the contractor to perform all air conditioning & refrigeration maintenance/repair services. Should the contractor presume this is limited to automotive type repairs only, or does this include fixed equipment within installation facilities? If the latter, will the government provide the amount of fixed equipment and facilities requiring this service?	Automotive type repairs only.
PWS - 50	PWS, Section C – 5 Page 6, para 5.7.1	Para 5.7.1 requires the performance of shop supply functions. How many line items are currently managed as shop stock items? How many bench stock items are maintained within the shops?	Information is not available
PWS - 51	PWS, Section C – 5 Page 23, para 5.13 and and Slide 9 of the Program Overview Briefing slides	Para 5-13: Associated CIPBO PRS identifies the requirement to process FLIPLs within specific time frames IAW various directives. FLIPLs, however, are identified on slide 9 of the Program Overview Briefing slides presented during the site visit, and are not identified as not being contracted as part of this effort. Please clarify the nature of this requirement.	The contractor is required to initiate the FLIPLs process for lost or damaged GFE in their possession. The contractor is not required to perform the FLIPLs process.
PWS - 52	PWS, Section C-3, Page 4, para 3.4	Reference states CDRL CD-07, GSA Vehicle Dispatch Record. CDRL CD-07 cannot be located in Exhibit K, L, M or N. Will the Government provide CDRL CD-07?	CDRL CD-07 is provided in Exhibit P CD CDRLs.pdf.

PWS - 53	Attachment 0001 - Performance Work Statement, PWS 5.22 Passenger Movements; PWS 5.25 Motor Pool Operations, Section C-6 page 48	C – 5 Transportation Performance Requirement Summary (PRS) has a requirement that states "Operate Buses & other Non-Tactical Vehicles," per PWS 5.25.1. PWS 5.25.1 does not address a requirement for the contractor to operate buses or shuttle services. Additionally, Exhibit C - Transportation Workload Data provides workload for Driver Supported Activities. Question: Please Clarify if Post Shuttle, Medical Support (Portsmouth/Walter Reed), Ft AH Hill, Dental Shuttle ALU/TA-27, Reserve Mission and Special Mission consisting of International Students, Officer Training, Youth Center and Tours is within the scope of the contract.	Yes
PWS - 54	Attachment 0001 - PWS, C-5 Page 24; Para. 5.14.8 Class VII Storage Yard	Please provide an equipment and vehicle density list and associated workload for the Class IV Storage Yard, PWS 5.14.8, so the contractor can accurately estimate/staff support to this area.	No workload available for the Class VII Storage yard. Additionally, there is no equipment and vehicle density list for this yard.
PWS - 55	PWS, Section C-5, Page 3, Para 5.3.6	Security System Modification & Repair. This requirement doesn't normally fall under materiel maintenance, but rather is typically handled by DPW, as part of their facility maintenance. Please confirm that we must address this requirement, or if it was mistakenly included, rather than marked 'RESERVED.'	This is a requirement.
PWS - 56	PWS - Sections C 5.15.XX	Is the HAZMAT section a 90 day accumulation point for HAZ-Waste?	HAZWASTE is an EMO (DPW) Function
PWS - 57	PWS - Sections C 5.15.XX	Who runs the Initial Accumulation Points (IAPs) for HAZ-Waste?	See PWS - 56.
PWS - 58	PWS - Sections C 5.15.XX	Is DRMO on base for HAZ-Waste turn in?	See PWS - 56.
PWS - 59	PWS - Sections C 1.4 and C 5.15.	Are there any regulations that would require a two-person team operating the POL Station?	No
PWS - 60	PWS C-5, Page 4, Section 5.4.2.3	The PWS states that Battery Maintenance Facility is reserved. Is battery maintenance facility a part of the scope of work?	There is no battery shop.

RFP - 01		Is it required for the Prime and all team members to have an ISO certification?	The contractor is responsible for achieving and maintaining compliance to ISO 9001:2008 (certification is not required). The Government retains the right to perform compliance audits throughout the contract period.
RFP - 02	Solicitation, Page 12 of 58, Paragraph 1-H d)	A subcontractor listed in Attachment 0002 decides not to participate in a Task Order. How does the government want a prime offeror to handle this situation if capability to perform the three functional areas was only achieved with teammates?	It is up to each offeror to develop the relationships and execute agreements with potential subcontractors that will ensure that it will be in a competitive posture for Step 3 proposals.
RFP - 03	Solicitation, page 12, 1-H, EAGLE Business Rules - Step Three Task Order Request, d); Attachment 0002 Team Arrangement	This section states, "Step Two Offerors were required to demonstrate the capability to perform all three functional areas. That capability may have been achieved with or without teammates. Any approved teammates listed in the Offerors Attachment 0002 - Team Arrangement, may be utilized to perform any of the functions in Step Three. The Government will verify that the Offeror's proposal includes approved teammates by comparing the Offeror's proposal to their BOA Attachment 0002 - Team Arrangement." Offerors Attachment 0002 - Team Arrangement states, "When submitting a proposal in Step Three, [redacted] may propose itself and/or the approved subcontractors listed in paragraph 2 below to perform any Maintenance, Supply or Transportation task." Based on this language, if an offeror did not demonstrate organizational capability without the reliance of teammates, do they have to bid teammates or can they self-perform the contract?	In this example, the BOA holder may propose to self perform a task order. However, this BOA holder may not propose the use of any unapproved subcontractors.
RFP - 04	General Question	Please confirm there is no union activity at Ft. Lee associated with this contract.	Not confirmed, a current CBA, currently in place, was provided as part of this RFP.
RFP	General Question	What is the anticipated award date? What date should Contractor use for pricing?	Award is anticipated for the 2013 calendar year. Offeror's should use the most current and accurate pricing they have available.

Ex - 01	Exhibit C - Transportation Workload Data, Exhibit D - Maintenance Workload Data, Exhibit E - Supply Workload Data	The workload data provided does not reference any requirements for work to be performed outside Ft. Lee, VA. Is there presently or will there be future requirements to perform work off of the installation, for example, Ft. A.P. Hill or Ft. Pickett?	All workload provided is for Fort Lee and any areas that fall within the AR 5-9 Area of Responsibility. Refer to Amendment 0002 for the inclusion of Joint Base Langley-Eustis.
Ex - 02	Exhibit A	Can the Government define the columns "User ID" and "Present CAT CD" and the codes in these columns?	The "User ID" is the customer code (DOL) and the "CAT CD" is the building category code used by DPW.
Ex - 03	Exhibit C, Medical Support	Is this buses, vans, sedans?	Bus
Ex - 04	Exhibit C, Dental Shuttle	If only 1 per week, why 2 drivers and is the requirement for bus/van/sedan?	Transportation is once a week with 2 vans
Ex - 05	Exhibit C, ALU/TA-27	Is this buses, vans, sedans?	Buses
Ex - 06	Exhibit C, Reserve Mission	How many buses/vans/sedans/drivers per day?	Various based on number of students
Ex - 07	Exhibit C, International Students	Is this 2 personnel/one trip or 2 trips ?	Approximately 2 trips monthly
Ex - 08	Exhibit C, Officer Training	How many buses/vans/sedans/drivers per occurrence (64 yearly)?	Various based on number of students but at least one bus
Ex - 09	Exhibit C, Youth Center	How many buses/vans/sedans/drivers per occurrence (18 yearly)?	1 bus
Ex - 10	Exhibit C, Tours	How many buses/vans/sedans/drivers per occurrence (12 yearly)?	Various buses/vans based on the number of personnel per occurrence
Ex - 11	Exhibit C, Unit Moves	What is the requirement for a unit move (# Containers, # Vehicles, Etc)?	Containers, vehicles, other equipment

Ex - 12	Exhibit E, Supply Workload Data	Is there a work load for the storing and issue of bulk fuel per PWS Paragraph 5.15.5.1?	No - storage is at the bulk fuel point, issue is by customers
Ex - 13	Exhibit E, Supply Workload Data	What is the definition of "Fuel Shipped" and to where?	Fuel shipped to Fort Lee for the tanks at the Fuel Dispensing Point.
Ex - 14	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	Exhibit C discusses "Driver Supported Activities", while PWS 5.25.1 does not include providing driver support for these activities. Is it the intent of the Government that the Contractor provide driver support for listed activities?	Yes
Ex - 15	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	If it is the intent of the Government that the Contractor provide drivers for activities listed in Exhibit C as "Driver Supported Activities", will the Government provide a listing of buses that will be furnished by the Government as part of the motor pool density?	Buses for the TMP are included in the GFE Technical Exhibit C.
Ex - 16	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	Are Special Missions actions dispatches of vehicles only, or do they require Motor Pool Operations to provide a driver as well?	Drivers would be required
Ex - 17	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	Does Exhibit C include recurring dispatches (e.g., driver supported activities) as a separate dispatch for each vehicle for each day used in its total dispatch count?	Yes
Ex - 18	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	Would the Government provide a listing of vehicles being dispatched by the Government as part of the activities of Installation Transportation?	All vehicles available for dispatch are identified in the GFE.

Ex - 19	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	Is it the responsibility of the Contractor to perform maintenance and repairs on GSA vehicles under this section?	No - maintenance and repairs are performed by GSA Approved vendors. Contractor will be required to transport and pick up vehicles from vendors.
Ex - 20	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	If it is the responsibility of the Contractor to perform maintenance and repairs on GSA vehicles under this section, will the Government provide an estimated workload in terms of number of maintenance and repair actions for GSA vehicles?	No - maintenance and repairs are performed by GSA Approved vendors. Contractor will be required to transport and pick up vehicles from vendors.
Ex - 21	Exhibit C, Transportation Workload Data, and PWS 5.25.1, Motor Pool Operations, Section C-6, p. 48.	If it is not the responsibility of the Contractor to perform maintenance and repairs on GSA vehicles under this section, is the Contractor required to transport GSA vehicles and equipment to designated repair facilities? If so, how many work orders per year may be estimated to require the Contractor to transport GSA vehicles?	Contractor will be required to transport vehicles to/from vendors.
Ex - 22	Exhibit D, Maintenance Workload Data	Does Exhibit D does not appear to contain all items that will be assigned as part of the Motor Pool Operations in PWS 5.25.1. Is it therefore correct for offerors to assume that only those vehicles included in Exhibit D (excluding, for example, buses used for driver supported activities, as well as other Transportation Motor Pool Vehicles) are not maintained as part of Installation Maintenance Department Operations?	Vehicles included in Exhibit D will be maintained by the contractor
Ex - 23	Exhibit D, Maintenance Workload Data, and Allied Trades support, PWS 5.5 through 5.5.11, PWS Section 5, p. 4-5.	Exhibit D does not provide data regarding the workload requirements to be estimated for Allied Trades support. Most of these items cannot be accurately estimated through an equipment density listing, and some have no relation to the equipment densities. Would the Government provide additional information on the number of Allied Trades actions estimated per year by type of work delineated in the PWS; e.g., welding, automotive painting, packing and crating services, tire and wheel services, glass repair, etc.?	Vehicles related to PWS paragraph 5.25.1 are not maintained by the IMD.

Ex - 24	Exhibit E, Supply Workload Data	Exhibit E does not contain sufficient workload data to estimate staffing requirements in several areas. Would the Government provide compiled information from the supply reports of the current contract to include the items tracked in CDRL SS-01 (e.g., amounts of ammunition issued, packing and crating services provided, repairs and scheduled pm on Supply Division's forklift fleet and associated equipment, etc.) to more closely match up with the requirements of the Performance Requirements Summary incorporated as part of the PWS?	Sufficient data is provided for Offerors to propose.
Ex - 25	General Question	Is the workload data for the Maintenance Readiness Team included in the workload data provided?	Yes
Ex - 26	Exhibit E, POL, page 1	Does Ft Lee use an automated gauging and inventory system or are all required gauging and inventories manually performed? Please clarify.	Ft. Lee utilizes an automated gauging and inventory system. However a manual system may be utilized periodically.
Ex - 27	Exhibit E, HAZMAT, page 1	Please define what is intended with the Unit/Maintenance approval requirement? Are we to presume there were zero (0) turn-ins for the year?	Approvals means that the units and Materiel maintenance had their requests approved prior to purchasing the items. There were no turn-ins.
Ex - 28	Exhibit E, Ammunition Supply Point, page 1	Historically, how many inventories have been conducted over the last year and the category, i.e. special or complete (wall-to-wall)?	Refer to AR 710-2
Ex - 29	Exhibit C, Page 1, Transportation Workload Data - Driver Supported Activities	Will the Government please define ALU/TA 27?	ALU is the name of the university located at Ft. Lee. TA 27 is a field site on Ft. Lee
Ex - 30	Exhibit C, Page 1, Transportation Workload Data - Driver Supported Activities	Will the Government please provide a copy of the shuttle schedule, times, and route?	This information will be provided after contract award. Workload data is provided in Exhibit C to assist in proposal submission.
Ex - 31	Exhibit C, Page 1, Transportation Workload Data - Special Missions	Will the Government please provide the average time for completion of each Special Mission requirement?	Depending on the special mission requirement, the event may be up to 200 miles away from Ft. Lee.
Ex - 32	W52P1J-12-R-0114, Section J, Exhibit C Transportation Workload Data	Post shuttle – Requirement is 3 buses/5 days a week. What are the hours?	During normal duty hours.

Ex - 33	W52P1J-12-R-0114, Section J, Exhibit C Transportation Workload Data	Medical Support (Portsmouth / Walter Reed) - 6 Trips a week. Are these overnight?	No
Ex - 34	W52P1J-12-R-0114, Section J, Exhibit C Transportation Workload Data	Reserve Mission – 50 weeks (7 days) - Where are the locations they are being brought to?	Picked up at various locations throughout the area and brought to Ft. Lee.
Ex - 35	W52P1J-12-R-0114, Section J, Exhibit C Transportation Workload Data	Reserve Mission – 50 weeks (7 days) - How many people?	It varies
Ex - 36	GENERAL QUESTION	Please provide a listing of Government Furnished Vehicles that will be used by the Contractor, and indicate if they are GSA or Government Owned.	The Government Furnished Vehicles are GSA vehicles. The number of GSA vehicles provided to the contractor is dependant upon the proposal.
Ex - 37	Exhibit C Transportation Workload	Exhibit C Transportation Workload, item listed as Special Missions. What does this workload relate to? Is it for Bus, Shuttle or Taxi Service or other? Please clarify.	Bus
Ex - 38	Exhibit C Transportation Workload Data, PWS 5.23, C-6 p. 48	What is the workload data associated with PWS task 5.23 Rail operations? Do the Fort Lee rail operations include upload/download of railcars, operating the locomotive, maintenance on the locomotive or railcars?	Workload data for upload or unload of railcars is included in the freight workload. Note that this requirement is limited. Contractor will not operate or maintain the locomotive or railcar.
Ex - 39	Exhibit C Transportation Workload Data, PWS 5.24, C-6 p. 48	a. What size units are included in the three (3) yearly unit moves? i.e. Detachment, Company, Battalion? b. Are these moves CONUS or OCONUS? c. Are these Unit movements limited to Fort Lee units or do they include other units, such as National Guard or Reserves?	a. Company. b. CONUS. c. Limited to Ft. Lee units
Ex - 40	Exhibit C Transportation Workload Data, PWS 5.25, C-6 p. 48	What is the workload data for the number of training sessions conducted per year other than bus driver training?	Unit transportation coordinator training is held quarterly.
Ex - 41	Exhibit C Transportation Workload Data	What is the average equipment density, equipment type, or equipment listing for freight movements?	This information is not available.
Ex - 42	Exhibit C Transportation Workload Data	What are the requirements for RTCH missions (to include mission type, pieces of equipment moved per mission, or average length of mission)?	This information is not available.
Ex - 43	Exhibit C Transportation Workload Data	Are the bus driver missions in exhibit C supplemented by Government civilian or military personnel? If so how many?	no

Ex - 44	Exhibit E Supply Workload Data, PWS 5.13, C-5 p. 23	What is the detailed workload data for PWS 5.13, such as Administrative Adjustment Reports Prepared and Posted, Hand Receipts Updated, Receipt and Turn-in Documents Prepared, Processed, and Posted, Items Inventoried, items Loaded or picked up for DRMO, and other detailed information for the Property book office?	This information is not available.
Ex - 45	Exhibit E Supply Workload Data, PWS 5.13.2, C-5 p. 23	Does the Property book office provide loading and unloading services onto vehicles? If so, what type of MHE is used in loading/unloading operations?	No
Ex - 46	Exhibit E Supply Workload Data, PWS 5.14, C-5 p. 23	What is the detailed workload data for PWS 5.14, such as total DODAAC transactions, pieces of freight received at the CRP, number of monthly inventories, SARSS data (multiple reports should be readily available) , documents filed, vehicles/ equipment taken to or removed from storage yard, maintenance workload (MHE fleet), and other detailed information?	This information is not available.
Ex - 47	Exhibit E Supply Workload Data, PWS 5.15, C-5 p. 24	Are the Yearly totals for HAZMAT total number of items issued, or total overall issues?	Total numbers of items issued.
Ex - 48	Exhibit E Supply Workload Data, PWS 5.16, C-5 p. 26	The Government has only provided workload information for receipt , issues and turn ins; What is the workload data for number of inspections, numbers of requisitions, warehousing actions, salvage actions, number of inventories by type, maintenance actions and type, quantity of demilitarization (DEMIL) ammunition residue completed, and other detailed information?	The workload data provided supports the requirements identified in the PWS.
Ex - 49	Exhibit D	Does the maintenance data (equipment density) provided in exhibit D include support to the multiple Training and Doctrine Command Schools (Ordnance, Quartermaster, Transportation, etc.) located on Fort Lee? Is maintenance support to those activities provided as part of this contract?	Contractor will not provide any maintenance support to these activities.